



2023 MAIZEX GRAIN CORN REPORT

Producer: Jeff Couture #1

Town: Pain Court

County: Chatham-Kent

Date Planted: May 6, 2023

Tillage: Conventional

CHU Zone:

Date Harvested: Oct 12, 2023

Soil Type: Loam

Previous Crop: Wheat

Brand	Hybrid	Trait	RM	Yield		Moisture %	Test Wt (lbs/bu)	Income \$ / AC	Comments
				BU/AC	MT/AC				
Pioneer	P0720Q	Qrome	107	257.51	6.54	35.0	51.3	\$ 1,218.02	
Maizex	MZ 4755TRE	TRE	107	247.77	6.29	32.0	50.8	\$ 1,216.53	
Maizex	MZ 4799SMX	SS	107	256.56	6.52	32.1	51.1	\$ 1,258.19	
Pioneer	P0720AM	AM	107	248.49	6.31	33.9	50.2	\$ 1,191.75	
Brevant	B07M64Q	Qrome	107	254.13	6.46	31.7	51.2	\$ 1,252.33	
Maizex	MZ 4608SMX	SS	106	257.76	6.55	28.5	50.7	\$ 1,319.74	
Pioneer	P0720Q	Qrome	107	263.45	6.69	34.3	51.5	\$ 1,257.18	
Croplan	CP4757VT2P	VT2P	107	240.21	6.10	28.8	51.5	\$ 1,225.54	
Croplan	CP4676SS	SS	106	240.82	6.12	33.2	51.0	\$ 1,165.07	
Pioneer	P0529Q	Qrome	105	265.05	6.73	33.9	51.3	\$ 1,271.20	
Pioneer	P04511AM	AM	104	237.49	6.03	29.2	52.1	\$ 1,205.99	
Brevant	B04D72Q	Qrome	104	276.00	7.01	33.1	50.5	\$ 1,336.95	
Pioneer	P04922Q	Qrome	104	237.46	6.03	30.8	51.6	\$ 1,183.04	
Maizex	MZ 4821DBR	VT2P	108	255.85	6.50	36.5	52.4	\$ 1,187.16	
Maizex	MZ 4577SMX	SS	105	264.54	6.72	28.9	51.9	\$ 1,348.11	
Pioneer	P0720Q	Qrome	107	270.66	6.88	34.7	51.8	\$ 1,285.09	

Brand	Hybrid	Trait	RM	Yield		Moisture %	Test Wt (lbs/bu)	Income \$ / AC	Comments
				BU/AC	MT/AC				
Pioneer	P0035Q	Qrome	100	249.65	6.34	30.0	53.4	\$ 1,255.76	
Maizex	MZ 4049SMX	SS	100	237.46	6.03	25.8	51.6	\$ 1,254.24	
Croplan	CP4188SS	SS	101	252.01	6.40	24.0	51.3	\$ 1,358.32	
Maizex	MZ 4158DBR	VT2P	101	270.02	6.86	25.1	51.8	\$ 1,437.58	
Brevant	B99A24AM	AM	99	237.93	6.04	25.2	52.7	\$ 1,265.33	
Pioneer	P97299AM	AM	97	227.19	5.77	27.7	51.5	\$ 1,174.14	
Pioneer	P0720Q	Qrome	107	262.39	6.67	36.1	51.2	\$ 1,223.80	
Test Mean				252.63	6.42	30.9	51.5	\$ 1,256.13	

Income per acre is calculated on a \$5.90/bu (\$232.27/MT). CK avg. price on October 3, 2023 corn with a \$0.06/%H2O/bu. drying charge with a base moisture of 15.5%. Yields are adjusted to standard 15.5% moisture.