



2025 MAIZEX GRAIN CORN REPORT

Producer: Katrime Century Farms

Date Planted: May 9, 2025

Date Harvested: Nov 10, 2025

Town: Macgregor

Tillage: Reduced

Soil Type: Loam

County:

CHU Zone:

Previous Crop: Other

Brand	Hybrid	Trait	RM	Yield		Moisture %	Test Wt (lbs/bu)	Income \$ / AC	Comments
				BU/AC	MT/AC				
Proven	PV 60570RIB	VT2P	70	142.97	3.63	16.7	58.3	\$ 774.62	
Proven	PV 60371RIB	VT2P	71	195.83	4.97	17.5	58.2	\$ 1,051.62	
Maizex	MZ 1231DBR	VT2P	72	175.23	4.45	17.8	58.1	\$ 937.85	
Pioneer	P7211AM	AM	72	176.65	4.49	16.7	57.2	\$ 957.09	
Maizex	MZ 1255DBR	VT2P	72	180.84	4.59	17.1	59.6	\$ 975.43	
Proven	PV 60273RIB	VT2P	73	175.35	4.45	17.9	57.2	\$ 937.40	
Maizex	MZ 1397DBR	VT2P	73	190.09	4.83	18.0	58.5	\$ 1,015.10	
Pride	A4494G2	VT2P	74	157.99	4.01	19.2	55.8	\$ 832.28	
Proven	PV 60474RIB	VT2P	74	199.03	5.06	18.7	58.2	\$ 1,054.46	
Maizex	MZ 1544DBR	VT2P	75	197.73	5.02	17.9	55.2	\$ 1,057.08	
Pioneer	P7527AM	AM	75	182.33	4.63	18.2	55.6	\$ 971.45	
Maizex	MZ 1688DBR	VT2P	76	186.25	4.73	19.0	55.0	\$ 983.39	
Proven	PV 61276RIB	VT2P	76	164.73	4.18	19.7	56.2	\$ 862.88	
Pride	A4848G2	VT2P	78	184.33	4.68	19.1	55.5	\$ 972.18	
DLF	DLF 2333RR	RR2	79	198.35	5.04	23.0	57.2	\$ 999.70	
Maizex	E49K32 R	VT2P	79	182.08	4.62	18.6	55.1	\$ 965.77	

Brand	Hybrid	Trait	RM	Yield		Moisture %	Test Wt (lbs/bu)	Income \$ / AC	Comments
				BU/AC	MT/AC				
Pride	Experimental			193.56	4.92	19.3	55.3	\$ 1,018.52	K3109
Proven	PV 61180RIB	VT2P	80	194.84	4.95	18.9	53.6	\$ 1,029.93	
Thunder Seed	TH6278 VT2P	VT2P	78	186.03	4.73	18.0	55.7	\$ 993.39	
Dekalb	DKC31-85	VT2P	81	203.87	5.18	18.7	54.5	\$ 1,080.09	
Proven	Experimental			164.15	4.17	20.9	53.6	\$ 848.02	PV 62582RIB
Maizex	MZ 2344DBR	VT2P	83	172.46	4.38	19.4	51.2	\$ 906.46	
Pride	Experimental			177.47	4.51	20.7	53.6	\$ 918.91	K3513
Pride	A5424G2	VT2P	85	192.56	4.89	22.1	53.0	\$ 980.90	
Pride	Experimental			185.02	4.70	21.2	53.5	\$ 952.48	K3314
Test Mean				182.39	4.63	19.0	55.8	\$ 963.08	

Income per acre is calculated on a \$5.49/bu (\$216.13/MT). CK avg. price on September 22, 2025 corn with a \$0.06/%H2O/bu. drying charge with a base moisture of 15.5%. Yields are adjusted to standard 15.5% moisture.