



ONTARIO

2027 SEED GUIDE

GRAIN CORN 🍁 SOYBEANS 🍁 CANOLA

CONTENTS

Grain Corn	12A
Soybeans	28A
Canola	34A

WHAT IT MEANS TO BE CANADIAN

As a 100% Canadian-owned and Canada-focused seed company, **we believe in the potential of farmers** we work with from coast to coast and what they are doing field by field to meet our needs as a society. This belief drives our sole focus of serving Canadian farmers by providing superior seed genetics to grow crops and raise livestock that feed and provide ingredients to our food system and economy.

Maizex continues to invest in pre-commercial product research and product quality with the goal to provide our customers with the world's best genetics that are tested in the unique environments we have across this country, whether for grain, silage, grazing, or specialty uses.

In fact, for 2027, Maizex is launching its largest new product class in our history, covering corn, soybeans, forages, and canola. New products that set the bar higher for yield and agronomic performance. The best in yield, the best in traits and, where needed, the best in seed treatments. To do this takes time, commitment, and focus. It takes research, production, and support.

There may be uncertainty in this world, but creating certainty on the farm starts by increasing your yield potential and decreasing your production risk through seed genetics tested here, grown here, and designed for Canadian farms. **Seed by Maizex.**

Maizex Seeds Inc.

4488 Mint Line Tilbury, Ontario NOP 2L0
(877) 682-1720 | info@maizex.com | maizex.com

OUR MAIZEX TEAM



Find your local Maizex representative.

Management



Blake Ashton
General Manager
(519) 359-4858
Blake.Ashton@maizex.com



Stephen Denys
Director of Market & Product Development
(519) 358-3370
Stephen.Denys@maizex.com



Leigh Pepper
Administration Manager
(519) 682-1720
Leigh.Pepper@maizex.com



Karen Dunlop
Marketing Manager
(519) 358-6408
Karen.Dunlop@maizex.com

Product & Agronomy Support



Shawn Winter, CCA-ON
Product Development Manager – Corn
(519) 809-0078
Shawn.Winter@maizex.com



Jeremy Visser, CCA-ON
Product Development Manager – Soybeans
(519) 359-8428
Jeremy.Visser@maizex.com



Henry Prinzen, CCA-ON
Agronomy Lead – Ontario
(226) 747-6213
Henry.Prinzen@maizex.com



Pascal Larose, Agr.
Product and Agronomy Lead –
Corn and Soybeans, Quebec & Maritimes
(450) 779-5383
Pascal.Larose@sollio.ag



Lyne Beaumont, Agr.
Product and Agronomy Lead –
Forages and Cereals, Quebec
(418) 572-8972
Lyne.Beaumont@sollio.ag



Katie Meggison
Agronomy Lead – Western Canada
(204) 264-0678
Katie.Meggison@maizex.com

Ontario Territory Managers



Adam Parker, CCA-ON
Regional Manager
(226) 820-6280
Adam.Parker@maizex.com



Chuck Belanger
Essex & Chatham-Kent
(519) 401-0715
Chuck.Belanger@maizex.com



Kirk Van Will, CCA-ON
Lambton, North Middlesex, Huron
(519) 899-3255
Kirk.VanWill@maizex.com



Laura Johnston, CCA-ON
Elgin, Oxford, South Middlesex
(519) 476-2482
Laura.Johnston@maizex.com



Bryce Ruppert
Norfolk, Brant, Hamilton, Niagara, Haldimand
(519) 403-4462
Bryce.Ruppert@maizex.com



Mike Eckert, CCA-ON
North Huron, Perth, Waterloo, Wellington
(226) 820-2203
Mike.Eckert@maizex.com



Shannon Bieman, CCA-ON
Bruce, Grey, Dufferin, Simcoe
(519) 357-6119
Shannon.Bieman@maizex.com



Justin Brennan, CCA-ON
Central Ontario
(519) 401-9017
Justin.Brennan@maizex.com



Leigh Hudson-Templeton, CCA-ON
Eastern Ontario
(613) 408-7212
Leigh.Hudson@maizex.com

Western Canada Territory Managers



Stephan Chabbert
Regional Manager
(204) 693-1034
Stephan.Chabbert@maizex.com



Danielle MacCallum
South Alberta/SW Saskatchewan/BC
(403) 715-2628
Danielle.MacCallum@maizex.com



Kim Leitch
North Alberta/NW Saskatchewan
(780) 603-8006
kim.leitch@maizex.com



Darrel Thérroux
North Manitoba/East Saskatchewan
(204) 898-9859
Darrel.Theroux@maizex.com



Brett Graham
South Manitoba
(431) 294-6549
Brett.Graham@maizex.com

Quebec & The Maritimes Territory Managers



Philippe Defoy, Agr.
Regional Manager
(819) 531-8737
Philippe.Defoy@maizex.com



Stéphane Larose
Western Quebec
(514) 606-1720
Stephane.Larose@maizex.com



Steve Letendre
North and East Quebec
(819) 313-9106
Steve.Letendre@maizex.com



Klay Ansems
Maritimes
(902) 680-6995
Klay.Ansems@maizex.com

LOCAL RESEARCH FIELD BY FIELD

The Maizex field team, in conjunction with our valued network of cooperators, plants thousands of plots every year across Canada to further our agronomy and product research and ultimately provide our customers with the best recommendations possible. Our focus is on optimizing profitability for our customers, field by field.



Find trial data
results near you.



SEED CORN TECHNOLOGY

Maizex delivers high-performance corn hybrids built from world-class germplasm and leading trait and seed-treatment technologies. Working closely with Canadian farmers, we position hybrids that drive yield and performance in every field, and we continue to innovate in production and processing to ensure exceptional seed quality for both grain and silage corn.

Trait Technologies and Hybrid Performance

Maizex aligns leading global trait technologies with the specific insect, disease, and weed pressures farmers face in Canada to enhance yield potential.

Traits	Features	Positioning	ABOVE GROUND PROTECTION AGAINST					BELOW GROUND PROTECTION AGAINST	Herbicide Tolerances	Refuge
			Corn Borer	Corn Earworm	Black Cutworm	Armyworm	Western Bean Cutworm	Corn Rootworm		
	The trusted benefits of SmartStax [®] technology intertwined with a new RNAi-based mode of action offers exceptional crop protection. This product is the first with three modes of action, offering the strongest biotech defense against corn rootworm.	First choice for yield performance, especially on corn-on-corn acres.*	✓	✓	✓	✓		✓	Roundup Ready [®] LibertyLink [®]	5% RIB
	The standard on the market today with above- and below-ground insect protection.	First choice for yield performance, especially on corn-on-corn acres.*	✓	✓	✓	✓		✓	Roundup Ready [®] LibertyLink [®]	5% RIB
	Broad-spectrum above-ground insect control, including Western Bean Cutworm.	Rotated ground with high risk of Western Bean Cutworm activity.	✓	✓	✓	✓	✓		Roundup Ready [®]	5% RIB
	Combines three modes of action, including Trecepta [®] , for the next generation of protection against above-ground insects, including Western Bean Cutworm.	Ideal for initial year of corn-on-corn situations with high risk of Western Bean Cutworm.	✓	✓	✓	✓	✓	✓	Roundup Ready [®]	5% RIB
	Dual mode of action for above-ground insects.	Rotated ground and second-year corn as part of an integrated rootworm strategy.	✓	✓	✓	✓			Roundup Ready [®]	5% RIB
	Features three modes of action for long-lasting, broad-spectrum protection against above-ground insects, with tolerance to three herbicides for weed control flexibility.	Rotated ground and second-year corn as part of an integrated rootworm strategy.	✓	✓	✓	✓			Glyphosate Liberty [®] 2,4-D choline	5% Refuge Advanced [™]
	Features a unique mode of action that controls corn rootworm differently than other traits on the market and acts as an excellent foundation for an effective corn rootworm control strategy.	Excellent choice for yield performance and corn rootworm control, including corn-on-corn situations.*	✓	✓	✓	✓		✓	Glyphosate Liberty [®]	5% E-Z Refuge [®]
	Combines yield with Roundup Ready [®] weed control flexibility.	Rotated ground with no insect pressure.							Roundup Ready [®]	
	Selected for yield potential and natural plant health.	Ideal for non-GMO opportunities.								

*Talk to your Maizex Seeds dealer about resistance-management strategies for corn rootworm traits.

Seed Treatments and Stand Establishment

Early-season protection is critical to achieving strong emergence and uniform stands. Maizex offers seed treatment options that safeguard seedlings from soil-borne insects and diseases that can limit yield potential before plants even emerge.

Options

Untreated	Option for organic or conventional production.
Fungicide Only	 Vibrance[®] Cinco  Lumiante[™] FUNGICIDE SEED TREATMENT  Stamina[™] Corn Fungicide Seed Treatment
Fungicide + Insecticide	 Fortenza[®] Vibrance[®] Cinco  Lumiante[™] FUNGICIDE SEED TREATMENT  Stamina[™] Corn Fungicide Seed Treatment

Vibrance[®] Cinco

Vibrance[®] Cinco broad-spectrum fungicide provides added control of seed- and soil-borne pathogens, such as Pythium, Rhizoctonia, and Fusarium, as well as weakly pathogenic fungi such as Aspergillus and Penicillium.

Lumiante[™]

Lumiante[™] fungicide seed treatment provides enhanced protection against Pythium, is effective at low application rates, and offers balanced translocation to protect plants.

Stamina[™]


Stamina[™] fungicide seed treatment delivers effective protection against seed rot caused by *Rhizoctonia solani*, resulting in more consistent and uniform emergence for maximum yield potential. Seedling vigour is increased both above and below ground, including under colder than normal soil conditions, with an enhanced ability to withstand minor environmental stress.

Fortenza[®]

The diamide insecticide Fortenza[®] provides critical early-season protection with control of European chafer, wireworm, and cutworm.

The SeedRight Advantage

Seed size varies naturally from year to year. With today's precision planting systems, fine tuning planter settings is essential for achieving optimal singulation and uniformity. Ask your Maizex dealer for our updated SeedRight recommendations.



GRAIN Corn

Hybrid	Trait	Characteristics	Silage Option	Positioning	Management							Agronomic Ratings							Disease Ratings			
					Companions	Final Plant Population	Response to Intensive Management	Response to Fungicide	Silking RM	Kernel Mass	Kernel Number	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
MZ 1200DBR CHU 2050 RM 72	 RIB	• Early flowering promotes movement north of zone • Excellent seedling vigour for early stand establishment • Strong test weight and grain quality		• Responds to increased population • Ideal for dual-purpose option	MZ 1255DBR MZ 1397DBR	32-34	4	UR	73	✓		9	M	12-14	8	8	9	9	8	7	UR	UR
NEW MZ 1255DBR CHU 2050 RM 72	 RIB	• Industry-leading yield performance • Rapid seedling vigour maximizes yield potential • Excellent test weight and late-season appearance		• Predicted above-average response to increased population • Predicted favourable response to fungicide	MZ 1200DBR MZ 1397DBR	34-36	UR	UR	72	UR	UR	9	M	16-18	8	8	9	9	6	7	UR	UR
MZ 1340DBR CHU 2150 RM 73	 RIB	• Ultra-early flowering • Excellent grain quality and test weight • Open husk aids grain drydown		• Above-average response to increased population • Above-average response to intensive management • Position for timely harvest	MZ 1397DBR MZ 1544DBR	34-36	7	UR	73	✓		9	S-M	12-14	7	8	8	9	6	7	UR	UR
MZ 1397DBR CHU 2150 RM 73	 RIB	• Sets grain early for risk management • Excellent fall intactness promotes efficient harvest • Strong stay-green with open husk at harvest		• Above-average response to increased population • Predicted average response to intensive management package	MZ 1544DBR MZ 1688DBR	34-36	6	UR	74	✓		8	M	16-18	8	8	9	9	8	6	UR	UR

Maizex delivers high-performance grain corn hybrids bred for maximum yield across all Canadian maturities. Backed by one of Canada’s most extensive pre-commercial testing programs, Maizex turns real-world field data into smarter hybrid placement so your farm performs at its best, field by field.

Maizex Corn Hybrid Nomenclature



- MZ = Grain hybrid
- MS = Silage hybrid
- LF = Leafy silage hybrid
- LFG = Leafy/floury silage hybrid

*Maturity: add 60 to the first two numbers for days to maturity.

TRAIT SUFFIXES

(see trait technology info on page 8A)

- No suffix = conventional

X = X-series conventional

DUR = Duracade®

R = Roundup Ready® Corn 2

DBR = VT Double PRO®
- VT4 = VT4 PRO®

TRE = Trecepta®

SMX = SmartStax®

SSP = SmartStax® PRO

PWE = PowerCore® Enlist®

Legend

RIB / E-Z Refuge® / Refuge Advanced™ = hybrids that contain 5% non-insect-traited seed corn in the bag.

Silage option: a Ration 365 logo in this column indicates that these hybrids are dual-purpose and can also be used for silage.

Management category ratings: the numerical ratings in the Response to Intensive Management and Response to Fungicide categories range from 0 – 10, where 0 = no response, **10** = a very large response, and **UR** = unrated.

Final plant population: population in 000s of plants per acre that is the ideal target for this hybrid. Where conditions are less favourable, move to the lower range of the population recommendations.

Response to intensive management: “intensive management” denotes additional plant population (i.e. +5,000 ppa), nitrogen (i.e. +50 lbs N/acre), and fungicide application at VT (tassel stage). In trials this was generally compared to a standard management package that had inputs in the range of 30,000 – 32,000 ppa, 170 lbs N/acre, and no foliar fungicide applications.

Kernel mass: a checkmark here indicates a ‘kernel mass hybrid,’ where yield is driven by the mass of each kernel.

Kernel number: a checkmark here indicates a ‘kernel number hybrid,’ where yield is driven by the number of kernels on an ear.

Agronomic category ratings (1 – 9): **1** = very poor; **9** = excellent; **UR** = unrated.

Plant height: **S** = short; **M** = medium; **T** = tall.

Disease ratings: **NCLB** = Northern Corn Leaf Blight; **ANTH** = Anthracnose; **DON** = Deoxynivalenol (Vomitoxin); the numerical ratings for the disease categories range from 0 – 9, where 0 = highly susceptible, 9 = highly tolerant, and UR = unrated. An * indicates a predicted response.



Learn more about our innovative characterization of hybrids by kernel mass and kernel number.



GRAIN Corn

Hybrid	Trait	Characteristics	Silage Option	Positioning	Management							Agronomic Ratings							Disease Ratings			
					Companions	Final Plant Population	Response to Intensive Management	Response to Fungicide	Silking RM	Kernel Mass	Kernel Number	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
MZ 154 CHU 2250 RM 75	CONV	• Rapid grain drydown • Strong stalks facilitate harvest ease • Strong disease package		• Below-average response to intensive management • Excellent stability across environments		32-34	UR	UR	75	✓		8	S-M	14-16	9	9	8	8	8	7	UR	UR
MZ 1544DBR CHU 2250 RM 75	VTDoublePRO RIB COMPLETE RIB	• Excellent disease package promotes yield • Strong agronomics and standability for harvest ease • Versatile placement north and south of zone		• Below-average response to intensive management • Excellent stability across environments	MZ 1397DBR MZ 1688DBR	32-34	2	UR	75	✓		8	S-M	14-16	9	9	8	8	8	7	UR	UR
MZ 1688DBR CHU 2300 RM 76	VTDoublePRO RIB COMPLETE RIB	• Rapid grain drydown • Industry-leading plant health • Extended stay-green for added yield		• Average response to fungicide • Above-average response to population • Excellent dual-purpose option	MZ 1544DBR E49K32 R	34-36	5	UR	77		✓	9	T	16-18	9	9	8	8	8	7	UR	UR
E49K32 R CHU 2300 RM 79	VTDoublePRO RIB COMPLETE RIB	• Impressive late-season plant health • Industry-leading yield • Strong agronomics		• Moderate response to population • Favourable response to fungicide and additional nitrogen • Excels in high-yield environments	MZ 1688DBR MZ 2266DBR	32-34	8	UR	78	UR	UR	8	M	16-18	9	8	8	8	8	UR	UR	UR
MZ 2266DBR CHU 2450 RM 82	VTDoublePRO RIB COMPLETE RIB	• Strong agronomics with top-end yield • Early-flowering hybrid with open husks to aid drydown • Excellent grain quality with high test weight		• Responds to increased population • Reserve highest populations for high-yielding fields	E49K32 R MZ 2344DBR	34-36	6	UR	79	✓		9	M	14-16	9	8	8	9	8	8	UR	UR
MZ 236 CHU 2525 RM 83	CONV	• Early flowering promotes movement north of zone • Industry-leading yield potential • Strong yields in low-yielding environments	—	• Predicted favourable response to intensive management • Excels in variable-yield environments	MZ 154 MZ 269	34-36	UR	UR	83		✓	8	M	16-18	7	8	8	9	7	7	UR	7*
MZ 2344DBR CHU 2500 RM 83	VTDoublePRO RIB COMPLETE RIB	• Yield-leading performance across environments • Superior grain quality and test weight • Excellent stress tolerance		• Above-average response to increased population • Ideal for delayed harvest	MZ 1544DBR MZ 2266DBR	34-36	5	UR	78		✓	8	T	18-20	8	8	9	9	7	8	UR	7*
MZ 2422PWE CHU 2550 RM 84	POWERCORE Enlist REFUGE ADVANCED™	• Top-end yield potential with herbicide flexibility • Open husks aid grain drydown • Extended stay-green for added yield		• Predicted favourable response to increased population • Stronger yields in moderate- to high-yield environments	MZ 2344DBR MZ 2575DBR	34-36	UR	UR	85	✓*		8	M	16-18	7	8	8	8	8	8	UR	6*
MZ 2575DBR CHU 2575 RM 85	VTDoublePRO RIB COMPLETE RIB	• Strong early-season vigour for rapid stand establishment • Open husks promote rapid grain drydown • Maintains leading performance under lower- to moderate-yield environments		• Above-average response to increased population • Favourable response to intensive management • Excels in variable-yield environments	MZ 2344DBR MZ 2699DBR	32-36	7	UR	83		✓	9	M-T	18-20	8	8	9	8	6	7	UR	6*



GRAIN Corn

GRAIN					Corn								Management								Agronomic Ratings							Disease Ratings			
Hybrid	Trait	Characteristics	Silage Option	Positioning	Companions	Final Plant Population	Response to Intensive Management	Response to Fungicide	Silking RM	Kernel Mass	Kernel Number	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot									
MZ 269 CHU 2600 RM 86	CONV	• Early flowering promotes movement north of zone • Excels in variable-yield environments • Impressive vigour for rapid stand establishment	—	• Excels in variable-yield environments • Above-average responses to population and management	MZ 236 MZ 314	32-34	UR	UR	85		✓	9	M-T	18-20	9	8	8	8	7	7	UR	6*									
MZ 2699DBR CHU 2600 RM 86	VTDoublePRO RIB	• Leading yield potential • Exceptional stress tolerance • Impressive vigour for rapid stand establishment	365	• Excels in variable-yield environments • Above-average responses to population and management	MZ 2784SMX MZ 2982DBR	32-34	6	UR	85		✓	9	M-T	18-20	9	8	8	8	7	7	UR	7*									
NEW MZ 2784SMX CHU 2650 RM 87	SmartStax RIB	• Attractive fall appearance with very open husk • Ear girth combined with open husk • Excellent stress tolerance and plant intactness	365	• Response to increased population • Predicted favourable response to fungicides • Excellent in corn-on-corn management	MZ 2699DBR MZ 2982DBR	34-36	UR	UR	89	✓	✓	8	M	16-18	9	8	9	9	8	9	UR	UR									
NEW MZ 2803DBR CHU 2675 RM 88	VTDoublePRO RIB	• Excels in and north of maturity zone • Excellent grain quality and test weight • Rapid grain drydown	—	• Predicted favourable response to fungicide • Position for timely harvest • Excels in lower-yielding environments	MZ 2784SMX MZ 3006DBR	34-36	UR	UR	90	✓*		8	T	18-20	8	8	9	9	7	7*	UR	5*									
MZ 2982DBR CHU 2700 RM 89	VTDoublePRO RIB	• Powerful seedling vigour for tough conditions • Leading top-end yields • Rapid grain drydown	—	• Excels in high-yield environments • Average yield response to fungicide but improves late-season intactness	MZ 3117DBR MZ 2699DBR	30-34	7	8	89	✓	✓	9	S-M	18-20	8	8	9	8	7	6	UR	7*									
MZ 305X CHU 2700 RM 90	X-Series CONV	• Impressive girthy ear with deep kernels • Excellent stay-green • Outstanding seedling vigour	—	• Favourable response to fungicide • Less response to increased population	MZ 269 MZ 314	30-32	UR	8	89		✓	9	M	18-20	7	8	8	8	8	UR	UR	UR									
NEW MZ 3006DBR CHU 2750 RM 90	VTDoublePRO RIB	• Industry-leading yield performance • Strong plant stay-green supports yield potential • Excellent agronomics promote efficient harvest	365	• Predicted above-average response to intensive management • Predicted favourable response to fungicide • Ideal for delayed harvest	MZ 2982DBR MZ 3117DBR	32-34	6	7	91	✓	✓	8	T	16-18	8	8	8	7	7	8	UR	5*									
MZ 3117DBR CHU 2750 RM 91	VTDoublePRO RIB	• Hybrid with proven top-end yield • Strong stalks for flexible harvest • Uniform ear size down the row	—	• Average response to fungicide alone • Above-average response to intensive management • Excels in moderate- to high-yield environments	MZ 2982DBR MZ 3006DBR	32-34	6	6	92		✓	9	M	18-20	9	9	9	8	8	7	UR	UR									
NEW MZ 3220SSP CHU 2775 RM 92	SmartStaxPRO RIB	• Attractive fall appearance promotes ease of harvest • Open husks aid rapid grain drydown • Strong yields across all yield environments	365	• Ideal for delayed harvest • Position across all yield environments • Excels in lower-yielding environments • Dual-purpose option	MZ 3314SMX MZ 3006DBR	32-34	UR	UR	91		✓*	9	M-T	20-22	9	8	8	9	8	9	UR	5*									



GRAIN Corn

Hybrid	Trait	Characteristics	Silage Option	Positioning	Management							Agronomic Ratings							Disease Ratings			
					Companions	Final Plant Population	Response to Intensive Management	Response to Fungicide	Silking RM	Kernel Mass	Kernel Number	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
MZ 314 CHU 2750 RM 91		• Top-end yield potential • Allows flexible harvest timing • Consistent ear size across plants	—	• Allows for a flexible harvest • Excellent dual-purpose hybrid • Ideal for variable-yield environments	MZ 269 MZ 305X	32-34	UR	UR	92		✓	9	T	16-18	9	9	8	7	7	UR	UR	8
MZ 3314SMX CHU 2775 RM 93		• Impressive leaf-disease tolerance • Compact plants with strong stalks • Broadly adapted for flexible positioning		• Excels in variable-yield environments • Favourable response to fungicides • Less likely to respond to population	MZ 3117DBR MZ 3505DBR	32-34	4	7	94	✓		9	M	16-18	9	9	8	8	8	8	UR	5
MZ 3432TRE CHU 2800 RM 94		• Industry-leading above-ground insect control including western bean cutworm • Broadly adapted for flexible positioning • Industry-leading yield potential		• Excels in variable-yield environments • Excels under intensive management package • Dual-purpose option	MZ 3117DBR MZ 3505DBR	32-34	8	6	96		✓	8	T	18-20	9	9	8	7	7	8	6*	7
MZ 3528DBR CHU 2850 RM 95		• Excellent late-season plant health • Open husks aid grain drydown • Next-level yield potential	—	• Above-average response to increased population and fungicide • Dual-purpose option	MZ 3505DBR MZ 3818DBR	34-36	8	UR	94	✓		9	T	16-18	9	8	8	8	9	8	8	UR
MZ 3505DBR CHU 2850 RM 95		• Excellent late-season plant health • Open husks aid grain drydown • Next-level yield potential		• Above-average response to fungicide • Match population to yield environment • Ideal for delayed harvest	MZ 3314SMX MZ 3006DBR	32-34	6	8	96	✓		9	T	16-18	9	9	9	8	8	8	7	6
MZ 3751SSP CHU 2900 RM 97		• Excellent agronomics ideal for delayed harvest • Broadly adapted to excel across yield environments • Open husks allow for fast grain drydown		• Predicted favourable response to VT fungicide • Solid dual-purpose silage option • Excels across yield environments	MZ 3505DBR MZ 3432TRE	34-36	7*	7*	96		✓*	8	T	18-20	8	8	8	7	7	8	7	5
MZ 3794TRE CHU 2925 RM 97		• Industry-leading yield potential • Stable hybrid performance across yield environments • Longer husks open to aid drydown		• Strong performance in variable-yield environments • Predicted favourable response to VT fungicide	MZ 3432TRE MZ 3930DBR MZ 4049SMX	34-36	UR	UR	97		✓*	7	M	18-20	9	8	8	7	7	8*	9	5*
MZ 3704VT4 CHU 2900 RM 97		• Industry-leading above-ground insect control, including western bean cutworm, combined with rootworm control • Open husks promote rapid grain drydown • Strong performance in variable-yield environments		• Average response to fungicide • Favourable response to increased population • Excels in variable-yield environments	MZ 3528DBR MZ 4049SMX	32-36	7	7	99		✓	8	M-T	18-20	8	8	8	8	7	8	5	7
MZ 3818DBR CHU 2925 RM 98		• Dependable yield across diverse environments • Durable disease tolerance • Excellent fall intactness		• Average response to fungicide • Raise populations to match yield potential • Ideal for delayed harvest	MZ 3505DBR MZ 3930DBR	32-36	6	8	99		✓	8	M-T	16-18	9	8	8	8	8	8	6	5



GRAIN Corn

GRAIN Corn																							
Management												Agronomic Ratings							Disease Ratings				
Hybrid	Trait	Characteristics	Silage Option	Positioning	Companions	Final Plant Population	Response to Intensive Management	Response to Fungicide	Silking RM	Kernel Mass	Kernel Number	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot	
MZ 3930DBR CHU 2950 RM 99		• Open husks promote rapid drydown • Strong late-season intactness • Next-level yield potential		• Raise populations accompanied with fungicide and nitrogen • Ideal for variable-yield environments • Excellent stalk strength	MZ 3818DBR MZ 4026SSP	30-34	7	6	99	✓	✓	8	T	18-20	9	8	9	8	8	8	5	8	
MZ 3877SMX CHU 2925 RM 98		• Excellent grain-filling performance • Open husks allow fast grain drydown • Moves north and south of zone well		• Average response to fungicide • Target moderate populations • Excellent in corn-on-corn management	MZ 3505DBR MZ 4049SMX	32-34	5	6	100	✓		9	M	16-18	9	9	9	9	7	7	7	UR	
MZ 397 CHU 2950 RM 99		• Closely related to hybrids with proven performance • Solid stress tolerance • Open husk for rapid drydown		• Above-average response to fungicide • Use lower populations to maintain yield in stressful environments	MZ 314	28-36	UR	8	97		✓	9	M-T	18-20	8	8	9	8	7	7	7	6	
MZ 4026SSP CHU 2950 RM 100		• Industry-best corn rootworm protection • Strong seedling vigour establishes stands quickly • Solid stalks allow flexible harvest		• Average response to intensive management • Responds favourably to fungicide under moderate populations • Above-average response to increased population	MZ 3818DBR MZ 4158DBR	34-36	7	7	101	✓		8	M	16-18	9	8	8	9	7	8	7	6	
MZ 4049SMX CHU 2975 RM 100		• Maturity-leading yield potential • Solid stress tolerance • Open husk for rapid drydown		• Above-average response to fungicide • Predicted favourable response to 2x VT fungicide south of zone • Excellent in corn-on-corn management • Use lower populations to maintain yield in stressful environments	MZ 3930DBR MZ 4158DBR	28-36	7	8	97		✓	9	M-T	18-20	9	8	9	8	7	8	7	6	
MZ 4151TRE CHU 3000 RM 101		• Control of western bean cutworm • Durable disease package • Exceptional stalk strength for flexible harvest	—	• Above-average response to intensive management • Responds favourably to fungicide • Excels in variable-yield environments	MZ 4158DBR MZ 4577SMX	32-34	7	7	103	✓		9	T	16-18	9	8	8	8	8	7	5	6	
MZ 4158DBR CHU 3100 RM 101		• High yield with strong stalks and stay-green for flexible harvest • Responds to intensive management • Open husks allow for fast grain drydown		• Average response to fungicide • Above-average responses to nitrogen and plant population • Ideal for delayed harvest	MZ 4049SMX MZ 4608SMX	34-36	8	8	103	✓		9	T	16-18	8	8	8	8	7	8	7	5	
NEW MZ 4310SSP CHU 3125 RM 103		• Industry-leading yield potential • Stable hybrid performance across yield environments • Longer husks open to aid drydown		• Strong performance in variable-yield environments • Predicted favourable response to VT fungicide	MZ 4049SMX MZ 4608SMX	34-36	UR	UR	102		✓*	7	M	18-20	9	8	8	7	7	8*	9	5*	



GRAIN Corn

Hybrid	Trait	Characteristics	Silage Option	Positioning	Management							Agronomic Ratings							Disease Ratings			
					Companions	Final Plant Population	Response to Intensive Management	Response to Fungicide	Silking RM	Kernel Mass	Kernel Number	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
MZ 4577SMX CHU 3150 RM 103		• Proven genetics for stress tolerance • Compact plant for ease of harvest • Solid stalks allow flexible harvest		• Excels in variable-yield environments • Favourable response to fungicide • Average response to intensive management	MZ 4158DBR MZ 4608SMX	34-36	7	8	102		✓	8	S-M	16-18	8	8	8	8	7	8	7	6
MZ 460 CHU 3200 RM 106		• Strong leaf-disease tolerance • Impressive stay-green • Photocopied ear size with consistent ear placement		• Target moderate plant populations • Excellent dual-purpose option	MZ 397	32-34	UR	7	106	✓	✓	9	T	18-20	8	9	8	7	7	8	8	8
 MZ 4552SSP CHU 3200 RM 105		• Impressive plant health • Longer husk cover that opens to aid grain drydown • Strong seedling vigour		• Predicted response to increased population • Excels in variable-yield environments • Excellent dual-purpose option	MZ 4608SMX MZ 4310SSP	34-36	UR	UR	104	✓*		9	T	16-18	9	8	8	7	7	8	7	5*
MZ 4608SMX CHU 3200 RM 106		• High yield with market-leading DON tolerance • Open husks promote rapid drydown • Photocopied ear size with consistent ear placement		• Improved response to fungicides under high population • Excels under high-management scenarios • Target plant populations to match yield environment	MZ 4577SMX MZ 4703DBR	30-34	8	9	104		✓	9	M	18-20	8	8	9	7	8	7	9	5
MZ 4799SMX CHU 3250 RM 107		• Market-leading DON tolerance • Open husks promote rapid drydown • Leading stress tolerance in moderate- to lower-yield environments		• Responds to fungicide • Favourable response to increased population	MZ 4577SMX MZ 4703DBR	34-36	7	7	104	✓		8	T	16-18	9	8	9	8	8	9	9	5
MZ 4703DBR CHU 3250 RM 107		• High yield potential with excellent grain quality and test weight • Impressive fall intactness promotes ease of harvest • Market-leading DON tolerance		• Above-average response to fungicide at moderate population • Strong performance in low crop input scenarios • Favourable response to increased population • Ideal for delayed harvest	MZ 4608SMX MZ 4799SMX	34-36	8	9	107	✓		8	M	16-18	9	9	8	8	8	8	8	8
 MZ 4824TRE CHU 3300 RM 108		• Excellent ear rot and vomitoxin rating • Attractive late-season appearance • Industry-leading yield potential	—	• Predicted positive response to intensive management • Ideal for delayed harvest	MZ 4703DBR MZ 4799SMX	34-36	UR	UR	108	✓*		8	T	16-18	9	8	7	8	8	8	8	7*

Also Available:
MZ 4280DBR | CHU 2975





Maizex soybeans deliver exceptional yield with advanced in-seed and seed-applied technologies for consistent, field-by-field performance. Supported by an intensive research and testing program, Maizex combines high yield potential with strong tolerance to key diseases.

Trait Technologies

Traits	Features	Positioning	HERBICIDE TOLERANCE				
			Glyphosate (RR)	Dicamba	Glufosinate (Liberty)	2,4-D	Identity Preserved Conventional
	Outstanding genetics for high-end yield potential. Three modes of herbicide tolerance for outstanding weed control, including glyphosate-tolerant weeds.	Premier early-season weed control with option to use early dicamba or later Roundup® or Liberty® in-crop.	✓	✓	✓		
	Benefits of glyphosate and lower-volatility formulations of dicamba, such as Xtendimax® herbicide. Outstanding weed control including glyphosate-tolerant weeds such as Canada fleabane.	Position dicamba applications for pre-plant or early post to maximize weed control.	✓	✓			
	Genetics featuring excellent yield potential. Three-way herbicide tolerance to glyphosate, 2,4-D, and glufosinate in a three-gene molecular stack.	Wide window of weed-control flexibility with excellent control of glyphosate-tolerant weeds. Using Enlist Duo™ herbicide, which contains glyphosate and 2,4-D with Colex-D™ technology, provides near-zero volatility.	✓		✓	✓	
	A non-GMO trait that yields soybeans with high-oleic acid content for roasting and on-farm feeding.	Developed for roasting and on-farm feeding as part of a Ration 365 program. Note: a signed trait agreement required prior to purchase and use.					✓
	Combines yield potential and export-quality grain characteristics.	Developed for non-GMO or identity-preserved contract opportunities. Consult your Maizex dealer for contract opportunities near you.					✓

	Varieties with the green SU symbol contain a native trait that enhances a soybean plant's natural tolerance to the sulfonyleurea family of acetolactate synthase (ALS) inhibitor herbicides.
---	--






Seed Treatment Options

Seed treatments play a key role in strong soybean emergence and early-season health. Maizex offers flexible treatment options so you can match protection to pressure—field by field.

Seed Treatment	Benefits	Insecticide, Fungicide & Pre-inoculant	Fungicide & Pre-inoculant	Fungicide Only
UNTREATED	Option for organic or conventional production.			
	Fosters higher rhizobia survival and nutrient uptake, increases root growth, and boosts nutrient and water uptake, leading to enhanced nodulation and nitrogen fixation.	✓	✓	
	Dual-strain Bradyrhizobium inoculant containing a signalling molecule that supports earlier nodule formation, mycorrhizal associations, and increased nitrogen fixation potential in soybeans, resulting in enhanced yield gains.	✓	✓	
	Delivers control of European chafer, June beetle, bean leaf beetle, black cutworm, wireworm, and seed corn maggot. Helps build a strong soybean stand, even under heavy insect pressure. The result is faster more uniform growth.	✓		
	Features new Victrato with TYMIRIUM® technology to aid in the suppression of soybean cyst nematode and early-season control of sudden death syndrome together with proven broad-spectrum protection against key seed and soil-borne diseases for stronger roots that can take full advantage of soil nutrients, even during unfavourable spring conditions.	✓	✓	✓



SOYBEAN Varieties

Variety	Trait	CHU	RM	Characteristics	Plant Health					Agronomic Ratings							Average Seed Size (Beans/Lb of Seed)
					SCN Gene	Phytophthora Resistance Gene	Phytophthora Field Tolerance	White Mould	SDS	Seedling Vigour	Standability	Plant Height	Canopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	
WOLF R2X		2200	000.7	- Impressive <i>phytophthora</i> tolerance and consistent performance across soil types - High first pod for easy harvest	PI88788	Rps3a	AA	AA	UR	7	8	M-T	SB	AA	G/B	P/BLi	2650
NEW POLAR R2X		2300	00.1	- Great white mould tolerance and strong yield performance across soil types - Great pod height helps capture every bean	-	Rps1c	AA	E	UR	8	8	M-T	SB	AA	B/B	P/Yi	2300
NEW RAM R2X		2350	00.3	- Clean plant phenotype with great standability - Works well across all soil types	-	-	A	AA	UR	8	8	M-T	SB	A	B/B	P/B	2500
NEW MOOSE R2X		2375	00.4	- Consistently neat and tidy phenotype across all soil environments - Great first-pod height and leading plant standability make harvest a breeze	-	-	AA	E	UR	8	9	M-T	SB	AA	B/B	P/BL	2750
NEW ELK E3		2425	00.6	- Bushy plant fills in rows well and has great yield potential - Taller plant height with good standability	-	Rps1c	AA	A	UR	8	7	M-T	B	E	B/B	P/BL	2500
HULK R2X		2475	00.8	- Tall, bushy plant with great white mould tolerance - Great <i>phytophthora</i> field tolerance	-	Rps3a	AA	AA	UR	8	7	T	B	E	B/B	P/BL	2450
HYDRO R2X		2550	0.1	- Strong yield performance under white mould pressure - Tall plant height with good standability	-	-	BA	AA	UR	8	8	T	SB	AA	B/B	P/BL	2400

Legend

Numerical ratings (1 – 9):
1 = very poor; 9 = excellent; UR = unrated

SCN (Soybean Cyst Nematode) gene:
PI88788 & Peking = genes that provide genetic resistance

Phytophthora field tolerance, white mould and SDS (Sudden Death Syndrome) ratings: UR = unrated; BA = below average; A = average; AA = above average; E = excellent

Plant height: S = short; M = medium; T = tall; VT = very tall

Canopy: N = narrow; SB = semi-bush; B = bushy

Wide-row adaptability (denotes yield and agronomic factors if planted in wider rows, i.e. 30"): BA = below average; A = average; AA = above average; E = excellent

Pubescence/pod/flower/hilum colours: P = purple; W = white; BL = black; B = brown; LB = light brown; Y = yellow; G = grey; an “i” indicates imperfect hilum colour while a “p” indicates a pale variant of hilum colour



Strategies for smart soybean selection to help you pick the best variety for your farm.



SOYBEAN Varieties

SOYBEAN Varieties					Plant Health					Agronomic Ratings							
Variety	Trait	CHU	RM	Characteristics	SCN Gene	Phytophthora Resistance Gene	Phytophthora Field Tolerance	White Mould	SDS	Seedling Vigour	Standability	Plant Height	Canopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	Average Seed Size (Beans/Lb of Seed)
COBRA R2X		2575	0.2	• High yield potential even in stressed environments • Strong agronomic package including great white mould tolerance	PI88788	Rps1c	AA	AA	UR	8	7	M-T	SB	E	LB/B	P/BR	2650
GRIZZLY R2X		2600	0.3	• Complete agronomic package with high-end yield potential • Stacked <i>phytophthora</i> genes and leading field tolerance	PI88788	Rps1k/3a	E	AA	UR	8	9	M	SB	AA	LB/B	P/BL	2600
NEW BENGAL E3		2675	0.6	• Excellent yield potential with consistent performance across all soil types • Strong disease package and great standability	PI88788	Rps1c	AA	A	A	8	8	M-T	SB-B	AA	G/B	P/BLi	2500
VIPER R2X		2750	0.9	• Industry-leading yield performance • Strong disease package with excellent white mould tolerance	PI88788	Rps1c	AA	E	AA	8	9	M	SB	AA	LB/B	P/BL	2500
KITES E3		2775	1.0	• Blocky plant with bushy canopy that closes rows easily • Impressive plant health	-	Rps1a	AA	AA	E	7	8	M-T	SB	AA	G/B	P/LB	2900
NEW FORGE XF		2800	1.1	• Consistent yield performance across yield environments • Medium statured, branchy plant with excellent standability	PI88788	Rps1c	AA	AA	AA	7	9	M	SB	AA	LB/LB	P/BL	2600
NEW VENOM E3		2825	1.2	• Next-level yield performance along with above-average white mould scores • Excellent visual ratings, including good pod and stem ratings at Quebec locations	PI88788	Rps1c	AA	AA	A	7	8	M-T	SB	AA	G/B	W/B	2600
AVALANCHE XF		2875	1.4	• Best-in-class disease and agronomic package • Narrow plant canopy that performs best on narrow rows	PI88788	Rps1k/3a	AA	E	A	8	9	M-T	N	BA	B/B	P/BR	2200
CYCLONE R2X		2900	1.5	• Stacked <i>phytophthora</i> genes and leading field tolerance • Amazing seedling vigour with proven performance on clay soils	PI88788	Rps1k/3a	AA	AA	A	9	8	M-T	B	AA	LB/LB	P/BL	2600
TYPHOON E3		2925	1.6	• Consistent yield performance across soil types • Unique Peking SCN resistance with complete disease package	Peking	Rps1c/3a	AA	AA	AA	8	8	M-T	B	AA	G/B	P/BLi	2300
CONDOR XF		3000	1.9	• Best-in-class <i>phytophthora</i> field tolerance • Excellent white mould tolerance	PI88788	-	E	E	AA	8	8	M-T	SB	AA	LB/LB	P/BL	3300
OCELOT E3		3050	2.1	• Consistent high-end yield performance with proven performance on clay soils • Industry-leading SDS tolerance with Peking SCN resistance gene	Peking	Rps1c	E	A	E	7	8	M-T	SB	AA	G/B	P/BLi	2400




SOYBEAN Varieties

Variety	Trait	CHU	RM	Characteristics	Plant Health					Agronomic Ratings							
					SCN Gene	Phytophthora Resistance Gene	Phytophthora Field Tolerance	White Mould	SDS	Seedling Vigour	Standability	Plant Height	Canopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	Average Seed Size (Beans/Lb of Seed)
NEW MAVERICK E3	 	3150	2.5	- Stacked <i>phytophthora</i> genes and leading field tolerance - Unique sulfonyleurea tolerance	PI88788	Rps1c/3a	E	AA	AA	8	8	M-T	SB	AA	G/B	P/LB	2700
NEW STRIKER E3	 	3200	2.7	- Great disease package coupled with consistent performance across soils - Unique sulfonyleurea tolerance	PI88788	Rps1k	AA	AA	AA	8	8	M-T	SB	AA	LB/B	W/BL	3000
PROSPER XF		3200	2.7	- Very high first-pod height keeps pods off ground, especially on heavy clays - Excellent <i>phytophthora</i> field tolerance and SDS tolerance	PI88788	Rps1c	E	AA	E	8	8	M-T	B	AA	B/G	P/BLi	2400
EMERALD E3		3300	3.2	- Big, bushy plant with excellent standability - Strong disease package including excellent frogeye leaf-spot tolerance	Peking	Rps1k	AA	AA	AA	8	8	T	B	E	G/B	P/BR	2950
MAMMOUTH VII XF		-	5.0	- Silage-specific soybean variety with huge biomass - Extended maturity allows for opportune silage harvest	PI88788	Rps1a	AA	UR	AA	8	7	T	B	E	LB/B	W/BL	3500

IDENTITY-PRESERVED CONTRACT VARIETIES CONV

JARI		2500	00.9	- Excellent white mould tolerance - Very high-protein bean with strong yield potential	-	-	AA	AA	UR	8	8	M	SB	A	B/B	P/Yi	2400
KUMA		2600	0.3	- Leading yield performance with high protein profile - Excellent tolerance to white mould and <i>phytophthora</i>	-	-	E	AA	AA	8	8	T	SB	AA	B/B	P/Yi	2300
SARU		2775	1.0	- Industry-leading yield performance with moderate protein profile - Tall bean with excellent standblity and great white mould tolerance	-	Rps1c	AA	AA	AA	7	9	T	SB	AA	LB/LB	P/Yi	2350
NEW USHI		2800	1.1	- Specialty high-oleic-acid soybean with patented SOYLEIC® trait, intended for roasting and on-farm feeding - Medium-statured bushy plant with SCN tolerance - Note: a signed trait agreement is required prior to purchase and use	PI88788	-	A	A	UR	7	8	M	B	AA	G/B	P/Y	3400
NEW SUGA		2950	1.7	- Great yield performance with high sugar content profile - Tall plant stature with amazing standability and excellent white mould tolerance	-	Rps3a	AA	E	AA	8	9	T	SB	AA	G/B	P/Y	2250



CRUSH IT

with  **maizex**
canola

New Maizex canola hybrids

deliver an outstanding combination of high-yield potential and strong agronomic traits you can count on, including excellent pod-shatter resistance and disease tolerance.

The Maizex strategy for canola is the same as we use for other seed crops:

1. Test for superior performance in Canada.
2. Deliver the best in genetics, seed-based traits, and seed treatments.
3. Help you optimize success for your farm, field by field.



Seed Treatments and Stand Establishment

Maizex offers the following seed treatment packages to protect your seed investment.

Options	Products	Benefits
BASE PACKAGE	 	Helix® Saltro® delivers comprehensive protection, including flea beetles and seed- and airborne blackleg. This base treatment provides: • Five fungicides + one powerful insecticide • Contains a breakthrough fungicide for airborne blackleg protection • Complements genetic disease resistance packages • Protection against striped and crucifer flea beetles, Rhizoctonia, Fusarium, Pythium, and seedling disease complex The addition of BUTEO® start adds greater protection against crucifer and striped flea beetles, with rapid uptake and systemic translocation from cotyledon to leaf margins for a strong plant right off the start, even in dry conditions.
ADDITIONAL PROTECTION		• For enhanced control of cutworm for uniform stand establishment even under heavy insect pressure • Early-season control from emergence to stand establishment helps to reduce the need of in-season foliar insecticide applications for cutworm



CANOLA Hybrids

Talk to your local Maizex dealer today about the benefits of Maizex canola.

Hybrid	Trait	Maturity	Features		Pod Shatter Rating	Harvest Recommendation	Blackleg	Blackleg Major Resistance Gene	Clubroot Generation	Verticillium	Standability
MC 4227TF		Early-mid	• Excellent disease package	• Excellent pod-shatter resistance	7.0	• Straight-cut option	R	RlmS(G)	2nd Generation	Average	A
MC 5126LL		Mid	• Excellent clubroot resistance	• Harvest flexibility	6.0	• Early straight-cut option; swath if harvest is delayed	R	–	2nd Generation	Average	E
MC 5172LL		Mid	• Excellent pod-shatter resistance	• Very good yield potential	7.5	• Straight-cut option	R	LepR1(D)	2nd Generation	Average	AA
MC 5230TF		Mid	• Excellent pod-shatter resistance	• High yield potential	7.6	• Straight-cut option	R	RlmS(G)	1st Generation	Average	A

Legend

Pod-shatter rating: this is the hybrid’s rating based on the Canola Council of Canada’s canola shatter ratings scale. It is used to inform the harvest recommendation for each hybrid.

Blackleg: an “R” here indicates the hybrid is resistant to blackleg.

Blackleg major resistance gene: the seedling gene that provides resistance to initial blackleg infection on the cotyledons and leaves. The letter in brackets indicates the group the gene is categorized in by the CCC.

Clubroot generation: this refers to whether a hybrid offers 1st generation or 2nd generation resistance to clubroot. For fields suffering from more severe clubroot issues, 2nd generation resistance offers more clubroot protection via an increased number of resistance genes that may be more effective against more virulent pathotypes.

Verticillium: a new disease with no resistance genes identified yet and no known foliar or seed treatments that offer effective protection. Certain hybrids may be more or less susceptible. Maizex offers the ratings of below-average, average, and above-average for the resistance of each hybrid to this disease.

Standability: **BA** = below average; **A** = average; **AA** = above average; **E** = excellent



Scan here to learn more about new Maizex canola.





ONTARIO

2027 SEED GUIDE

SILAGE CORN  FORAGES



CONTENTS

Silage Corn..... 6B

Forages..... 14B

The health of your herd is your number-one priority, 365 days a year, and each farmer has a different approach. Success in feeding ruminant animals starts with a goal. It could be to maximize milk production while ensuring animal health through the lifecycle in a dairy operation. Or it could be efficiently optimizing weight gain for those with beef cattle. These goals are all met by using the right ingredients in the right proportion to achieve success as part of a total mixed ration.

Ration 365 is an initiative to support your feeding goals through our product research and positioning of silage corn and forage products. In addition to our various new varieties for 2027, we have also added feed-focused soybeans into our line-up, with our tried-and-true silage soybean Mammouth VII XF and our new roasting soybean, Ushi, which you can learn more about on page 16B.

Talk to your Maizex dealer about Ration 365 and how Maizex silage corn and forage seed products can make a difference on your farm in 2027.



Ration
365

Use these charts to select the products that meet the needs of your operation, or reach out to your local Maizex dealer to discuss the best options based on your specific goals.

MAIZEX SILAGE CORN HYBRIDS			
Silage corn product range	Leafy Silage Hybrids LF & LFG	Silage-Specific Hybrids MS	Dual-Purpose Hybrids MZ
Target starch level	33–34% starch	34–38% starch	38–42+% starch
Features	• Massive, tall plants with higher stover-to-cob ratio for more roughage in your ration • Wide harvest window for more flexibility in the fall • Soft kernel texture	• Silage-specific hybrids with moderate starch content • Robust plants with soft kernel textures • Promotes efficient feed production	• High-yielding dual-purpose grain hybrids selected to maximize tonnage and energy content for your ration • Improved plant health, feed quality, and options for swing acres at harvest time
Trait technology recommendations (hybrid name suffix)	First-year corn rotation: conventional, RR2, DBR, TRE or PWE Second-year corn rotation: SMX, VT4, or DUR Long-term corn-on-corn: SSP See page 8A for more information on the above traits. Some recommended trait versions are only available as dual-purpose hybrids. Consult the grain corn section of this product guide for more information on these hybrids or consult with your Maizex Seeds dealer. RR2 = Roundup Ready® Corn 2; DBR = VT Double PRO® Corn; TRE = Trecepta® Corn; SMX = SmartStax® Corn; VT4 = VT4PRO® Corn; SSP = SmartStax® PRO Corn; DUR =Duracade® Corn; PWE =PowerCore® Enlist™ Corn.		

MAIZEX FORAGES			
Target legume level	Dry hay 2-cut system 55–75% alfalfa	Multi-use 3-cut system 75–90% alfalfa	Wet hay 4-cut system 90–100% alfalfa
Features	Whether it's dry hay for horses or beef cattle, these higher percentage timothy blends will help deliver quality green dry hay.	These flexible blends allow producers to make high-quality haylage, balage, or dry hay from the same blend, allowing for more flexibility in their operation.	For producers that are looking for four cuts of haylage or balage: improve your yield and feed quality with fast regrowing, high-percentage alfalfa blends.
Recommended forage blends	• Ultra High Yield • Ultra All Terrain • Classic 75 • PRO Hay	• Ultra High Yield • PRO Hi-Gest • Ultra Export	• Ultra Intensive • PRO Hi-Gest • Ultra Export • Altoria alfalfa
Add premium, coarse grass-seed blends to your field	Triple-G • Brome Blend • Brome/Fescue		



SILAGE Corn

Hybrid & Type	Trait	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Management					Agronomic Ratings							Disease Ratings	
								Final Plant Population	Corn on Corn	Response to Fungicide	Kernel Mass	Kernel Number	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	NCLB	Tar Spot
NEW MZ 1255DBR Dual	VTDoublePRO RIB	1900	69	2050	72	1265	• Enhanced stay-green allows flexible harvest • Rapid seedling vigour maximizes yield potential • Early flowering allows movement north	32-34		8	✓		7	8	T	7	M	9	8	6	UR
MS 6960R Silage Specific	Roundup Ready 2	1950	69	2100	72	1325	• Rapid grain setup for maturity • Solid agronomics promote yield • Early grain set reduces risk north of zone	28-32		8		✓	7	8	M	7	S	8	8	7	UR
MZ 1397DBR Dual	VTDoublePRO RIB	1975	71	2150	73	1270	• Increased starch quantity • Rapid grain-set for early geography • Strong agronomics promote harvest ease	34-36		8	✓	✓	7	8	M-T	7	M	9	8	8	UR
NEW MS 7711R Silage Specific	Roundup Ready 2	2175	74	2300	77	1287	• Early flowering allows movement north • Solid agronomics promote yield • Industry-leading tonnage for maturity	32-34		7	✓		9	8	T	8	M	8	8	7	UR
NEW MS 7760DBR Silage Specific	VTDoublePRO RIB	2175	74	2300	77	1287	• Above-ground insect protection • Solid agronomics promote yield • Industry-leading tonnage for maturity	32-34		7	✓*		9	8	T	8	M	8	8	7	UR
NEW MS 782 Silage Specific	CONV	2250	75	2450	78	1298	• Early flowering allows northern adaptation • Impressive stay-green optimizes feed quality • High-tonnage conventional hybrid option	32-34		8	✓		9	9	VT	8	M	8	8	7	UR

Legend

Hybrid type: **Dual** = dual-purpose hybrids that can be used for grain or silage; **Silage Specific** = designed for silage production and not recommended for grain corn production; **Leafy Silage** = leafy hybrids that combine effective fibre with highly available starch and are not recommended for grain production.

RIB / E-Z Refuge® / Refuge Advanced™ = hybrids that contain 5% non-insect-traited seed corn in the bag.

Silage CHU and Silage RM are based on the appropriate maturity zones for growing the hybrid to silage maturity.

Final plant population: population in 000s of plants per acre that is the ideal target for this hybrid. Where conditions are less favourable, move to the lower range of the population recommendations.

Corn on corn: if “Yes,” denotes that this hybrid contains enhanced insect protection, which protects performance on corn-after-corn fields.

Response to fungicide ratings (0 – 10), where **0** = no response, **10** = a very large response, and **UR** = unrated.

Kernel mass: a checkmark here indicates a ‘kernel mass hybrid,’ where yield is driven by the mass of each kernel.

Kernel number: a checkmark here indicates a ‘kernel number hybrid,’ where yield is driven by the number of kernels.

Agronomic category ratings (1 – 9): **1** = very poor; **9** = excellent; **UR** = unrated.

Plant height: **S** = short; **M** = medium; **T** = tall; **VT** = very tall.

Kernel texture: **VS** = very soft; **S** = soft; **M** = medium; **H** = hard.

Starch amount ratings (1 – 9): **1** = low; **9** = high.

Early starch availability at harvest: **1** = least readily available; **9** = most readily available.

Disease ratings: **NCLB** = Northern Corn Leaf Blight; the numerical ratings for the disease categories range from 0 – 9, where **0** = highly susceptible, **9** = highly tolerant, and **UR** = unrated. An * indicates a predicted response.

Herbicide Sensitivity Caution: avoid post-emergent application of Group 27 & 28 herbicides (e.g., Converge®, Callisto®, or Impact™) on Leafy silage hybrids. Leafy hybrids have shown increased injury after post-emergent application of Group 27 & 28 herbicides in comparison to other hybrids.

Please see page 8A for information on seed corn technologies available in our silage corn portfolio.



Tips on how to select the right hybrid for your ration.

SILAGE Corn

								Management					Agronomic Ratings							Disease Ratings	
Hybrid & Type	Trait	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Final Plant Population	Corn on Corn	Response to Fungicide	Kernel Mass	Kernel Number	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	NCLB	Tar Spot
MS 7822DBR Silage Specific		2250	75	2400	78	1298	• Above-ground insect protection • Rapid grain-set for early geography • Large harvest window	32-34		8	✓		9	9	VT	8	M	8	8	7	UR
MS 8022R Silage Specific		2250	75	2400	78	1298	• Industry-leading early-season vigour • Rapid grain-set for early geography • Large harvest window	32-34		8	✓		9	9	VT	8	M	8	8	7	UR
LF 728R Silage Specific		2300	74	2500	83	1319	• Standard of silage and grazing corn • White cobs for more palatable silage • Rapid grain setup for maturity	28-30		8	✓		8	9	M-T	8	M	8	8	7	UR
MS 8270R Silage Specific		2450	82	2600	85	1370	• Tall, robust plant type • Extended stay-green preserves silage quality • Strong agronomics	30-32		8	✓		8	9	VT	8	M	8	8	7	UR
NEW MZ 2422PWE Dual		2450	82	2550	84	1430	• Moderate-statured hybrid with herbicide flexibility • Ideal for high-starch rations • Strong agronomics promote harvest ease	34-36		UR	✓		8	8	M	7	M	8	8	8	6*
MZ 2575DBR Dual		2325	82	2575	85	1430	• Leading starch quantity • Strong agronomics promote harvest ease • Above-ground insect protection preserves feed quality	34-36		8		✓	8	9	M-T	7	M	9	8	6	UR
MS 8411DUR Silage Specific		2450	82	2600	86	1589	• Proven performance • Large ears with soft kernel texture • Robust plant type	30-32	Yes	8		✓	8	8	T	8	S	8	8	7	UR
NEW MZ 2784SMX Dual		2500	84	2650	87	1545	• Above and below insect protection • Strong leaf-disease tolerance promotes silage quality • Very good stress tolerance for tough acres	34-36	Yes	6	✓	✓	8	8	M	7	M	8	8	8	UR
NEW MZ 3006DBR Dual		2600	87	2750	90	1572	• Above-ground insect protection • Excellent tonnage • Ideal for high-starch rations	32-34		7	✓	✓	9	8	T	8	M	9	8	7	5*

SILAGE Corn

								Management					Agronomic Ratings							Disease Ratings	
Hybrid & Type	Trait	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Final Plant Population	Corn on Corn	Response to Fungicide	Kernel Mass	Kernel Number	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	NCLB	Tar Spot
MS 8632R Silage Specific		2550	86	2700	90	1530	- Adapted for northern movement - Impressive tonnage - Attractive plant type	30-32		8	✓		9	9	T	8	M	8	8	8	6*
LF 9066SMX Leafy Silage		2600	87	2750	91	1610	- Large, robust stature for maturity - Adapted for movement north - Enhanced trait package	28-32	Yes	8	✓		8	8	T	8	M	8	8	6	5*
NEW MZ 3220SSP Dual		2650	89	2775	92	1560	- Position on corn-after-corn fields - Leading tonnage - Advanced below-ground insect protections	32-34	Yes	UR	✓*		8	8	M-T	8	M	9	8	8	5*
NEW MS 9410PWE Silage Specific		2700	91	2800	94	1630	- Tall, robust plant type with herbicide flexibility - Strong seedling vigour for tough soils - Strong agronomics promote harvest ease	32-34		UR	✓*		9	9	T	8	M	8	8	7	6*
MZ 3432TRE Dual		2700	91	2800	94	1610	- Industry-leading western bean cutworm control to maintain feed quality - Robust plant type increases yield - Ideal for high-starch rations	32-34		8		✓	9	8	T	7	S	9	8	7	7
NEW MZ 3751SSP Dual		2775	94	2900	97	1640	- Stable performance across yield environments - Position on corn-after-corn fields - Ideal for high-starch rations	34-36	Yes	UR		✓*	8	8	T	8	M	8	8	7	5
NEW MZ 3704VT4 Dual		2775	94	2900	97	1705	- Industry-leading tonnage - Strong leaf-disease tolerance promotes silage quality - Position on first-year corn-after-corn fields	32-36	Yes	UR		✓	9	8	M-T	8	M	9	8	7	7
LFG 999 Leafy Silage		2800	96	2950	99	1638	- Floury gene for early starch availability at harvest - Large ears enhance starch quantity - Strong leaf-disease tolerance	27-30		9	✓		9	8	VT	9	VS	8	9	7	6
LFG 9999R Leafy Silage		2800	96	2950	99	1638	- Floury gene for early starch availability at harvest - Large ears enhance starch quantity - Strong leaf-disease tolerance	27-30		9	✓		9	8	VT	9	VS	8	9	7	6

SILAGE Corn

Hybrid & Type	Trait	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Management					Agronomic Ratings							Disease Ratings	
								Final Plant Population	Corn on Corn	Response to Fungicide	Kernel Mass	Kernel Number	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	NCLB	Tar Spot
MZ 3818DBR Dual		2800	94	2925	98	1698	• Leading plant health protects sample quality • Large ears enhance starch quantity • Solid stress tolerance	32-36		7		✓	8	8	M-T	8	M	9	8	8	5
LF 0037SMX Leafy Silage		2900	97	3000	100	1650	• Industry-leading tonnage • Strong leaf-disease tolerance maintains feed quality • Large, robust plant type	28-32	Yes	8	✓		9	8	VT	8	M	8	8	8	5
MZ 4026SSP Dual		2950	100	3000	100	1700	• Industry-leading corn rootworm protection • Strong leaf-disease tolerance maintains feed quality • Early flowering allows movement north	34-36	Yes	UR	✓		8	8	M	8	M	9	8	7	6
MZ 4049SMX Dual		2850	97	2975	100	1685	• Maturity-leading yield potential • Allows flexible field positioning • Leading milk-per-acre values	28-36	Yes	9		✓	9	9	T	8	M	9	8	7	6
NEW MZ 4552SSP Dual		3050	102	3200	105	1666	• Strong leaf-disease tolerance • Allows flexible field positioning • Leading tonnage	34-36	Yes	UR	✓*		9	9	T	8	S	9	8	7	5*
MZ 4608SMX Dual		3050	101	3200	106	1680	• Large ears enhance starch quantity • Elevated starch content • Adapted north of zone	30-34	Yes	6		✓	9	9	M	8	H	9	8	8	5
MZ 4799SMX Dual		3100	103	3250	107	1690	• Large, robust plant type • Strong leaf- and ear-disease tolerance protects quality • Allows flexible field positioning	34-36	Yes	6	✓		9	8	T	8	M	9	8	8	5
MZ 4703DBR Dual		3125	104	3250	107	1650	• Elevated starch content • Strong ear-rot tolerance • Impressive plant stature	34-36		UR	✓		9	8	T	7	H	9	8	8	8

FORAGES

Selecting the right products for your ration can have a significant impact on profitability. This is why our product development and agronomy teams are focused on the testing, selection, and in-field support of forage seed varieties to meet the specific nutrition and agronomic needs of farmers like you.



FORAGE MIX SELECTOR

The blends listed below have been positioned by our expert agronomists to address the specific needs of Canadian dairy, beef, and export operations. Contact your Maizex dealer for assistance in planning your forage needs field by field.

PREMIUM PERFORMANCE MIXES

Ultra High Yield	Ultra Export	PRO Hi-Gest	Ultra Intensive
Maximize dry hay yield	Premium export hay with possible delayed harvest	Optimize feed quality in three-cut systems	Maximize regrowth and tonnage in four-cut systems
Alfalfa 75% Timothy 25% • Leistung alfalfa • Samba II alfalfa • Sahara DT timothy	Alfalfa 90% Timothy 10% • Leistung alfalfa • Samba II alfalfa • Sahara DT timothy	Alfalfa 90% Fescues 10% • Amelia HG alfalfa • Leistung alfalfa • Senu meadow fescue • Greendale soft-leaf tall fescue	Alfalfa 90% Fast-regrowing grasses 10% • Altoria alfalfa • Senu meadow fescue • Echelon late orchardgrass • Mahulena festulolium

PROVEN UTILITY MIXES

Ultra All Terrain	Classic 75	PRO Hay	PRO Pasture Reno
For fields with variable soil types and drainage	An economical solution to establishing hay	For high percentage timothy/alfalfa dry hay	Low-set alfalfa crown with aggressive grasses for grazing
Alfalfa 75% Timothy 25% • Samba II alfalfa • Source H2O alfalfa • Sahara DT timothy	Alfalfa 75% Timothy 25% • Certified #1 alfalfa and timothy blend	Alfalfa 55% Timothy 45% • Shift alfalfa • Certified #1 timothy	Shift alfalfa 35% Heslop ladino clover 25% Senu meadow fescue 15% Echelon late orchardgrass 15% Mahulena festulolium 10%

COARSE SEED – PREMIUM GRASS MIXES

Brome/ Fescue	Brome Blend	Triple-G	Equine Pasture Mix
Add resilience to hay fields	A proven performer	Improve the life and performance of stands with a dependable blend	A diverse 7-way blend to add to pastures or long-term grass fields with no legumes
Succession hybrid brome grass 80% Greendale soft-leaf tall fescue 20%	Succession hybrid brome grass 70% Hakari Alaska brome grass 30%	Succession hybrid brome grass 34% Greendale soft-leaf tall fescue 33% Echelon late orchardgrass 33%	Timothy 14% Orchard 18% Brome 18% Perennial ryegrass 18% Meadow fescue 18% Red fescue 9% Kentucky blue grass 5%



Read more about our blends tailored for every field, no matter your ration needs.



FEATURED PRODUCTS

The following are key varieties selected to be Maizex forage products, tested not only for season-long yield performance but also to provide agronomic characteristics that make a difference year over year while in production.

ALFALFA

Altoria For truly fast recovery	- Standfast variety for fast recovery and regrowth - Ideal for short cutting intervals - Higher total yield through more cuts - Excellent winter survival - High-quality feed source
NEW Amelia HG For longer-lasting quality	- Produces more leaves - Better digestibility - Extended harvest period to maintain quality Hi-Gest ALFALFA TECHNOLOGY
NEW Leistung For disease resistance	- Outstanding yield and quality potential - Ideal for longer cutting intervals and dry hay production - Excellent winter survival - Industry benchmark for disease tolerance
Samba II A versatile alfalfa	- Yield stability - Disease resistance - Branched root system
Source H2O Branched roots	- Ideal for imperfectly drained fields - Branched roots to overcome wet soils - High leaf-to-stem ratio
Shift For grazing tolerance	- Deep-set crown for high traffic - Tolerates grazing - Outstanding winter survival

TIMOTHY

Sahara DT For drought tolerance	- Regrowth for multiple cuts - Vigorous in the spring - Excellent forage quality
NEW Cantal For persistence	- Excellent yield - Impressive stand persistence - Late maturity

CLOVER

Aramis Superior quality red clover	- Very good yield under three-cut management systems - Multi-year persistence for longevity - Add to wet hay systems with poor drainage - Excellent quality
NEW Heslop Ladino white clover	- Large leaves with taller growth habit - Very good winter survival

GRASSES

Senu Meadow fescue	- Highly digestible - Very good annual yield - Excellent winter survival	Echelon Late-maturing orchardgrass	- Tolerates dry periods well - Good fall growth - Very good yield potential
Greendale Soft-leaf tall fescue	- Fine soft leaves - Late maturity - Stress tolerance	Hakari Alaska bromegrass	- Very fast establishment - Tolerates drought well - Good palatability
NEW Trava Soft-leaf tall fescue	- Very fine and soft leaf - Very good yield - Excellent disease tolerance	Succession Hybrid bromegrass	- Quick spring start - Great quality - Tolerates dry spells
Mahulena Fescue-type festulolium	- Tolerates drought and flooding - High yield - Good persistence		

FEED-SPECIFIC SOYBEANS

Mammoth VII XF Silage soybean	- XtendFlex® trait technology for flexible herbicide options - Huge biomass and high-quality silage - Very good disease tolerance - Extended maturity (5.0 RM) allows for opportune silage harvest	NEW Ushi Roasting soybean	2800 CHU / 1.1 RM - Specialty high-oleic-acid soybean with patented SOYLEIC® trait - Medium-statured bushy plant with SCN tolerance - Signed trait agreement required before purchase and use
---	--	---	---





Farmers today produce the safest and most nutritious food in history. In Canada, this has helped support longer life expectancy and one of the highest standards of living in the world. Despite this, modern agriculture isn’t always well understood. With so much information circulating online, it can be challenging for consumers to separate fact from misconception when it comes to how food is produced.

That’s why it’s important for farmers to share their stories. Communicating what happens on the farm, and why, helps build trust and understanding. Be Rooted, Be Involved was created to support these efforts by providing resources on modern farming practices, the role of technology in food production, and agriculture’s commitment to environmental stewardship. Farmers remain one of the most trusted voices with the public, so don’t be afraid to use yours. To learn more or access tools to support your outreach, visit maizex.com.



PRECISION on YOUR FARM

Today’s technology gives farmers the ability to capture, organize, and use data from nearly every pass across the field. When information is brought together from planting, fertilizer and crop protection applications, and especially harvest yield maps, it becomes a valuable tool for guiding future management decisions. Platforms like AgConnexion and Climate FieldView are playing an increasingly important role on progressive farm operations.

Connect with your Maizex representative to explore how these tools can support decisions on your farm, or schedule a review of your field data to assist with your 2027 seed selection. Our team can help translate your results into practical insights to match the right genetics and technologies to your operation.



Success – a purchase of Certified Seed opens the door to opportunities for success:

- Quality assurance
- Access to new and improved varieties
- Efficient use of inputs
- New marketing opportunities
- It supports the development of new varieties for the future



Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

Best Management Practices for Protecting Pollinators:

- Control flowering weeds in the field prior to planting so that bees are not attracted to the field for foraging.
- Provide pollinator-friendly habitats away from active fields.
- Be aware of hive locations and monitor environmental conditions.
- Avoid generating dust when handling or loading treated seed.
- Ensure proper cleanup and disposal.
- Speak to your equipment dealer or manufacturer about the appropriateness of deflector kits for North American vacuum planters.

For more information on pollinator health and best management practices for seed-applied insecticides, please visit www.croplife.ca



Maizex Seeds is a participant in the CleanFARMS seed bag collection program. This program provides an environmentally friendly way to deliver empty seed bags to certified collection sites to divert this waste from landfills or open fires. To take advantage of the program be sure your seed bags are empty and then placed in the plastic collection bag available from certified collection points. Collection bags are accepted free of charge and sent for safe disposal.



Varieties with this logo are protected by the Plant Breeders’ Rights (PBR) Act in accordance with UPOV 91. PBR is in place to increase investment in Canadian plant breeding, which results in new, higher-yielding varieties for Canadian farmers. It is important to understand your obligations when you purchase PBR-protected varieties. For more information visit pbrfacts.ca.

Maizex® and Maizex Design® are registered trademarks of Maizex Seeds Inc.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer’s Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with products with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

TruFlex® canola contains Roundup Ready® Technology. Roundup Ready® Technology contains genes that confer tolerance to glyphosate. Glyphosate will kill crops that are not tolerant to glyphosate. Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Roundup Ready 2 Xtend® soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glufosinate tolerant crops contain genes that confer tolerance to glufosinate. Plants that are not tolerant to glyphosate may be damaged or killed if exposed to those herbicides. Plants that are not tolerant to glyphosate, dicamba and/or glufosinate may be damaged or killed if exposed to those herbicides. SmartStax® and SmartStax® PRO contain contains the Roundup Ready® and glufosinate herbicide tolerant traits, but your refuge may not. Select an appropriate herbicide for your refuge before spraying the refuge. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs.

Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. Agrisure Viptera® is a registered trademark of a Syngenta group company. Herculex® is a registered trademark of Dow AgroSciences LLC. Used under license.

RIB Complete®, Roundup Ready®, SmartStax®, Trecepta®, VT Double PRO®, VT4PRO®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, TruFlex®, BUTE0® and XtendFlex® are registered trademarks of Bayer Group. Used under license. Bayer CropScience Inc. is a member of CropLife Canada. ©2026 Bayer Group. All rights reserved.



Enlist E3™ Soybeans – PRODUCT USE STATEMENT: Enlist E3™ soybeans contain the Enlist E3 trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist™ crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist E3 soybeans. WARNING: Enlist E3 soybeans are tolerant of over-the-top applications of glyphosate, glufosinate, and 2,4-D. Accidental application of incompatible herbicides to this variety could result in total crop loss. When using 2,4-D herbicides, grower agrees to only use 2,4-D products that contain Colex-D technology authorized for use in conjunction with Enlist E3 soybeans. Always read and follow herbicide label directions prior to use.

YOU MUST SIGN A TECHNOLOGY AGREEMENT, READ THE PRODUCT USE GUIDE PRIOR TO PLANTING. THIS SEED IS ACQUIRED UNDER AN AGREEMENT THAT INCLUDES THE FOLLOWING TERMS: A license must first be obtained from Corteva Agriscience by signing a Technology Use Agreement and abiding by the terms and conditions of the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use Requirements detailed therein which can be found at www.corteva.ca/en/trait-stewardship.html.

CROP AND GRAIN MARKETING STEWARDSHIP: Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS product launch stewardship guidance and Corteva Agriscience’s Product Launch Stewardship Policy. No crop or material produced from this product can be exported to, used, processed or sold across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. For further information about your crop or grain marketing options, contact Corteva Agriscience at 1-800-667-3852. Information regarding the regulatory and market status of agricultural biotechnology products can be found at: www.biotradesstatus.com. These seeds are covered under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: www.corteva.us/Resources/trait-stewardship.html. The purchase of these seeds conveys no license under said patents to use these seeds.

PATENT INFORMATION: The transgenic soybean event in the Enlist E3™ soybean is protected under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: www.corteva.ca/en/trait-stewardship.html. The purchase of these seeds conveys no license under said patents to use these seeds. For more information, contact your authorized retailer or Corteva Agriscience at 1-800-667-3852 or visit www.corteva.ca/en/trait-stewardship.html.

The transgenic soybean event in the Enlist E3™ soybean was jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. ®™ Enlist, Enlist E3, the Enlist E3 logo, Lumiant™ and Colex-D are trademarks of Corteva Agriscience. Excellence Through Stewardship is a registered trademark of Excellence Through Stewardship.

PowerCore® multi-event technology developed by Corteva Agriscience and Monsanto. PowerCore® is a registered trademark of Monsanto Technology LLC. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.T. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

Liberty®, LibertyLink® and the Water Droplet Design are registered trademarks of BASF.

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium-based herbicides.

Important: Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF.

Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC. HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience LLC.



Fortenza® is an on-seed application of Fortenza® seed treatment insecticide. Vibrance® Cinco is an on-seed application of Vibrance® Cinco fungicide seed treatment, Fortenza® insecticide seed treatment and Vibrance® fungicide seed treatment. Victrato® Complete is an on-seed application of Vayantis® IV RFC fungicide seed treatment and TYMIRIUM® technology fungicide/nematocide seed treatment. Helix Saltro® is an on-seed application of Helix® Vibrance® Seed Treatment fungicide/insecticide and Saltro® Seed Treatment fungicide.

Duracade®, E-Z Refuge®, Vibrance®, Vayantis®, TYMIRIUM®, Fortenza®, Victrato®, Helix® and Saltro® are trademarks of a Syngenta Group Company. More information about Syngenta corn products is available at <http://www.biotradesstatus.com>.