



QUEBEC

2027 SEED GUIDE

GRAIN CORN 🍁 SOYBEANS 🍁 CEREALS 🍁 CANOLA

CONTENTS

Grain Corn	12A
Soybeans	22A
Cereals	32A
Canola	38A

TRADITION DEEPLY ROOTED IN QUEBEC

With all of the uncertainty in the world today, many across this land have been thinking about our country and reflecting on what defines us as a nation. Nothing is perfect, and the challenges are real. But being from here, farming here, and being part of this agricultural community in a land of peace carries real meaning.

We believe in this nation, as a province and as part of Canada as a whole, and **we believe in the potential of our customers** and what they are doing field by field to meet our needs as a society. This belief drives our sole focus of serving farmers by providing superior seed genetics to grow crops and raise livestock that feeds and provides ingredients to our food system and economy. This by a company owned by Quebec farmers, positioning Canadian-grown seed that meets the specific needs of farmers both here and from coast to coast across Canada.

To meet the needs of our customers, we continue to invest in pre-commercial product research and product quality. The goal is to provide our customers with best-in-the-world products that are tested in the unique environments we have in this province and across this country, whether in grain, silage, grazing, or specialty uses. In fact, for 2027, Maizex is launching its largest new product class in our history, covering corn, soybeans, forages, and canola. New products that set the bar higher for yield and agronomic performance. The best in yield, the best in traits, and where needed the best in seed treatments. To do this takes time, commitment, and focus in the areas of research, production, and support.

Yes, there is uncertainty in this world, but creating certainty on the farm starts by increasing your yield potential and decreasing your production risk. This starts with seed genetics tested here, grown here, and designed for farms like yours. **Seed by Maizex.**

Maizex Seeds Inc.

4488 Mint Line Tilbury, Ontario NOP 2L0

(877) 682-1720 | info@maizex.com | maizex.com

OUR MAIZEX TEAM

Management



Blake Ashton
General Manager
(519) 359-4858
Blake.Ashton@maizex.com



Stephen Denys
Director of Market & Product Development
(519) 358-3370
Stephen.Denys@maizex.com



Leigh Pepper
Administration Manager
(519) 682-1720
Leigh.Pepper@maizex.com



Karen Dunlop
Marketing Manager
(519) 358-6408
Karen.Dunlop@maizex.com

Product & Agronomy Support



Shawn Winter, CCA-ON
Product Development Manager – Corn
(519) 809-0078
Shawn.Winter@maizex.com



Jeremy Visser, CCA-ON
Product Development Manager – Soybeans
(519) 359-8428
Jeremy.Visser@maizex.com



Henry Prinzen, CCA-ON
Agronomy Lead – Ontario
(226) 747-6213
Henry.Prinzen@maizex.com



Pascal Larose, Agr.
Product and Agronomy Lead –
Corn and Soybeans, Quebec & Maritimes
(450) 779-5383
Pascal.Larose@sollio.ag



Lyne Beaumont, Agr.
Product and Agronomy Lead –
Forages and Cereals, Quebec
(418) 572-8972
Lyne.Beaumont@sollio.ag



Katie Meggison
Agronomy Lead – Western Canada
(204) 264-0678
Katie.Meggison@maizex.com

Quebec & The Maritimes Territory Managers



Philippe Defoy, Agr.
Regional Manager
(819) 531-8737
Philippe.Defoy@maizex.com



Stéphane Larose
Western Quebec
(514) 606-1720
Stephane.Larose@maizex.com



Steve Letendre
North and East Quebec
(819) 313-9106
Steve.Letendre@maizex.com



Klay Ansems
Maritimes
(902) 680-6995
Klay.Ansems@maizex.com

Western Canada Territory Managers



Stephan Chabbert
Regional Manager
(204) 693-1034
Stephan.Chabbert@maizex.com



Danielle MacCallum
South Alberta/SW Saskatchewan/BC
(403) 715-2628
Danielle.MacCallum@maizex.com



Kim Leitch
North Alberta/NW Saskatchewan
(780) 603-8006
kim.leitch@maizex.com



Darrel Thérroux
North Manitoba/East Saskatchewan
(204) 898-9859
Darrel.Theroux@maizex.com



Brett Graham
South Manitoba
(431) 294-6549
Brett.Graham@maizex.com

Ontario Territory Managers



Adam Parker, CCA-ON
Regional Manager
(226) 820-6280
Adam.Parker@maizex.com



Chuck Belanger
Essex & Chatham-Kent
(519) 401-0715
Chuck.Belanger@maizex.com



Kirk Van Will, CCA-ON
Lambton, North Middlesex, Huron
(519) 899-3255
Kirk.VanWill@maizex.com



Laura Johnston, CCA-ON
Elgin, Oxford, South Middlesex
(519) 476-2482
Laura.Johnston@maizex.com



Bryce Ruppert
Norfolk, Brant, Hamilton, Niagara, Haldimand
(519) 403-4462
Bryce.Ruppert@maizex.com



Mike Eckert, CCA-ON
North Huron, Perth, Waterloo, Wellington
(226) 820-2203
Mike.Eckert@maizex.com




Shannon Bieman, CCA-ON
Bruce, Grey, Dufferin, Simcoe
(519) 357-6119
Shannon.Bieman@maizex.com



Justin Brennan, CCA-ON
Central Ontario
(519) 401-9017
Justin.Brennan@maizex.com



Leigh Hudson-Templeton, CCA-ON
Eastern Ontario
(613) 408-7212
Leigh.Hudson@maizex.com



Contact your local co-op

Agiska Coopérative

4880 Rue des Seigneurs East, Saint-Hyacinthe (QC) J2R 1Z5
Phone: 450 799-3211

Avantis Coopérative

100-500 Route Cameron, Sainte-Marie (QC) G6E 0L9
Phone: 418 386-2667
Toll-free: 1 833 AVANTIS (282-6847)

Covris Coopérative

40 Rue de l'Eglise, Baie-du-Febvre (QC) J0G 1A0
Phone: 450 783-6491

Novago Coopérative

839 Rue Papineau, Joliette (QC) J6E 2L6
Phone: 1 866 7NOVAGO (766-8246)

Nutrinor Coopérative

425 Rue Melançon, Saint-Bruno (QC) G0W 2L0
Phone: 418 343-3636

Uniag Cooperative

4 Rang Saint-André, Napierville (QC) J0J 1L0
Phone: 450 245-3308

Unoria Coopérative

155 Rue Louis-Joseph-Plante, Rimouski (QC) G0L 1B0
Phone: 418 736-4363

VIVACO Cooperative Group

5 Avenue Pie X, Victoriaville (QC) G6P 4R8
Phone: 819 758-4770
Toll-free: 1 800 840-4770
Fax: 819 751-1381

The Sollio Agriculture cooperative network

In Québec, Maizex products are sold exclusively through this co-op network.



SEED CORN TECHNOLOGY

Maizex delivers high-performance corn hybrids built from world-class germplasm and leading trait and seed-treatment technologies. Working closely with our customers, we position hybrids that drive yield and performance in every field, and we continue to innovate in production and processing to ensure exceptional seed quality for both grain and silage corn.

Trait Technologies and Hybrid Performance

Maizex aligns leading global trait technologies with the specific insect, disease, and weed pressures farmers face in Canada to enhance yield potential.

			ABOVE GROUND PROTECTION AGAINST					BELOW GROUND PROTECTION AGAINST		
Traits	Features	Positioning	Corn Borer	Corn Earworm	Black Cutworm	Armyworm	Western Bean Cutworm	Corn Rootworm	Herbicide Tolerances	Refuge
	The trusted benefits of SmartStax® technology intertwined with a new RNAi-based mode of action offers exceptional crop protection. This product is the first with three modes of action, offering the strongest biotech defense against corn rootworm.	First choice for yield performance, especially on corn-on-corn acres.*	✓	✓	✓	✓		✓	Roundup Ready® LibertyLink®	5% RIB
	The standard on the market today with above- and below-ground insect protection.	First choice for yield performance, especially on corn-on-corn acres.*	✓	✓	✓	✓		✓	Roundup Ready® LibertyLink®	5% RIB
	Broad-spectrum above-ground insect control, including Western Bean Cutworm.	Rotated ground with high risk of Western Bean Cutworm activity.	✓	✓	✓	✓	✓		Roundup Ready®	5% RIB
	Combines three modes of action, including Trecepta®, for the next generation of protection against above-ground insects, including Western Bean Cutworm.	Ideal for initial year of corn-on-corn situations with high risk of Western Bean Cutworm.	✓	✓	✓	✓	✓	✓	Roundup Ready®	5% RIB
	Dual modes of action for above-ground insects.	Rotated ground and second-year corn as part of an integrated rootworm strategy.	✓	✓	✓	✓			Roundup Ready®	5% RIB
	Features three modes of action for long-lasting, broad-spectrum protection against above-ground insects, with tolerance to three herbicides for weed control flexibility.	Rotated ground and second-year corn as part of an integrated rootworm strategy.	✓	✓	✓	✓			Glyphosate Liberty® 2,4-D choline	5% Refuge Advanced™
	Features a unique mode of action that controls corn rootworm differently than other traits on the market and acts as an excellent foundation for an effective corn rootworm control strategy.	Excellent choice for yield performance and corn rootworm control, including corn-on-corn situations.*	✓	✓	✓	✓		✓	Glyphosate Liberty®	5% E-Z Refuge®
	Combines yield with Roundup Ready® weed control flexibility.	Rotated ground with no insect pressure.							Roundup Ready®	
	Selected for yield potential and natural plant health.	Ideal for non-GMO opportunities.								

*Talk to your Sollio Agriculture agri-advisor about resistance-management strategies for corn rootworm traits.

Seed Treatments and Stand Establishment

In areas where it is needed, early-season protection is critical to achieving strong emergence and uniform stands. Maizex offers seed treatment options that safeguard seedlings from soil-borne insects and diseases that can limit yield potential before plants even emerge.

Options

Untreated	Option for organic or conventional production.
Fungicide Only	 Vibrance[®] Cinco  Lumiante[™] FUNGICIDE SEED TREATMENT  Stamina[™] Corn Fungicide Seed Treatment
Fungicide + Insecticide	 Fortenza[®] Vibrance[®] Cinco  Lumiante[™] FUNGICIDE SEED TREATMENT  Stamina[™] Corn Fungicide Seed Treatment

Please note that, as of August 2025, farmers will need a prescription as well as an agronomic justification signed by an agronomist to plant any corn or soybean seed treated with an insecticide. Speak to your local Sollio Agriculture agri-advisor for more information.

The SeedRight Advantage

Seed size varies naturally from year to year. With today’s precision planting systems, fine tuning planter settings is essential for achieving optimal singulation and uniformity. Ask your Sollio Agriculture agri-advisor for our updated SeedRight recommendations.



GRAIN Corn

Hybrid	Trait	Characteristics	Companions	Positioning	Management			Ear Type			Agronomic Ratings						Disease Ratings			
					CHU to 50% Silk	Silage Option	Final Plant Population	# Kernel Rows	Kernel Mass	Kernel Number	Plant Height	Seeding Vigour	Stalk Strength	Grain Drydown	Test Weight	Plant Health	NCLB	ANTH	DON	Tar Spot
MZ 1200DBR CHU 2050 RM 72		• Earliest hybrid in product line • Early stand establishment in the field • Excellent fall intactness	MZ 1255DBR MZ 1397DBR	• Grain and silage corn	1277		32-34	12-14	✓		M	9	8	9	9	8	8	7	–	–
NEW MZ 1255DBR CHU 2050 RM 72		• Solid performance and strong yield • Very good spring vigour • Excellent test weight	MZ 1200DBR MZ 1397DBR	• Grain and silage corn	1265		32-34	16-18	✓		M-T	9	8	9	9	8	6	7	–	–
MZ 1397DBR CHU 2150 RM 73		• Early flowering • Very good emergence and vigour • Very good stalk strength in fall	MZ 1255DBR MZ 1200DBR	• Grain and silage corn • Low heat-stress tolerance	1270		30-32	16-18	✓	✓	M-T	8	8	9	9	8	8	6	–	–
MZ 154 CHU 2250 RM 75		• Maturity-leading yield • Open husk to aid grain drydown • Excellent fall intactness	MS 782	• Conventional corn • Grain and silage corn	1301		32-34	14-16	✓		T	8	9	8	8	9	8	7	–	–

Maizex delivers high-performance grain corn hybrids bred for maximum yield across all maturities in Quebec. Backed by one of Canada’s most extensive pre-commercial testing programs, Maizex turns real-world field data into smarter hybrid placement so your farm performs at its best, field by field.

Maizex Corn Hybrid Nomenclature



- MZ = Grain hybrid
- MS = Silage hybrid
- LF = Leafy silage hybrid
- LFG = Leafy/floury silage hybrid

*Maturity: add 60 to the first two numbers for days to maturity.

TRAIT SUFFIXES

(see trait technology info on page 8A)

- No suffix = conventional

X = X-series conventional

DUR = Duracade®

R = Roundup Ready® Corn 2

DBR = VT Double PRO®
- VT4 = VT4 PRO®

TRE = Trecepta®

SMX = SmartStax®

SSP = SmartStax® PRO

PWE = PowerCore® Enlist®

Legend

RIB / E-Z Refuge® / Refuge Advanced™: refers to a product containing 5% full refuge in the seed bag. The refuge seed is a different colour than the main contents of the bag in order to clearly identify it.

Silage option: the 365 logo indicates a dual-purpose hybrid that can also be used for silage.

Final plant population: optimal population in thousands of plants per acre. When growth conditions are less favourable or in very light soil, use the lower range.

kernel rows: indicates the number of rows characteristic for the ear.

Kernel mass: An X indicates that this hybrid’s yield is more driven by kernel mass. This parameter will decrease if stress occurs.

Kernel number: An X indicates that this hybrid’s yield is more driven by the total number of kernels on an ear. This parameter will decrease if stress occurs.

Plant height: **S** = short; **M** = medium; **S-M** = short-medium; **M-T** = medium-tall; **T** = tall; **VT** = very tall

Numerical ratings (1–9): **1** = very poor; **9** = excellent; – = insufficient data

Disease ratings: **NCLB** = Northern Corn Leaf Blight; **ANTH** = Anthracnose; **DON** = Deoxynivalenol (Vomitoxin); the numerical ratings for the disease categories range from **0 – 9**, where **0** = highly susceptible, **9** = highly tolerant, and – = unrated. An * indicates a predicted response.



Learn more about our innovative characterization of hybrids by kernel mass and kernel number.



GRAIN Corn

Hybrid	Trait	Characteristics	Companions	Positioning	Management			Ear Type			Agronomic Ratings						Disease Ratings			
					CHU to 50% Silk	Silage Option	Final Plant Population	# Kernel Rows	Kernel Mass	Kernel Number	Plant Height	Seedling Vigour	Stalk Strength	Grain Drydown	Test Weight	Plant Health	NCLB	ANTH	DON	Tar Spot
MZ 1544DBR CHU 2250 RM 75		• Maturity-leading yield • Open husk to aid grain drydown • Excellent fall intactness	MZ 1397DBR MZ 1688DBR	• Grain and silage corn • Performs in all environments	1301		32-34	14-16	✓		T	8	9	8	8	9	8	7	–	–
MZ 1688DBR CHU 2300 RM 76		• Impressive ear with high yield • Open husk to aid grain drydown • Excellent fall intactness	MZ 1397DBR MZ 1544DBR	• Excellent in varying soil conditions	1323		32-34	16-18		✓	M-T	9	9	8	8	9	8	7	–	–
MZ 2266DBR CHU 2450 RM 82		• High potential with early flowering • Rapid grain drydown in field • Strong root and stalk	MZ 1688DBR MZ 2344DBR	• Performs in all environments	1353		32-34	14-16	✓		M	9	8	8	9	8	8	8	–	–
MZ 2344DBR CHU 2500 RM 83		• Impressive ear with deep kernels • Very good root system and stalk strength • Rapid grain drydown in field	MZ 2266DBR MZ 2575DBR	• Very good stress tolerance	1330		30-32	18-20		✓	T	8	9	9	9	8	7	8	–	7*
MZ 236 CHU 2525 RM 83		• Industry-leading yield potential • Strong yields in low-yielding environments • Excels in variable-yield environments	MZ 269	• Good adaptability north of zone	1390		34-36	16-18		✓	T	8	7	8	9	8	7	7	–	7*
MZ 2422PWE CHU 2550 RM 84		• Top-end yield potential • Open husks aid grain drydown • Extended stay-green for added yield	MZ 2344DBR MZ 2575DBR	• Stronger yields in moderate- to high-yield environments	1430		34-36	16-18	✓		M	9	8	9	8	8	8	8	–	6*
MZ 2575DBR CHU 2575 RM 85		• Ear with deep kernels, uniform down the row • Rapid grain drydown in field • Very good emergence and excellent vigour	MZ 2344DBR MZ 2699DBR	• Performs in all environments	1430		32-34	18-20	✓	✓	M-T	9	8	9	8	8	7	7	–	6*
MZ 269 CHU 2600 RM 86		• Impressive ear with high yield • Exceptional stress tolerance • Excellent spring vigour	MZ 314	• Conventional grain and silage • Excellent in variable soil conditions	1515		32-34	18-20		✓	M-T	9	9	8	8	8	7	7	–	7



GRAIN Corn

Hybrid	Trait	Characteristics	Companions	Positioning	Management			Ear Type			Agronomic Ratings						Disease Ratings			
					CHU to 50% Silk	Silage Option	Final Plant Population	# Kernel Rows	Kernel Mass	Kernel Number	Plant Height	Seedling Vigour	Stalk Strength	Grain Drydown	Test Weight	Plant Health	NCLB	ANTH	DON	Tar Spot
MZ 2699DBR CHU 2600 RM 86	 RIB	• Impressive ear with high yield • Exceptional stress tolerance • Excellent spring vigour	MZ 2575DBR MZ 2784SMX	• Excellent in variable soil conditions • Grain and silage corn"	1515		32-34	18-20		✓	M-T	9	9	8	8	8	7	7	–	7*
MZ 2784SMX CHU 2650 RM 87	 RIB	• Stable performance • Very good root system • Excellent stalk strength	MZ 2575DBR MZ 2699DBR	• Corn-on-corn acres	1545		32-34	16-18	✓		M	8	9	9	9	8	8	9	–	–
MZ 2803DBR CHU 2675 RM 88	 RIB	• Excels in and north of maturity zone • Excellent grain quality and test weight • Rapid grain drydown	MZ 2784SMX MZ 2982DBR	• Position for timely harvest • Excels in lower-yielding environments	1565		34-36	18-20	✓	✓	T	8	8	9	9	8	7	7	–	5*
MZ 2982DBR CHU 2700 RM 89	 RIB	• Maturity-leading yield • Impressive ear with deep kernels • Open husk to aid grain drydown	MZ 2784SMX MZ 2803DBR	• Excellent in high-yield conditions	1552		30-34	16-18	✓		M	9	8	9	8	8	7	6	–	7*
MZ 3006DBR CHU 2750 RM 90	 RIB	• Powerful performance and strong yield • Very good root system • Excellent plant intactness in fall	MZ 3220SSP MZ 3432TRE	• Use within maturity zone	1572		32-34	16-18	✓		T	8	9	8	7	8	7	8	–	5*
MZ 3117DBR CHU 2750 RM 91	 RIB	• Leading field performance for its maturity • Excellent stalk strength for delayed harvest • Very uniform ear	MZ 3006DBR MZ 3314SMX	• Excellent in variable soil conditions	1575		32-34	18-20		✓	M	9	9	9	8	9	8	7	–	–
MZ 314 CHU 2750 RM 91	CONV	• Excellent spring vigour • Consistent ear down the row • Excellent standability in fall	MZ 269	• Conventional corn • Grain and silage corn	1575		32-34	16-18		✓	T	9	9	8	7	9	7	–	–	8
MZ 3220SSP CHU 2775 RM 92	 RIB	• Attractive fall appearance promotes ease of harvest • Open husks aid rapid grain drydown • Strong yields across all environments	MZ 3006DBR MZ 3432TRE	• Corn-on-corn acres • Ideal for delayed harvest	1560		32-34	20-22		✓	M-T	9	9	8	9	8	8	9	–	5*



GRAIN Corn


Hybrid	Trait	Characteristics	Companions	Positioning	Management			Ear Type			Agronomic Ratings						Disease Ratings			
					CHU to 50% Silk	Silage Option	Final Plant Population	# Kernel Rows	Kernel Mass	Kernel Number	Plant Height	Seedling Vigour	Stalk Strength	Grain Drydown	Test Weight	Plant Health	NCLB	ANTH	DON	Tar Spot
MZ 3314SMX CHU 2775 RM 93	 RIB	• Excellent emergence and vigour • Excellent disease tolerance • Excellent standability in fall	MZ 3117DBR MZ 3006DBR	• Corn-on-corn acres • Good drought tolerance	1622		32-34	16-18	✓		M-T	9	9	8	8	8	7	8	–	5
MZ 3432TRE CHU 2800 RM 94	 RIB	• Strong yield and agronomic performance • Impressive girthy ear • Very good stalk strength in fall	MZ 3220SSP MZ 3505DBR	• Western bean cutworm protection • Excellent drought tolerance • Use within maturity zone	1635		30-32	18-20		✓	T	9	9	8	7	9	8	8	6*	7
MZ 3505DBR CHU 2850 RM 95	 RIB	• Maturity-leading yield • Open husk to aid grain drydown • Excellent plant intactness in fall	MZ 3432TRE MZ 3751SSP	• Grain and silage corn • Suited to all environments	1632		32-34	16-18	✓		T	9	9	9	8	9	8	8	7	6
NEW MZ 3751SSP CHU 2900 RM 97	 RIB	• Excellent agronomics ideal for delayed harvest • Broadly adapted to excel across yield environments • Open husks allow for fast grain drydown	MZ 3794TRE MZ 3704VT4	• Corn-on-corn acres • Excels across yield environments	1640		34-36	18-20	✓		T	8	8	8	7	8	7	8	7	5
MZ 3704VT4 CHU 2900 RM 97	 RIB	• Great yield and complete protection • Very good emergence and vigour • Very good root system and stalk strength	MZ 3818DBR MZ 3751SSP	• Western bean cutworm protection • Good drought tolerance	1705		32-36	18-20		✓	M-T	8	9	8	8	9	8	8	5	7
NEW MZ 3794TRE CHU 2925 RM 97	 RIB	• Industry-leading yield potential • Market-leading DON tolerance • Longer husks that open to aid grain drydown	MZ 3751SSP MZ 3930DBR	• Strong performance in variable-yield environments	1662		34-36	18-20		✓	M	7	9	8	7	8	7	8	9	5*
MZ 3818DBR CHU 2925 RM 98	 RIB	• Robust performance • Excellent disease tolerance • Excellent plant intactness in fall	MZ 3751SSP MZ 3704VT4	• Ideal for delayed harvest • Grain and silage corn	1698		32-36	16-18		✓	T	9	9	8	8	8	8	8	6	5
MZ 3930DBR CHU 2950 RM 99	 RIB	• Maturity-leading yield • Impressive ear with deep kernels • Excellent standability in fall	MZ 3794TRE MZ 4026SSP	• Suited to all environments	1698		30-34	18-20		✓	T	8	9	9	8	8	8	8	5	8



GRAIN Corn

Hybrid	Trait	Characteristics	Companions	Positioning	Management			Ear Type			Agronomic Ratings						Disease Ratings			
					CHU to 50% Silk	Silage Option	Final Plant Population	# Kernel Rows	Kernel Mass	Kernel Number	Plant Height	Seedling Vigour	Stalk Strength	Grain Drydown	Test Weight	Plant Health	NCLB	ANTH	DON	Tar Spot
MZ 4026SSP CHU 2950 RM 100	SmartStax^{PRO} RIB	• Performance and consistency • Very good root system and stalk strength • Excellent plant intactness in fall	MZ 3930DBR MZ 4158DBR	• Corn-on-corn acres • Good tolerance to heat and drought	1700		32-34	16-18	✓		M	8	9	8	9	8	7	8	7	6
MZ 397 CHU 2950 RM 99	CONV	• High yield and performance • Impressive ear with very deep kernels • Open husk to aid grain drydown	MZ 314	• Suited to all environments • Grain and silage corn	1660		28-36	18-20		✓	T	9	8	9	8	8	7	7	7	6
MZ 4049SMX CHU 2975 RM 100	SmartStax^{PRO} RIB	• High yield and performance • Impressive ear with very deep kernels • Open husk to aid grain drydown	MZ 3930DBR MZ 4158DBR	• Suited to all environments • Corn-on-corn acres	1685		28-36	18-20		✓	T	9	9	9	8	8	7	8	7	6
MZ 4158DBR CHU 3100 RM 101	VtDoublePRO^{PRO} RIB	• Leading performance • Excellent standability in fall • Rapid grain drydown in field	MZ 3930DBR MZ 4310SSP	• Grain and silage corn • Suited to all environments	1698		34-36	16-18	✓		T	9	8	8	8	8	7	8	7	5
NEW MZ 4310SSP CHU 3125 RM 103	SmartStax^{PRO} RIB	• Industry-leading yield potential • Market-leading DON tolerance • Longer husks that open to aid grain drydown	MZ 4158DBR MZ 4026SSP	• Corn-on-corn acres • Strong in variable-yield environments	1700		34-36	18-20		✓	M	7	9	8	7	8	7	8	9	5*





SOYBEAN SEED TECHNOLOGY

Maizex soybeans deliver exceptional yield with advanced in-seed and seed-applied technologies for consistent, field-by-field performance. Supported by an intensive research and testing program, Maizex combines high yield potential with strong tolerance to key diseases.

Trait Technologies

Traits	Features	Positioning	HERBICIDE TOLERANCE				
			Glyphosate (RR)	Dicamba	Glufosinate (Liberty)	2,4-D	Identity Preserved Conventional
	Outstanding genetics for high-end yield potential. Three modes of herbicide tolerance for outstanding weed control, including glyphosate-tolerant weeds.	Premier early-season weed control with option to use early dicamba or later Roundup® or Liberty® in-crop.	✓	✓	✓		
	Benefits of glyphosate and new lower-volatility formulations of dicamba, such as Xtendimax® herbicide. Outstanding weed control including glyphosate-tolerant weeds such as Canada fleabane.	Position dicamba applications for pre-plant or early post to maximize weed control.	✓	✓			
	Genetics featuring excellent yield potential. Three-way herbicide tolerance to glyphosate, 2,4-D, and glufosinate in a three-gene molecular stack.	Wide window of weed-control flexibility with excellent control of glyphosate-tolerant weeds. Using Enlist Duo™ herbicide, which contains glyphosate and 2,4-D with Colex-D™ technology, provides near-zero volatility.	✓		✓	✓	
	A non-GMO trait that yields soybeans with high oleic acid content.	Developed for non-GMO or identity-preserved contract opportunities. Consult your Sollio Agriculture agri-advisor for contract opportunities near you.					✓
	Combines yield potential and export-quality grain characteristics.	Developed for non-GMO or identity-preserved contract opportunities. Consult your Maizex dealer for contract opportunities near you.					✓






Seed Treatment Options

In areas where needed, seed treatments can play a key role in strong soybean emergence and early-season health. Maizex offers flexible treatment options so you can match protection to pressure—field by field.

Seed Treatment	Benefits	Insecticide, Fungicide & Pre-inoculant	Fungicide & Pre-inoculant	Fungicide Only
UNTREATED	Option for organic or conventional production.			
	Fosters higher rhizobia survival and nutrient uptake, increases root growth, and boosts nutrient and water uptake, leading to enhanced nodulation and nitrogen fixation.	✓	✓	
	Supports earlier nodule formation, mycorrhizal associations, and nitrogen fixation potential in soybeans, accelerating crop establishment and enhancing root/shoot development.	✓	✓	
	Delivers control of European chafer, June beetle, bean leaf beetle, black cutworm, wireworm, and seed corn maggot. Helps build a strong soybean stand, even under heavy insect pressure. The result is faster, more uniform growth.	✓		
	Features new Victrato with TYMIRIUM® technology to aid in the suppression of soybean cyst nematode and early-season control of sudden death syndrome together with proven broad-spectrum protection against key seed and soil-borne diseases for stronger roots that can take full advantage of soil nutrients, even during unfavourable spring conditions.	✓	✓	✓

Please note that, as of August 2025, farmers will need a prescription as well as an agronomic justification signed by an agronomist to plant any corn or soybean seed treated with an insecticide. Speak to your local Sollio Agriculture agri-advisor for more information.



SOYBEANS

SOYBEANS					Plant Health				Agronomic Ratings								Seeding Rate		
					SCN Gene	Phytophthora Resistance Gene	Phytophthora Field Tolerance	White Mould Tolerance	Seeding Vigour	Standability	Plant Height	Canopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	Seed Size (Beans/kg)	Optimal seeding rate (1000 beans/ha)	Area managed	
Variety	Trait	CHU	RM	Characteristics															
WOLF R2X		2200	000.7	• Maturity-leading yield performance • Very good standability	PI88788	Rps3a	AA	AA	7	8	M-T	SB	AA	G/B	P/IBL	6000	350	400	330
NEW POLAR R2X		2300	00.1	• Early maturing with strong yield performance across soil types • Great pod height helps capture every bean	–	Rps1c	AA	E	8	8	M-T	SB	AA	B/B	P/Yi	5000	350	400	330
NEW RAM R2X		2350	00.3	• Tall plant with good standability • Works well across all soil types	–	–	A	AA	8	8	M-T	SB	A	B/B	P/B	5500	350	380	320
NEW MOOSE R2X		2375	00.4	• Robust bean with excellent white mould tolerance • Clean phenotype with solid harvest standability	–	–	AA	E	8	9	M-T	SB	AA	B/B	P/BL	5700	350	380	320
NEW ELK E3		2425	00.6	• Bushy plant with great yield potential • Option for field horsetail control	–	Rps1c	AA	A	8	7	M-T	B	E	B/B	P/BL	5500	350	380	320
HULK R2X		2475	00.8	• Tall bean with great yield • Very good white mould tolerance	–	Rps3a	AA	AA	8	7	T	SB	E	B/B	P/BL	5400	350	370	320

Legend

Ratings: **BA** = below average; **A** = average; **AA** = above average; **E** = excellent

Numerical ratings (1-9): **1** = very poor; **9** = excellent

Plant height: **S** = short; **S-M** = short-medium, **M** = medium, **M-T** = medium-tall, **T** = tall, **VT** = very tall

Canopy: **N** = narrow, **SB** = semi-bush, **B** = bushy

Wide row adaptability: denotes yield and agronomic factors for the variety if planted in wider rows, i.e. 30 in.

Pubescence/pod colour: **LB** = light brown, **B** = brown, **G** = grey

Flower colour: **P** = purple, **W** = white

Hilum colour: **Y** = yellow, **IY** = imperfect yellow, **G** = grey, **LB** = light brown, **B** = brown, **IBL** = imperfect black, **BL** = black

Seeding rate:
Optimal rate: provides optimal agronomic performance for the variety in most environments.
Area managed:
Low-potential area: allows you to tailor your seeding rate to less productive areas of your fields.
High-potential area: allows you to tailor your seeding rate to more productive areas of your fields. Use this column for fields where white mould infection (sclerotinia) is present.




Strategies for smart soybean selection to help you pick the best variety for your farm.



SOYBEANS

SOYBEANS					Plant Health				Agronomic Ratings								Seeding Rate		
					SCN Gene	Phytophthora Resistance Gene	Phytophthora Field Tolerance	White Mould Tolerance	Seedling Vigour	Standability	Plant Height	Canopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	Seed Size (Beans/kg)	Optimal seeding rate (1000 beans/ha)	Area managed	
Variety	Trait	CHU	RM	Characteristics															
JARI		2500	00.9	• Early IP soybean • White mould tolerance	–	–	AA	AA	8	8	M	SB	A	B/B	P/IY	5300	400	450	350
NEW HYDRO R2X		2550	0.1	• Tall bean with steady performance • Excellent white mould tolerance	–	–	BA	E	9	8	T	SB	AA	B/B	P/BL	4700	350	380	320
COBRA R2X		2575	0.2	• High yield potential • Excellent first-pod height for ease of harvest	PI88788	Rps1c	AA	AA	8	7	M-T	SB	AA	LB/B	P/B	5800	350	380	320
GRIZZLY R2X		2600	0.3	• Industry-leading yield performance • Excellent white mould tolerance	PI88788	Rps1k/3a	AA	E	9	9	S-M	B	AA	LB/B	P/BL	6200	350	400	320
KUMA	 	2600	0.3	• High-protein IP soybean • Very good white mould tolerance	–	–	A	AA	8	8	M-T	SB	AA	B/B	P/IY	5400	375	400	350
NEW BENGAL E3		2675	0.6	• Industry-leading yield with great disease tolerance • Option for field horsetail control	PI88788	Rps1c	AA	A	8	8	M-T	SB	AA	G/B	P/IBL	5500	350	380	320
AJICO	 	2725	0.8	• IP soybean with excellent plant health • Exceptional white mould tolerance	–	Rps1c	AA	E	8	9	M	SB	AA	B/B	P/IY	4800	350	400	350
VIPER R2X		2750	0.9	• Industry-leading yield performance • Excellent white mould tolerance	PI88788	Rps1c	AA	E	9	9	M	SB	AA	LB/B	P/BL	5800	350	380	320
SARU	 	2775	1.0	• High-yield IP soybean • Excellent standability	–	Rps1c	AA	AA	7	9	M-T	SB	AA	LB/LB	P/IY	5500	375	400	350
PIRANHA R2X	 	2775	1.0	• Large, bushy bean with high yield • Superior white mould tolerance	–	Rps3a	AA	AA	8	8	M-T	B	E	LB/B	P/B	5800	350	380	300
KITES E3		2775	1.0	• Bushy bean that closes rows easily with high first pod for easy harvest • Option for field horsetail control	–	Rps1a	AA	AA	7	8	M-T	B	E	G/B	P/LB	6400	350	380	300



SOYBEANS

Variety	Trait	CHU	RM	Characteristics	Plant Health				Agronomic Ratings								Seeding Rate		
					SCN Gene	Phytophthora Resistance Gene	Phytophthora Field Tolerance	White Mould Tolerance	Seedling Vigour	Standability	Plant Height	Canopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	Seed Size (Beans/kg)	Optimal seeding rate (1000 beans/ha)	Area managed Low-potential area (1000 beans/ha)	Area managed High-potential area (1000 beans/ha)
NEW USHI	CONV SOYLEIC	2800	1.1	• High oleic acid soybean • Ideal for dairy rations	PI88788	–	A	A	7	8	M	B	AA	G/B	P/Y	–	350	380	320
NEW FORGE XF	X TENDFLEX SOYBEANS	2800	1.1	• Bushy plant that branches out well, promoting yield • Option for field horsetail control	PI88788	Rps1c	AA	AA	8	9	M	B	AA	LB/LB	P/BL	5700	350	380	320
NEW VENOM E3	EnlistE3 SOYBEANS	2825	1.2	• Industry-leading yield • Option for field horsetail control	PI88788	Rps1c	BA	AA	7	8	M-T	SB	AA	G/B	W/B	–	350	380	320
AVALANCHE XF	X TENDFLEX SOYBEANS	2875	1.4	• Industry-leading yield performance • Option for field horsetail control	PI88788	Rps1k/3a	AA	A	8	9	T	SB	A	B/B	P/B	5100	350	380	320
CYCLONE R2X	ROUNDUP READY 2 X TEND SOYBEANS	2900	1.5	• Bushy bean with steady yield • Excellent <i>phytophthora</i> tolerance	PI88788	Rps1k/3a	AA	AA	9	8	M-T	B	E	LB/LB	P/BL	6400	320	350	300
TYPHOON E3	EnlistE3 SOYBEANS	2925	1.6	• Bushy bean • Option for field horsetail control	Peking	Rps1c/3a	E	AA	8	8	M-T	B	AA	G/B	P/IBL	5700	320	350	300
MAMMOUTH VII XF	X TENDFLEX SOYBEANS	–	5.0	• Huge soybean plant for silage • Very high-quality silage	PI88788	Rps1c	A	–	8	8	VT	SB	–	G/B	P/IBL	–	600	–	–



CEREALS

Wheat

CEREALS		Wheat																		
		Characteristics				Plant Health ⁶				Spring			Fall			TKW (g/1000 seeds)				
Variety	Crop Type	Canadian Wheat Class ¹	Features	Yield ²	Height (cm)	Maturity ³	Awns ⁴	Standability	Fusarium ⁵	Powdery mildew	Rust	Leaf spot disease	IMP ⁸	Conventional	Underseeded			Early	Optimum date	Late
Spring																				
RAVEN	Spring bread wheat	HRS	• Very high yield • Performs in multiple management systems • Good straw production	Zone 1107% Zone 2108% Zone 3106%	90	I	L	9	2	9	9	9	450	400	310	–	–	–	40	91
MAIDA	Spring bread wheat	HRS	• Wheat for cold climate • Excellent plant health • High in protein	Zone79% Zone 292% Zone 3104%	98	I	L	9	3	9	6	8	450	400	310	–	–	–	38	91
HELIOS	Spring bread wheat	HRS	• Extra-early bread wheat • Very high-quality flour • Good resistance to fusarium	NA	89	E	A	7	2	7	8	8	400	400	310	–	–	–	36	91
ARKCO	Spring bread wheat	HRS	• High yield • High quality • Very good fusarium tolerance	Zone 1102% Zone 296% Zone 389%	99	E	L	7	2	9	7	8	450	400	310	–	–	–	40	91
NEW AUREA	Spring feed wheat	HRS	• Well suited for cold climate • Very good lodging tolerance • High yield	Zone 1*102% Zone 2*103% Zone 3*115%	87	I	L	9	3	9	8	8	450	400	310	–	–	–	40	91
SIBIA	Spring feed wheat	HRS	• Very high yield potential • Good drought and disease tolerance • Stable yield in every zone	Zone 190% Zone 2103% Zone 3102%	90	I	L	9	2	9	7	8	450	400	310	–	–	–	37	91
AAC VOLTA	Spring feed wheat	HRS	• Early-maturing wheat • High test weight • Perfect for mixes or as a cover crop	NA	88	E	L	9	1	9	7	7	450	400	310	–	–	–	35	91
Winter																				
UGRC RING	Winter feed wheat	SRW	• Very uniform heads with excellent yield • Very good winter survival • Responds well to intensive management	Zone 1111% Zone 2109% Zone 3117%	85	E	L	9	4	7	7	7	–	–	–	350	400	450	40	91
SWOOP	Winter feed wheat	SRW	• Excellent yield • Strong disease resistance • Excellent winter survivability	Zone 1**116% Zone 2**117% Zone 3**121%	86	I	N	8	2	7	8	8	–	–	–	350	400	450	40	91
LEXINGTON	Winter bread wheat	HRW	• Bread wheat with high protein • Remarkable standability • Early maturity	Zone 1100% Zone 294% Zone 391%	82	E	L	9	3	8	9	8	–	–	–	350	400	450	45	91

Legend

Numerical ratings (1 – 9): 1 = poor, 5 = average, 9 = excellent, - = insufficient data

1. Canadian wheat class: HRS = hard red spring wheat, SRW = soft red winter wheat, HRW = hard red winter wheat

2. Yield: Data based on the RGCQ 2023-2024-2025 trials published in the 2025 RGCQ guide, NA: Not available

3. Maturity: E = early, I = intermediate, L = late

4. Awns: L = long, A = apical, N = none

5. Fusarium: 1 = moderately resistant, 5 = susceptible

6. Plant health: 1 = very susceptible, 9 = very good tolerance

7. Seeding rate: kg/ha = (seeds/m² x TKW)/100

8. IMP: intensive management practices

This variety is protected under the 1991 Convention of the International Union for the Protection of New Varieties of Plants.

*Data based on the RGCQ 2024-2025 trials

**Data based on the RGCQ 2024-2025 trials published in the 2025 RGCQ guide.

CEREALS

Barley, Oats, Rye & Peas

CEREALS																					Barley, Oats, Rye & Peas									
Variety	Crop Type	Features	Yield ¹	Characteristics				Plant Health ⁵					Seeding rate ⁶ (seeds/m ²)			Spring			Fall			TKW (g/1000 seeds)								
				Height (cm)	Maturity ²	Awns ³	Standability	Fusarium ⁴	Powdery mildew	Rust	Leaf spot disease	Yellow dwarf virus	IMP ⁷	Conventional	Underseeded	Early	Optimum date	Late												
Barley																														
CELESTA	Six-rowed barley	• High yield • Complete agronomic profile • High tolerance to fusarium	Zone 194% Zone 2101% Zone 3102%	83	I	L	9	4	7	7	8	–	350	350	275	–	–	–	43											
DORIANE	Six-rowed barley	• Excellent yield in all zones • Remarkably consistent • Good quality straw	Zone 196% Zone 293% Zone 3104%	85	L	L	8	6	8	8	8	–	350	350	275	–	–	–	45											
ELEGANCIA	Two-rowed barley	• Excellent yield potential • Superior height and standability • Highly tolerant to fusarium	Zone 1108% Zone 2100% Zone 3104%	87	I	L	9	3	–	7	8	–	350	350	250	–	–	–	54											
SELENA	Two-rowed barley	• Excellent yield potential • Uniform large grains • Above-average disease tolerance	Zone 1102% Zone 2100% Zone 3102%	65	E	L	7	4	9	9	8	–	350	350	250	–	–	–	46											
Oats																														
NEW NATION	Oats	• Very good feed quality • Excellent yield • Well suited for cold climate	Zone 1**104% Zone 2**103% Zone 3**111%	105	L	N	8	–	–	8	8	7	350	350	275	–	–	–	40											
SHAKA	Oats	• Very high yield • Very high test weight • Very good standability	Zone 1113% Zone 2112% Zone 3102%	99	L	N	9	–	–	9	8	8	350	350	275	–	–	–	37											
NIKA	Oats	• Exceptional yield • Very high test weight • Good standability	Zone 1101% Zone 2103% Zone 3102%	98	L	N	9	–	–	9	9	9	350	350	275	–	–	–	39											

Legend

Numerical ratings (1 – 9): 1 = poor, 5 = average, 9 = excellent, - = insufficient data

1. Yield: NA: not available

* Data based on the RGCQ 2024-2025 trials published in the 2025 RGCQ guide.

** Data based on the RGCQ 2025 trials published in the 2025 RGCQ guide.

2. Maturity: E = early, I = intermediate, L = late

3. Awns: L = long, A = apical, N = none

4. Fusarium: 1 = moderately resistant, 9 = susceptible

5. Plant health: 1 = very susceptible, 9 = very good tolerance

6. Seeding rate: kg/ha = (seeds/m² x TKW)/100,
*For peas, use higher seeding rate for heavy soil.

7. IMP: intensive management practices

This variety is protected under the 1991 Convention of the International Union for the Protection of New Varieties of Plants.



CEREALS

Barley, Oats, Rye & Peas

CEREALS		Barley, Oats, Rye & Peas		Characteristics				Plant Health ⁵					Seeding rate ⁶ (seeds/m ²)			Spring			Fall			TKW (g/1000 seeds)	
				Height (cm)	Maturity ²	Awns ³	Standability	Fusarium ⁴	Powdery mildew	Rust	Leaf spot disease	Yellow dwarf virus	IMP ⁷	Conventional	Underseeded	Early	Optimum date	Late					
Variety	Crop Type	Features	Yield ¹																				
Oats																							
KALIO	Oats	• Superior yield • Complete agronomic profile • Very good test weight	Zone 1[*]94% Zone 2[*]99% Zone 3[*]99%	89	I	N	8	–	–	9	8	7	350	350	275	–	–	–	40	91			
AKINA	Oats 	• Preferred by Quaker Oats • High yield, highly tolerant to crown rust • Excellent standability	Zone 196% Zone 292% Zone 395%	85	I	N	9	–	–	7	8	6	350	350	275	–	–	–	37	91			
KATANA	Forage Oats	• Very tall and leafy • High forage yield • Healthy leaves for high-quality forage	NA	105	L	N	8	–	–	–	–	–	–	300	225	–	–	–	37	91			
Rye																							
NEW KWS ATTAINOR	Hybrid winter rye	• Impressive yield potential • Excellent fusarium tolerance • Good lodging tolerance	NA	115	L	L	8	–	–	–	–	–	–	–	–	180	200	240	33	91			
KWS SERAFINO	Hybrid winter rye	• Excellent yield potential • Good winter survival in all zones • Good resistance to ergot	Zone 1[*]107% Zone 2[*]105% Zone 3[*]102%	115	L	L	8	–	–	–	–	–	–	–	–	180	200	240	33	91			
KWS AVIATOR	Forage hybrid winter rye	• Excellent spring vigor • Higher plants • Very good winter survival	NA	130	L	L	8	–	–	–	–	–	–	–	–	180	200	240	32	91			
ELIAS	Winter rye	• Versatile conventional winter rye • Very tall • High-yielding forage, grain, or straw	NA	136	I	L	8	–	–	–	–	–	–	–	–	300	350	400	32	91			
Peas																							
ESO	Yellow pea	• High-yield yellow field pea • Semi-leafless with bushy growth habit • Good standability	NA	–	I	–	8	–	–	–	–	–	130*	110	–	–	–	–	241				
PACKER BRAND	Forage pea	• Impressive biomass with high protein content • Perfect for forage or cover crop • Leafy and indeterminate flowering until harvest	NA	–	L	–	6	–	–	–	–	–	–	–	–	–	–	–	180				

CRUSH IT

with  **maizex**
canola

New Maizex canola hybrids

deliver an outstanding combination of high-yield potential and strong agronomic traits you can count on, including excellent pod-shatter resistance and disease tolerance.

The Maizex strategy for canola is the same as we've used for seed corn and soybeans:

1. Test for superior performance in Canada.
2. Deliver the best in genetics, seed-based traits, and seed treatments.
3. Help you optimize success for your farm, field by field.



Seed Treatments and Stand Establishment

Maizex offers the following seed treatment packages to protect your seed investment.

Options	Products	Benefits
BASE PACKAGE	 	Helix® Saltro® delivers comprehensive protection, including flea beetles and seed- and airborne blackleg. This base treatment provides: • Five fungicides + one powerful insecticide • Contains a breakthrough fungicide for airborne blackleg protection • Complements genetic disease resistance packages • Protection against striped and crucifer flea beetles, Rhizoctonia, Fusarium, Pythium, and seedling disease complex The addition of BUTEO® start adds greater protection against crucifer and striped flea beetles, with rapid uptake and systemic translocation from cotyledon to leaf margins for a strong plant right off the start, even in dry conditions.
ADDITIONAL PROTECTION		• For enhanced control of cutworm for uniform stand establishment even under heavy insect pressure • Early-season control from emergence to stand establishment helps to reduce the need of in-season foliar insecticide applications for cutworm



CANOLA Hybrids

Talk to your local Sollio Agriculture agri-advisor today about the benefits of Maizex canola.

Hybrid	Trait	Maturity	Features	Pod Shatter Rating	Harvest Recommendation	Blackleg	Clubroot Generation	Standability
MC 5126LL		Mid	• Excellent clubroot resistance • Harvest flexibility	6.0	• Early straight-cut option; swath if harvest is delayed	R	2nd Generation	E
MC 5172LL		Mid	• Excellent pod-shatter resistance • Very good yield potential	7.5	• Straight-cut option	R	2nd Generation	AA
MC 5230TF		Mid	• Excellent pod-shatter resistance • High yield potential	7.6	• Straight-cut option	R	1st Generation	A

Legend

Pod-shatter rating: this is the hybrid’s rating based on the Canola Council of Canada’s canola shatter ratings scale. It is used to inform the harvest recommendation for each hybrid.

Blackleg: an “**R**” here indicates the hybrid is resistant to blackleg.

Clubroot generation: this refers to whether a hybrid offers 1st generation or 2nd generation resistance to clubroot. For fields suffering from more severe clubroot issues, 2nd generation resistance offers more clubroot protection via an increased number of resistance genes that may be more effective against more virulent pathotypes.

Standability: **BA** = below average; **A** = average; **AA** = above average; **E** = excellent



Scan here to learn more about new Maizex canola.





QUEBEC

2027 SEED GUIDE

SILAGE CORN  FORAGES



CONTENTS

Silage Corn..... 6B

Forages..... 12B

The health of your herd is your number-one priority, 365 days a year. Success in feeding ruminant animals starts with a goal. It could be to maximize milk production while ensuring animal health through the lifecycle in a dairy operation. Or it could be efficiently optimizing weight gain for those with beef cattle. Every farmer has their own goals and approach to success. These goals are all met by using the right ingredients in the right proportion.

This is why we created Ration 365, an initiative to support your feeding program through our product research and positioning of silage corn and forage products to build your ration for success every year. In addition to our core products and various new varieties for 2027, we have also added feed-focused soybeans into our line-up, with our tried-and-true silage soybean Mammouth VII XF and our new roasting soybean, Ushi, which features the high-oleic-acid trait SOYLEIC®.


Talk to your Sollio Agriculture agri-advisor about Ration 365 and how Maizex silage corn and forage seed products can make a difference on your farm in 2027.





SEED **SELECTION** TOOL

Use this chart to select the products that meet the needs of your operation, or reach out to your local Sollio Agriculture agri-advisor dealer to discuss the best options based on your specific goals.



Legend

- MS Silage-specific corn
- LF Leafy silage corn
- LFG Leafy/floury silage corn
- MZ Dual-purpose grain and silage corn



SILAGE Corn

Hybrid & Type	Trait	Silage CHU	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Management				Ear Type		Agronomic Ratings						
							Final Plant Population	Corn Borer Protection	Corn Rootworm Protection	Western Bean Cutworm Protection	Kernel Mass	Kernel Number	Tonnage	Seedling Vigour	Plant Height	Digestibility	Starch Amount	Starch Digestibility at Harvest	NCLB
NEW MZ 1255DBR Energy	VTDoublePRO[®] RIB	1900	2050	72	1265	• Solid silage performance with high starch • Grain and silage corn	32-34	Yes	–	–	✓	–	8	8	M-T	7	9	8	6
MS 6960R Specific	Roundup Ready² CORN	1950	2100	72	1300	• Medium-height plant ideal for silage in very early zone • Strong spring vigour	28-32	–	–	–	–	✓	7	8	M	7	8	8	7
MZ 1544DBR Energy	VTDoublePRO[®] RIB	2100	2250	75	1301	• High silage-yield potential • Consistent ear with high starch content	32-34	Yes	–	–	✓	–	8	8	M-T	7	9	8	8
MS 7711R Specific	Roundup Ready² CORN	2150	2300	77	1287	• Leading silage performance • Superior-quality silage	32-34	–	–	–	✓	–	9	8	T	8	8	8	7
NEW MS 7760DBR Specific	VTDoublePRO[®] RIB	2150	2300	77	1287	• Leading silage performance • Superior-quality silage	32-34	Yes	–	–	✓	–	9	8	T	8	8	8	7
NEW MS 782 Specific	CONV	2250	2400	78	1298	• Industry-leading silage performance • Excellent spring vigour	32-34	–	–	–	✓	–	9	9	VT	8	8	8	7

Legend

Silage type:

Energy:

hybrids characterized by a high starch content. They provide a high level of energy in the ration. This type of hybrid is suitable for rations with a low corn-silage content. Use in grain and corn silage.

Specific:

hybrids developed for corn silage production. This type of hybrid is characterized by a well-balanced stem/ear ratio to meet the criteria sought in corn silage for feeding dairy cows. Silage-specific hybrids are developed with a medium to high corn-silage content.

Leafy:

hybrids developed for rations with high corn-silage content. This type of hybrid is not recommended for grain production.

Leafy/Floury:

hybrids characterized by higher grain starch digestibility at harvest. This type of hybrid allows for immediate consumption of corn silage at harvest. Leafy/floury hybrids are developed for rations with high corn-silage content. This type of hybrid is not recommended for grain production.

RIB / E-Z Refuge[®] / Refuge Advanced[™]:

refers to a product containing 5% full refuge in the seed bag. The refuge seed is a different colour than the main contents of the bag in order to clearly identify it.

Silage crop heat unit (CHU) and relative maturity (RM) are determined based on the appropriate maturity zones for growing the hybrid to silage maturity.

Final plant population:

optimal population in thousands of plants per acre. When growth conditions are less favourable or in very light soil, use the lower range.

Corn borer protection:

the hybrid is protected against above-ground insects such as corn borer. This protection preserves stalk intactness, providing better silage quality.

Corn-on-corn acres:

the hybrid is protected against above-ground and soil-borne insects such as corn borer and corn rootworm. This protection allows for corn-on-corn acres of silage while preserving the intactness of the root system.

Western bean cutworm protection:

the hybrid is protected against insects that attack stalks and ears, such as Western bean cutworm. This protection keeps ears intact and maintains superior nutrition for silage.

Kernel mass:

An X indicates that this hybrid's yield is more driven by kernel mass. This parameter will decrease if stress occurs.

Kernel number:

An X indicates that this hybrid's yield is more driven by the total number of kernels on an ear. This parameter will decrease if stress occurs.

Numerical ratings (1–9):

1 = very poor; 9 = excellent; N/R = insufficient data

Plant height:

S = short; M = medium; T = tall; VT = very tall

Digestibility:

indicates the digestibility of the silage fibre.

Starch digestibility at harvest:

indicates the starch digestibility in the silage at harvest, prior to fermentation in storage.

NCLB = Northern Corn Leaf Blight;

the numerical ratings for the disease categories range from 0 – 9, where 0 = highly susceptible, 9 = highly tolerant, and UR = unrated. An * indicates a predicted response.

Please see page 8A for information on seed corn technologies available in our silage corn portfolio.



Tips on how to select the right hybrid for your ration.

SILAGE Corn

Hybrid & Type	Trait	Silage CHU	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Management				Ear Type		Agronomic Ratings						
							Final Plant Population	Corn Borer Protection	Corn Rootworm Protection	Western Bean Cutworm Protection	Kernel Mass	Kernel Number	Tonnage	Seedling Vigour	Plant Height	Digestibility	Starch Amount	Starch Digestibility at Harvest	NCLB
MS 7822DBR Specific		2250	2400	78	1298	• Industry-leading silage performance • Excellent spring vigour	32-34	Yes	–	–	✓	–	9	9	VT	8	8	8	7
MS 8022R Specific		2250	2400	78	1298	• Industry-leading silage performance • Excellent spring vigour	32-34	–	–	–	✓	–	9	9	VT	8	8	8	7
MS 8270R Specific		2450	2600	85	1370	• Excellent silage yield • Very tall plant	30-32	–	–	–	✓	–	9	9	VT	8	8	8	7
MS 8411DUR Specific		2450	2600	86	1589	• Excellent for silage corn-on-corn acres • Tall plant	30-32	Yes	Yes	–	–	✓	8	8	T	8	8	8	7
MS 8632R Specific		2550	2700	90	1530	• High silage yield • Superior-quality silage	30-32	–	–	–	✓	–	8	9	VT	8	8	8	8
NEW MZ 3006DBR Energy		2600	2750	90	1572	• Industry-leading tonnage • Ideal for high-starch rations	32-34	Yes	–	–	✓	–	9	8	T	8	9	8	7
NEW MZ 3220SSP Energy		2625	2775	92	1560	• Leading tonnage with high starch • Position on corn-after-corn fields	32-34	Yes	Yes	–	–	✓	8	8	M-T	8	9	8	8
MZ 3432TRE Energy		2650	2800	94	1610	• Yield and solid agronomics • Impressive ear for increased starch	30-32	Yes	–	Yes	–	✓	9	8	T	7	9	8	8
NEW MS 9410PWE Specific		2650	2800	94	1630	• Tall, robust plant type • Superior-quality silage	32-34	Yes	–	–	✓	–	9	9	VT	8	8	8	7
LF 9066SMX Leafy		2700	2850	95	1610	• Leafy, very tall plant • Impressive ear	28-32	Yes	Yes	–	–	✓	8	8	VT	8	7	8	6
MZ 3505DBR Energy		2700	2850	95	1632	• High silage yield • Uniform, consistent ear for increased starch	30-34	Yes	–	–	✓	–	9	9	T	7	9	8	8
MZ 3704VTP Energy		2750	2900	97	1705	• High potential and complete insect protection • Superior-quality silage	30-32	Yes	Yes	Yes	–	✓	9	8	M-T	7	9	8	8

SILAGE Corn

Hybrid & Type	Trait	Silage CHU	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Management				Ear Type		Agronomic Ratings						
							Final Plant Population	Corn Borer Protection	Corn Rootworm Protection	Western Bean Cutworm Protection	Kernel Mass	Kernel Number	Tonnage	Seedling Vigour	Plant Height	Digestibility	Starch Amount	Starch Digestibility at Harvest	NCLB
LFG 8755R Leafy/Floury		2750	2900	97	1614	• Leafy, floury, and very tall plant • Floury gene for higher starch digestibility at harvest	27-30	–	–	–	–	✓	8	8	VT	9	7	9	6
NEW MZ 3794TRE Energy		2750	2900	97	1662	• Strong yield potential • Clean ear with high DON tolerance	34-36	Yes	–	Yes	–	✓	9	7	M	7	9	8	7
NEW LFG 999 Leafy/Floury		2800	2950	99	1638	• Good leaf-disease tolerance • Floury gene for higher starch digestibility at harvest	27-30	–	–	–	–	✓	9	8	VT	9	7	9	6
NEW LFG 9999R Leafy/Floury		2800	2950	99	1638	• Good leaf-disease tolerance • Floury gene for higher starch digestibility at harvest	27-30	–	–	–	–	✓	9	8	VT	9	7	9	6
LF 0037SMX Leafy		2850	3000	100	1650	• Large, robust, and leafy plant • Excellent plant health for superior silage quality	28-32	Yes	Yes	–	–	✓	9	8	VT	8	7	8	8
MZ 4158DBR Energy		2950	3100	101	1698	• Superior silage yield with high starch • Excellent stay-green	34-36	Yes	–	–	✓	–	9	9	T	8	9	8	9
NEW MZ 4310SSP Energy		2950	3100	103	1700	• Strong yield potential • Clean ear with high DON tolerance	34-36	Yes	Yes	–	–	✓	9	7	M	7	9	8	7
NEW MZ 4552SSP Energy		3050	3200	105	1666	• Leading tonnage • Allows flexible field positioning	34-36	Yes	Yes	–	✓	–	9	9	T	8	8	8	7
MZ 4608SMX Energy		3050	3200	106	1680	• Excellent plant health • Large ear increases starch	32-34	Yes	Yes	–	–	✓	9	9	M	8	9	8	8
NEW MZ 4703DBR Energy		3100	3250	107	1650	• Impressive plant stature • Strong ear-rot tolerance	34-36	Yes	–	–	✓	–	9	8	T	7	7	8	8
NEW MZ 4799SMX Energy		3100	3250	107	1690	• Robust plant and large ear • Excellent plant and ear health for superior-quality silage	32-34	Yes	Yes	–	✓	–	9	8	T	8	9	8	9



FORAGES

Ultra Mixes

For productive fields that meet the highest quality and yield standards.

Selecting the right products for your ration can have a significant impact on profitability. This is why our product development and agronomy teams are focused on the testing, selection, and in-field support of forage seed varieties to meet the specific nutrition and agronomic needs of farmers like you.



Meadows

Ultra-Yield 17 kg/ha

- **75% alfalfa**
 - Samba II
 - Leistung
- **25% timothy**
 - Sahara DT

Ultra-All-Terrain 17 kg/ha

- **75% alfalfa**
 - Samba II
 - Source H20
- **25% timothy**
 - Sahara DT

Ultra-Traffic 17 kg/ha

- **75% alfalfa**
 - Shift
 - Source H20
- **25% timothy**
 - Sahara DT

Ultra-Intensive 18 kg/ha

- **90% alfalfa**
 - Altoria
- **4% meadow fescue**
 - Senu
- **3% orchardgrass**
 - Echelon
- **3% Festulolium**
 - Mahulena

Ultra-Export 18kg/ha

- **90% alfalfa**
 - Samba II
 - Leistung
- **10% timothy**
 - Sahara DT

Ultra-Clover 14 kg/ha

- **50% red clover**
 - Bearcat
- **50% timothy**
 - Sahara DT

Grasses

Transition K Bromegrass 3 kg/ha, Timothy 9.5 kg/ha

- **25% hybrid bromegrass**
 - Succession
- **75% timothy**
 - Sahara DT

Ultra-Bro/Fe Mix 5-8 kg/ha

- **80% hybrid bromegrass**
 - Succession
- **20% soft-leaf tall fescue**
 - Greendale

Ultra-Brome Mix 5-8 kg/ha

- **30% Alaska bromegrass**
 - Hakari
- **70% hybrid bromegrass**
 - Succession

Ultra-Festu Mix 5-8 kg/ha

- **50% fescue-type festulolium**
 - Mahulena
- **50% meadow fescue**
 - Senu

Ultra-TripleG Pure 18 kg/ha, Mix 5-8 kg/ha

- **34% hybrid bromegrass**
 - Succession
- **33% soft-leaf tall fescue**
 - Greendale
- **33% late orchardgrass**
 - Echelon



FORAGES

Pro Mixes

For their resilience and consistent yield throughout the season.

Meadows

Pro-Alf 55 16 kg/ha

- 55% alfalfa
 - Shift
 - Optimus
- 45% timothy
 - Cantal

Pro-Alf 75 17 kg/ha

- 75% alfalfa
 - Altoria
 - Optimus
- 25% timothy
 - Cantal

Pro-Hi-Gest 75 17 kg/ha

- 75% alfalfa
 - Amelia HG
 - Altoria
- 25% timothy
 - Sahara DT

Pro-Hi-Gest 90 18 kg/ha

- 90% alfalfa
 - Amelia HG
 - Leistung
- 5% meadow fescue
 - Senu
- 5% soft-leaf tall fescue
 - Greendale

Pro-Clover 30 12 kg/ha

- 30% red clover
 - Bearcat
- 70% timothy
 - Sahara DT

Dual Purpose

Pro-All-Terrain-AlfClo 16 kg/ha

- 40% alfalfa
 - Source H20
 - Altoria
- 15% red clover
 - Bearcat
- 45% timothy
 - Arlaka

Pro-All-Terrain-AlfTre 18 kg/ha

- 40% alfalfa
 - Source H20
 - Altoria
- 15% birdsfoot trefoil
 - Revive
- 45% timothy
 - Arlaka

Pro-All-Terrain-CloTre 13 kg/ha

- 30% red clover
 - Bearcat
- 20% birdsfoot trefoil
 - Revive
- 50% timothy
 - Arlaka

Pro-All-Terrain-AlfLad 18 kg/ha

- 40% alfalfa
 - Source H20
 - Altoria
- 50% timothy
 - Arlaka
- 10% white clover
 - Heslop

Pro-Hay 13 kg/ha

- 30% alfalfa
 - Shift
- 70% timothy
 - Sahara DT

Dual Purpose

Pro-Trefoil 40 12 kg/ha

- 40% birdsfoot trefoil
 - Revive
- 60% timothy
 - Arlaka

Pro-Graze Clover 12 kg/ha

- 40% red clover
 - Bearcat
- 50% timothy
 - Arlaka
- 10% white clover
 - Heslop

Pro-Graze Tre 12 kg/ha

- 30% birdsfoot trefoil
 - Revive
- 20% white clover
 - Heslop
- 50% timothy
 - Arlaka

Pro-Graze Ladi 10 kg/ha

- 25% white clover
 - Heslop
- 75% timothy
 - Arlaka

Pro-Pasture-Reno 15 kg/ha

- 35% alfalfa
 - Shift
- 25% white clover
 - Heslop
- 15% meadow fescue
 - Senu
- 15% late orchardgrass
 - Echelon
- 10% festulolium
 - Mahulena

Classic Mixes– Meadows

For their balance, excellent yield, and tremendous ability to survive the winter.

Classic Alf 75 17 kg/ha

- 75% alfalfa
- 25% timothy

Classic Alf 45 15 kg/ha

- 45% alfalfa
- 55% timothy

Classic Clover 45 13 kg/ha

- 45% red clover
- 55% timothy

FORAGES

					Characteristics				Management			Disease Tolerance ⁴					
Crop/Variety	Technological trait	Features			Yield	Multifoliate ¹	Dormancy ²	Winter survival ³	Forage quality	Variable field	Traffic and grazing resistance	Verticillium	Phytophthora	Bacterial wilt	Fusarium wilt	Anthraxnose	Aphanomyces
Alfalfa																	
Altoria	Standfast	• Higher yield potential	• Vigorous regrowth	• Very good forage quality	9	H	5	1.7	9	7	7	HR	HR	HR	HR	HR	HR
NEW Amelia HG	Hi-Gest	• Outstanding quality	• Very high leaf-to-stem ratio	• Harvest flexibility	8	H	4	1.6	9	7	7	HR	HR	HR	HR	HR	HR
Samba II	Branched roots Deep-set crown	• Consistently high yield	• Very good disease resistance	• Excellent persistence	9	L	4.5	1.7	8	9	8	R	HR	HR	HR	HR	HR
NEW Leistung		• Excellent disease resistance	• Fast regrowth	• Excellent yield potential	9	–	4	1.9	8	8	7	HR	HR	HR	HR	HR	HR
Source H20	Branched roots	• Very good in variable fields	• Very high yield	• High leaf-to-stem ratio	9	H	4.2	1.6	8	9	7	HR	HR	HR	HR	HR	HR
Shift	Deep-set crown	• Large, deep-set crown	• Tolerates grazing	• Excellent winter survival	8	H	3	1.4	8	7	8	HR	HR	HR	HR	HR	HR
Red clover																	
Bearcat		• Outstanding stand persistence	• Superior yields	• Good disease resistance	8	–	–	–	8	9	7	–	–	–	–	R	–
Birdsfoot trefoil																	
Revive		• Very good spring vigor	• Fast establishment	• Excellent persistence	9	–	–	–	8	9	9	–	–	–	–	–	–
Ladino white clover																	
NEW Heslop		• Large leaves	• Robust growth habit	• Very good winter survival	9	–	–	–	8	8	9	–	–	–	–	–	–
Berseem clover																	
Frosty	Annual	• Impressive yield	• Excellent feed quality	• Many uses	9	–	–	–	9	7	8	–	–	–	–	–	–
Timothy																	
NEW Cantal		• Very good yield	• Very good disease tolerance	• Impressive stand persistence	9	–	–	–	9	9	8	–	–	–	–	–	–
Sahara DT		• Vigorous in the spring	• Excellent forage quality	• Better yield distribution	9	–	–	–	9	9	8	–	–	–	–	–	–
Tall fescue																	
Greendale	Soft leaves	• Fine and soft leaves	• Late maturity	• Stress and disease tolerance	9	–	–	–	8	9	9	–	–	–	–	–	–
NEW TRAVA	Soft leaves	• Very fine and soft leaf	• Very good yield	• Excellent disease tolerance	9	–	–	–	8	9	9	–	–	–	–	–	–

Legend

Numerical ratings (1 – 9): 1 = poor; 5 = average, 9 = excellent; – = insufficient data

1. Multifoliate (has more than 3 leaflets): H = high level of expression, M = medium level of expression, L = low level of expression, N = no

2. Dormancy: describes the ability to grow tall in the fall. Dormancy is rated on a scale of 1 to 9: 1 = a variety of alfalfa that goes dormant early; 9 = an annual variety.

3. Winter survival: 1 = excellent, 2 = very good, 3 = good

4. Disease tolerance: MR = moderately resistant, R = resistant, HR = highly resistant
Rps1c = gene that provides phytophthora resistance



Read more about our blends tailored for every field, no matter your ration needs.

FORAGES

					Characteristics				Management			Disease Tolerance ⁴					
Crop/Variety	Technological trait	Features			Yield	Multifoliate ¹	Dormancy ²	Winter survival ³	Forage quality	Variable field	Traffic and grazing resistance	Verticillium	Phytophthora	Bacterial wilt	Fusarium wilt	Anthracnose	Aphanomyces
Meadow fescue																	
Senu		• Highly digestible	• Good annual yield	• Very good winter survival	8	–	–	–	9	8	9	–	–	–	–	–	–
Meadow bromegrass																	
Arsenal		• Very good recovery	• Vigorous early-season growth	• Excellent quality	9	–	–	–	8	8	9	–	–	–	–	–	–
Hybrid bromegrass																	
Succession		• Quick spring start	• Great quality	• Tolerates dry weather	9	–	–	–	8	9	8	–	–	–	–	–	–
Alaska bromegrass																	
Hakari		• Rapid establishment	• Tolerates dry weather	• Very good forage quality	9	–	–	–	8	7	8	–	–	–	–	–	–
Orchardgrass																	
Echelon	Late maturity	• Very late flowering	• Tolerates dry spells	• Very good yield	9	–	–	–	9	7	9	–	–	–	–	–	–
Festulolium																	
Mahulena	Fescue type	• Tolerates drought and flooding	• High yield	• Good persistence	9	–	–	–	8	9	8	–	–	–	–	–	–
Achilles	Ryegrass type	• Fast establishment	• High digestibility	• Good spring growth	9	–	–	–	9	9	8	–	–	–	–	–	–
Ryegrass																	
Mathilde	Perennial	• Very good fall growth	• Very dense, leafy plants	• Good forage quality	8	–	–	–	–	–	9	–	–	–	–	–	–
Bigbang	Italian Westerwold	• Fast establishment	• High yield	• Very good recovery	8	–	–	–	–	–	8	–	–	–	–	–	–
Melcombi	Hybrid Italian type	• Excellent yield potential	• Very good disease resistance	• Very good forage quality	9	–	–	–	–	–	8	–	–	–	–	–	–
Sudan grass																	
BMR hybrid Sudan grass	BMR hybrid Sudan grass	• Excellent yield	• Very good digestibility	• Fast recovery	9	–	–	–	–	–	–	–	–	–	–	–	–
Sorghum-Sudan grass																	
NEW BMR PF sorghum-Sudan hybrid	BMR sorghum-Sudan hybrid/ Prussic acid free	• Very high nutritional value	• Prussic acid free	• Very good yield	9	–	–	–	–	–	–	–	–	–	–	–	–
Silage soybean																	
Mammoth VII XF	XtendFlex®	• Huge biomass for silage	• Very high-quality silage	• Works well across all growing zones	9+	–	–	–	8	9	–	–	Rps1c	–	–	–	–
High-oleic-acid soybean																	
NEW Ushi	SOYLEIC®	• Specialty high-oleic-acid soybean	• Ideal for dairy ration	• Non GMO soybean 2800 CHU	8	–	–	–	–	–	–	–	–	–	–	–	–



SILAGE Additives

Optimum silage management for all storage structures.

EnersileGold

E. Faecium | **L. Plantarum** | **L. Lactis**

- Fast acting
- Improved fermentation
- Reduces clostridium
- For corn silage and grass/legume silage

EnersileGold acts to reduce silage pH as soon as it is applied. Its fast action stabilizes forage to conserve dry matter and protein. It also reduces clostridium, and therefore butyric acid, in silage.

SiloSolve FC

L. Lactis | **L. Buchneri**

- Aerobic stability
- Fast acting
- Preserves dry matter
- For corn silage and grass/legume silage

SiloSolve FC improves the aerobic stability of hay and corn silage on recovery. It is very efficient at preventing silage heating. It acts quickly to reduce pH, and its fermentation speed conserves silage dry matter. SiloSolve FC accelerates silage stabilization for optimal production.





Farmers today produce the safest and most nutritious food in history. In Canada, this has helped support longer life expectancy and one of the highest standards of living in the world. Despite this, modern agriculture isn’t always well understood. With so much information circulating online, it can be challenging for consumers to separate fact from misconception when it comes to how food is produced.

That’s why it’s important for farmers to share their stories. Communicating what happens on the farm, and why, helps build trust and understanding. Be Rooted, Be Involved was created to support these efforts by providing resources on modern farming practices, the role of technology in food production, and agriculture’s commitment to environmental stewardship. Farmers remain one of the most trusted voices with the public, so don’t be afraid to use yours. To learn more or access tools to support your outreach, visit maizex.com.



PRECISION on YOUR FARM

Today’s technology gives farmers the ability to capture, organize, and use data from nearly every pass across the field. When information is brought together from planting, fertilizer and crop protection applications, and especially harvest yield maps, it becomes a valuable tool for guiding future management decisions. Platforms like AgConnexion and Climate FieldView are playing an increasingly important role on progressive farm operations.

Connect with your Sollio Agriculture agri-advisor to explore how these tools can support decisions on your farm, or schedule a review of your field data to assist with your 2027 seed selection. Our team can help translate your results into practical insights to match the right genetics and technologies to your operation.



Success – a purchase of Certified Seed opens the door to opportunities for success:

- Quality assurance
- Access to new and improved varieties
- Efficient use of inputs
- New marketing opportunities
- It supports the development of new varieties for the future



Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, **including applicable refuge requirements for insect resistance management**,

for the biotechnology traits expressed in the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

Best Management Practices for Protecting Pollinators:

- Control flowering weeds in the field prior to planting so that bees are not attracted to the field for foraging.
- Provide pollinator-friendly habitats away from active fields.
- Be aware of hive locations and monitor environmental conditions.
- Avoid generating dust when handling or loading treated seed.
- Ensure proper cleanup and disposal.
- Speak to your equipment dealer or manufacturer about the appropriateness of deflector kits for North American vacuum planters.

For more information on pollinator health and best management practices for seed-applied insecticides, please visit www.croplife.ca



Maizex Seeds is a participant in the CleanFARMS seed

bag collection program. This program provides an environmentally friendly way to deliver empty seed bags to certified collection sites to divert this waste from landfills or open fires. To take advantage of the program be sure your seed bags are empty and then placed in the plastic collection bag available from certified collection points. Collection bags are accepted free of charge and sent for safe disposal.

 Varieties with this logo are protected by the Plant Breeders' Rights (PBR) Act in accordance with UPOV 91. PBR is in place to increase investment in Canadian plant breeding, which results in new, higher-yielding varieties for Canadian farmers. It is important to understand your obligations when you purchase PBR-protected varieties. For more information visit pbfracts.ca.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with products with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

TruFlex® canola contains Roundup Ready® Technology. Roundup Ready® Technology contains genes that confer tolerance to glyphosate. Glyphosate will kill crops that are not tolerant to glyphosate. Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Roundup Ready 2 Xtend® soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glufosinate tolerant crops contain genes that confer tolerance to glufosinate. Plants that are not tolerant to glyphosate may be damaged or killed if exposed to those herbicides. Plants that are not tolerant to glyphosate, dicamba and/or glufosinate may be damaged or killed if exposed to those herbicides. SmartStax® and SmartStax® PRO contain the Roundup Ready® and glufosinate herbicide tolerant traits, but your refuge may not. Select an appropriate herbicide for your refuge before spraying the refuge. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs.

Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. Agrisure Viptera® is a registered trademark of a Syngenta group company. Herculex® is a registered trademark of Dow AgroSciences LLC. Used under license.

RIB Complete®, Roundup Ready®, SmartStax®, Trecepta®, VT Double PRO®, VT4PRO®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, TruFlex®, BUTEO® and XtendFlex® are registered trademarks of Bayer Group. Used under license. Bayer CropScience Inc. is a member of CropLife Canada. ©2026 Bayer Group. All rights reserved.



Enlist E3™ Soybeans – PRODUCT USE STATEMENT: Enlist E3™ soybeans contain the Enlist E3 trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist™ crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist E3 soybeans. WARNING: Enlist E3 soybeans are tolerant of over-the top applications of glyphosate, glufosinate, and 2,4-D. Accidental application of incompatible herbicides to this variety could result in total crop loss. When using 2,4-D herbicides, grower agrees to only use 2,4-D products that contain Colex-D technology authorized for use in conjunction with Enlist E3 soybeans. Always read and follow herbicide label directions prior to use.

YOU MUST SIGN A TECHNOLOGY AGREEMENT, READ THE PRODUCT USE GUIDE PRIOR TO PLANTING. THIS SEED IS ACQUIRED UNDER AN AGREEMENT THAT INCLUDES THE FOLLOWING TERMS: A license must first be obtained from Corteva Agriscience by signing a Technology Use Agreement and abiding by the terms and conditions of the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use Requirements detailed therein which can be found at www.corteva.ca/en/trait-stewardship.html.

CROP AND GRAIN MARKETING STEWARDSHIP: Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS product launch stewardship guidance and Corteva Agriscience's Product Launch Stewardship Policy. No crop or material produced from this product can be exported to, used, processed or sold across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. For further information about your crop or grain marketing options, contact Corteva Agriscience at 1-800-667-3852. Information regarding the regulatory and market status of agricultural biotechnology products can be found at: www.biotradestatus.com. These seeds are covered under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: www.corteva.us/Resources/trait-stewardship.html. The purchase of these seeds conveys no license under said patents to use these seeds.

PATENT INFORMATION: The transgenic soybean event in the Enlist E3™ soybean is protected under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: www.corteva.ca/en/trait-stewardship.html. The purchase of these seeds conveys no license under said patents to use these seeds. For more information, contact your authorized retailer or Corteva Agriscience at 1-800-667-3852 or visit www.corteva.ca/en/trait-stewardship.html.

The transgenic soybean event in the Enlist E3™ soybean was jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, Lumianta™ and Colex-D are trademarks of Corteva Agriscience. Excellence Through Stewardship is a registered trademark of Excellence Through Stewardship.

PowerCore® multi-event technology developed by Corteva Agriscience and Monsanto. PowerCore® is a registered trademark of Monsanto Technology LLC. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

Liberty®, LibertyLink® and the Water Droplet Design are registered trademarks of BASF.

More information about Syngenta corn products are available at <http://www.biotradestatus.com>.

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium-based herbicides.

Important: Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF. Consult bag tags for E-Z Refuge® product herbicide options.

Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC. HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience LLC.

Fortenza® Vibrance® Cinco is an on-seed application of Vibrance Cinco fungicide seed treatment and Fortenza insecticide seed treatment. Duracade®, E-Z Refuge®, Fortenza®, Vibrance®, Victrato® Complete, and Helix® Salltro® are trademarks of a Syngenta Group Company.

