

2026 SEED GUIDE *

	CONT	ΈN	ITS		
Gr	rain Corn		10		
Ra >	tion 365		32		
	Forages		46	EN DE	

Focused FIELD by FIELD on CANADIAN Farms *

As we start planning for the 2026 growing season, one thing is for sure—change is a constant. Farmers are used to dealing with the trials and tribulations of commodity prices and Mother Nature, but when that is layered with market volatility, it makes decision-making on all fronts more complex regardless of the crop or region. The best way to succeed in this environment is to continue to strive for crop performance and yield.

This is the main driver in our thought process and remains core to our vision. That is to provide the best genetics together with agronomy and product positioning information to help our customers succeed. This strategy starts by talking to farmers in different regions to truly understand their specific needs. By doing this, we have been able to focus our product development program. We also invest in agronomy research with the goal of being able to make better recommendations on positioning our products and give ideas on how to increase yield beyond the genetics. This investment in product and agronomy helps to ensure we are commercializing and producing seed that provides a high yield potential and has an agronomic fit for the environment where it is grown.

Our focus and vision came naturally. Maizex has the benefit of being 100% Canadian-farmer owned and 100% Canada focused.

Our success is based on meeting the needs of farmers across this country in a range of maturities and with a range of genetic and trait needs. Our ownership and investment are here. Every year, we plant thousands of plots in pre-commercial and commercial trials across the country. We use the information gleaned from these trials, as well as input from our customers, as part of a rigorous product selection process to determine the genetics we will produce and sell. The result seems simple enough as the summary of everything we have done is represented in this product guide.

In addition to the products listed in this guide, you will see some refinements in our presentation and approach. For those with livestock, this includes a new initiative called Ration 365. We are fortunate to have both leading corn silage hybrids as well as benchmark forage products in our product portfolio. Together these products represent the backbone to a performance-driven ration to feed 365 days per year. We are evolving to present these products in a way that helps with easy selection of what makes sense for your farm.

Talk to your local Maizex representative today to learn more about Maizex seed options for your farm in seed corn, soybeans, and forages. One brand focused on performance, field by field on your farm.

OURTEAM

Maizex Management



Dave Baute President



Blake Ashton General Manager (519) 359-4858 Blake.Ashton@maizex.com

Product & Agronomy Support

(519) 809-0078

(519) 359-8428

(226) 747-6213

Shawn Winter, CCA-ON

Shawn.Winter@maizex.com

leremy.Visser@maizex.com

Henry Prinzen, CCA-ON Agronomy Lead – Ontario

Henry.Prinzen@maizex.com

Jeremy Visser, CCA-ON

Product Development Manager – Corn

Product Development Manager - Soybeans



Stephen Denys Director of Market & Product Development (519) 358-3370 Stephen.Denys@maizex.com



Shane Jantzi, CCA-ON National Sales Manager (519) 778-7715 Shane.lantzi@maizex.com



Sharmeen Kukkadi Accounting Manager (519) 682-1720 Sharmeen.Kukkadi@maizex.com



Karen Dunlop Marketing Manager (519) 358-6408 Karen.Dunlop@maizex.com



Pascal Larose, Agr. Product and Agronomy Lead -Corn and Soybeans, Quebec & Maritimes (450) 779-5383 Pascal.Larose@sollio.ag



Lyne.Beaumont@sollio.ag



Lyne Beaumont, Agr. Product and Agronomy Lead -Forages and Cereals, Quebec (418) 572-8972



Find your local Maizex representative.

Territory Managers

Ontario



Adam Parker, CCA-ON Regional Manager (226) 820-6280 Adam.Parker@maizex.com



Chuck Belanger Southwestern Ontario (519) 401-0715 Chuck.Belanger@maizex.com



Kirk Van Will, CCA-ON Southcentral Ontario North (519) 899-3255 Kirk.VanWill@maizex.com



Laura Johnston, CCA-ON Southcentral Ontario South (519) 476-2482 Laura.|ohnston@maizex.com



Western Ontario Southeast (519) 403-4462 Bryce.Ruppert@maizex.com

Bryce Ruppert



Mike Eckert, CCA-ON Western Ontario North (226) 820-2203 Mike.Eckert@maizex.com



Justin Brennan, CCA-ON Central-East Ontario (519) 401-9017 Justin.Brennan@maizex.com



CCA-ON East Ontario Kingston to Cornwall (613) 408-7212 Leigh.Hudson@maizex.com

Leigh Hudson-Templeton,

Western Canada



Stephan Chabbert Regional Manager (204) 693-1034 Stephan.Chabbert@maizex.com



Darrel Théroux North Manitoba/ East Saskatchewan (204) 898-9859 Darrel.Theroux@maizex.com



South Alberta/SW Saskatchewan (403) 715-2628 Danielle.MacCallum@maizex.com



Kim Leitch North Alberta/ NW Saskatchewan (780) 603-8006 kim.leitch@maizex.com

South Manitoba (431) 294-6549

Brett Graham

Danielle MacCallum



Brett.Graham@maizex.com



Stéphane Larose Western Quebec (514) 606-1720 Stephane.Larose@maizex.com

Quebec & the Maritimes



Regional Manager (819) 531-8737 Philippe.Defoy@maizex.com

Philippe Defoy, Agr.



Klay Ansems Maritimes (902) 680-6995 Klay.Ansems@maizex.com



Steve Letendre North and East Quebec (819) 313-9106 Steve.Letendre@maizex.com

SEED CORN TECHNOLOGY

Maizex is a leader in the commercialization of high-performance corn hybrids, created from world-class germplasm and matched with the latest advancements in trait and seed treatment technologies. Through discussions with farmers and our team, our goal is to select and position hybrids designed to meet the needs of Canadian farmers looking to increase their yield and performance potential. Maizex has been an innovator in delivering excellent seed-corn quality since its inception. We were the first company in Canada to process and market refuge-in-the-bag (RIB) seed options for farmers, and we are continually innovating our production and processing efforts to produce the highest quality seed, whether for grain, silage, or grazing end uses.

Trait Technologies and Hybrid Performance

Many farmers today rely on trait technology to help in their insect, disease, and weed control programs. Maizex sources and matches the best-available traits from global providers to meet our customers' needs based on the specific insect, disease, and weed spectrums experienced.



Traits	Features	Positioning	Corn Borer	Corn Earworm	Black Cutworm	Armyworm	Western Bean Cutworm	Corn Rootworm	Herbicide Tolerances	Refuge
SmartStax PRO	The trusted benefits of SmartStax® technology intertwined with a new RNAi-based mode of action offers exceptional crop protection. This product is the first with three modes of action, offering the strongest biotech defense against corn rootworm.	First choice for yield performance, especially on corn-on-corn acres.*	✓	✓	✓	✓		✓	Roundup Ready® LibertyLink®	5% RIB
SmartStax:	The standard on the market today with above- and below-ground insect protection.	First choice for yield performance, especially on corn-on-corn acres.*	✓	✓	✓	✓		✓	Roundup Ready® LibertyLink®	5% RIB
Trecepta®	Broad-spectrum above-ground insect control, including Western Bean Cutworm.	Rotated ground with high risk of Western Bean Cutworm activity.	✓	✓	✓	✓	✓		Roundup Ready®	5% RIB
VT4PRO*	Combines three modes of action, including Trecepta®, for the next generation of protection against above-ground insects, including Western Bean Cutworm.	Ideal for initial year of corn-on-corn situations with high risk of Western Bean Cutworm.	✓	✓	/	✓	✓	✓	Roundup Ready®	5% RIB
VTDoublepRO*	Dual modes of action for above-ground insects.	Rotated ground and second-year corn as part of an integrated rootworm strategy.	✓	✓	✓	✓			Roundup Ready®	5% RIB
Duracade	Features a unique mode of action that controls corn rootworm differently than other traits on the market and acts as an excellent foundation for an effective corn rootworm control strategy.	Excellent choice for yield performance and corn rootworm control, including corn-on-corn situations.*	✓	✓	/	/		✓	Glyphosate Liberty®	5% E-Z Refuge®
Roundup Ready CORN 2	Combines yield with Roundup Ready® weed control flexibility.	Rotated ground with no insect pressure.							Roundup Ready®	
CONV	Selected for yield potential and natural plant health.	Ideal for non-GMO opportunities.								

^{*}Talk to your Maizex Seeds dealer about resistance-management strategies for corn rootworm traits.

6




Seed corn originates from an ear of corn the same as grain or silage corn grown in a field. And like commercial production, Mother Nature rarely produces the exact same seed size from one year to the next in a seed corn crop. With the investment made today in precision planting systems, Maizex understands the need to fine-tune planters to deliver the best singulation and uniformity possible. Maizex tests different seed sizes for all key hybrids to recommend air pressure or brush settings to achieve the best singulation for the seed grade being planted. Ask your local Maizex dealer for our updated SeedRight recommendations.

Seed Treatments and Stand Establishment

The right seed treatment package plays a critical role in emergence and early-season stand establishment. These products provide insurance against soil-borne insects and diseases that can reduce your yield even before plants emerge in the spring. Maizex offers a variety of seed treatment options to match your field situation, from untreated seed to fully treated seed with an insecticide and a full range of fungicides to control tough soil-borne diseases.

Options



Vibrance[®] Cinco

Vibrance® Cinco broad-spectrum fungicide provides added control of seed- and soil-borne pathogens, such as Pythium, Rhizoctonia, and Fusarium, as well as weakly pathogenic fungi such as Aspergillus and Penicillium.

Lumiante™

Lumiante™ fungicide seed treatment provides enhanced protection against Pythium, is effective at low application rates, and offers balanced translocation to protect plants.

Stamina™

StaminaTM fungicide seed treatment delivers effective protection against seed rot caused by *Rhizoctonia solani*, resulting in more consistent and uniform emergence for maximum yield potential. Seedling vigour is increased both above and below ground, including under colder than normal soil conditions, with an enhanced ability to withstand minor environmental stress.

Fortenza®

The diamide insecticide Fortenza® provides critical early-season protection with control of European chafer, wireworm, and cutworm.



 \mathbf{S}

GRAIN Corn

			77 📗			\mathcal{O}			J										- 1				
	Hybrid	СНО	RM	CHU to 50% Silk	Silking RM	Characteristics	Positioning	Companions	Response to Intensive Management	Response to Fungicide	Kernel Mass vs. Kernel Number	Final Seeding Population	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
VTDoublePRO	MZ 1200DBR	2050	72	1277	73	 Early flowering promotes movement north of zone Excellent seedling vigour for early stand establishment Strong test weight and grain quality 	 Responds to increased population Ideal for dual-purpose option 	MZ 1255DBR MZ 1397DBR	4	UR	M	32-34	9	M	12-14	8	8	9	9	8	7	UR	UR
VTDoublePRO* RIB	MZ 1255DBR	2050	72	1265	72	 Industry-leading yield performance Rapid seedling vigour maximizes yield potential Excellent test weight and late-season appearance 	 Predicted above-average response to increased population Predicted favourable response to fungicide 	MZ 1200DBR MZ 1397DBR	UR	UR	UR	34-36	9	M	16-18	8	8	9	9	6	7	UR	UR
VTDouble PRO	MZ 1340DBR	2150	73	1250	73	 Ultra-early flowering Excellent grain quality and test weight Open husk aids grain drydown	 Above-average response to increased population Above-average response to intensive management Position for timely harvest 	MZ 1397DBR MZ 1544DBR	7	UR	M	34-36	9	S-M	12-14	7	8	8	9	6	7	UR	UR
VTDoublePRO* RIB	MZ 1397DBR	2150	73	1270	74	 Sets grain early for risk management Excellent fall intactness promotes efficient harvest Strong stay-green with open husk at harvest 	 Above-average response to increased population Predicted average response to intensive management package 	MZ 1544DBR MZ 1688DBR	6	UR	M	34-36	8	M	16-18	8	8	9	9	8	6	UR	UR

Maizex offers a full portfolio of hybrids that feature outstanding yield potential and agronomic performance for maturities across

Canada. This includes a full range of options from conventional to multiple-trait modes of action to protect and enhance your yield potential. Maizex has one of the largest pre-commercial testing and product development programs in Canada, which allows our team to incorporate field variability and intensive management studies that provide additional insight into how best to position Maizex hybrids field by field on your farm.

Maizex Corn Hybrid Nomenclature

MATURITY* TRAIT

AA 1234AAA

MZ = Grain hybrid

MS = Silage hybrid LF = Leafy silage hybrid

LFG = Leafy/floury silage hybrid

*Maturity: add 60 to the first two numbers for days to maturity.

TRAIT SUFFIXES

(see trait technology info on page 6)

No suffix = conventional

X = X-series conventional

TRE = Trecepta®

DUR = Duracade®

SMX = SmartStax®

VT4 = VT4 PR0®

R = Roundup Ready® Corn 2

SSP = SmartStax® PRO

DBR = VT Double PRO®

Legend

RIB or **E-Z** Refuge = hybrids that contain 5% non-traited seed corn in the bag.

Management

Response to intensive management: "intensive management" denotes additional plant population (i.e. +5,000 ppa), nitrogen (i.e. +50 lbs N/acre), and fungicide application at VT (tassel stage). In trials this was generally compared to a standard management package that had inputs in the range of 30,000 – 32,000 ppa, 170 lbs N/acre, and no foliar fungicide applications.

Management category ratings: the numerical ratings in the Response to Intensive Management and Response to Fungicide categories range from 0-10, where $\mathbf{0}=$ no response, $\mathbf{10}=$ a very large response, and $\mathbf{UR}=$ unrated.

Kernel number vs. kernel mass: N = a kernel number hybrid, where yield is driven more by the number of kernels; M = a kernel mass hybrid, where yield is driven more by the mass of each kernel; N/M = a hybrid that is slightly above-average in terms of yield being driven by both kernel number and kernel mass.

Final seeding population: population in 000s of plants per acre that is the ideal target for this hybrid. Where conditions are less favourable, move to the lower range of the population recommendations.

Ratings

Agronomic category ratings (1 – 9): 1 = very poor; $\mathbf{9}$ = excellent; \mathbf{UR} = unrated.

Plant height: S = short; M = medium; T = tall.

Disease ratings: NCLB = Northern Corn Leaf Blight; **ANTH** = Anthracnose; **DON** = Deoxynivalenol (Vomitoxin); the numerical ratings for the disease categories range from 0-9, where 0 = highly susceptible, 9 = highly tolerant, and UR = unrated. A * indicates a predicted response.



Agronomic Ratings

Learn more about our innovative characterization of hybrids by kernel mass and kernel number.



		GR	P		N	C	orn			Manage	ment					Agron	omic R	atings				Dise Rati	ease ings	
		Hybrid	СНИ	RM	CHU to 50% Silk		Characteristics	Positioning	Companions	Response to Intensive Management	Response to Fungicide	Kernel Mass vs. Kernel Number	Final Seeding Population	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
	CONV	MZ 154	2250	75	1301	75	Rapid grain drydownStrong stalks facilitate harvest easeStrong disease package	 Below-average response to intensive management Excellent stability across environments 		UR	UR	M	32-34	8	S-M	14-16	9	9	8	8	8	7	UR	UR
RIBC	ublepro*	MZ 1544DBR	2250	75	1301	75	 Excellent disease package promotes yield Strong agronomics and standability for harvest ease Versatile placement north and south of zone 	 Below-average response to intensive management Excellent stability across environments 	MZ 1397DBR MZ 1688DBR	2	UR	M	32-34	8	S-M	14-16	9	9	8	8	8	7	UR	UR
RIBC	cublePRO*	MZ 1688DBR	2300	76	1323	77	Rapid grain drydownIndustry-leading plant healthExtended stay-green for added yield	 Average response to fungicide Above-average response to population Excellent dual-purpose option 	MZ 1544DBR E49K32 R	5	UR	N	34-36	9	Т	16-18	9	9	8	8	8	7	UR	UR
NID C	PUBLEPRO*	E49K32 R	2300	79	1335	78	Impressive late-season plant healthIndustry-leading yieldStrong agronomics	 Moderate response to population Favourable response to fungicide and additional nitrogen Excels in high-yield environments 	MZ 1688DBR MZ 2266DBR	8	UR	UR	32-34	8	M	16-18	9	8	8	8	8	UR	UR	UR
KIB C	RIB	E52V92 R	2450	82	1374	80	Excellent grain quality and test weightOutstanding agronomicsEarly flowering	 Above-average response to population Excels in variable soils Excellent dual-purpose option 	MZ 1544DBR MZ 2344DBR	7	UR	UR	34-36	8	Т	14-16	9	8	8	9	8	6	UR	UR
NID C	ublePRO*	MZ 2266DBR	2450	82	1353	79	 Strong agronomics with top-end yield Early-flowering hybrid with open husks to aid drydown Excellent grain quality with high test weight 	 Responds to increased population Reserve highest populations for high-yielding fields 	E49K32 R MZ 2344DBR	6	UR	M	34-36	9	M	14-16	8	8	8	9	8	8	UR	UR
	DUBLEPRO'	MZ 2344DBR	2500	83	1330	78	 Yield-leading performance across environments Superior grain quality and test weight Excellent stress tolerance 	 Above-average response to increased population Ideal for delayed harvest 	MZ 1544DBR MZ 2266DBR	5	UR	N	34-36	8	Т	18-20	9	8	9	9	7	8	UR	7*



	\ ()	

						\sim 1 1 1													- 1				
	Hybrid	сни	RM	CHU to 50% Silk	Silking RM	Characteristics	Positioning	Companions	Response to Intensive Management	Response to Fungicide	Kernel Mass vs. Kernel Number	Final Seeding Population	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
VTDouble PRO* RIB	MZ 2575DBR	2575	85	1430	83	 Strong early-season vigour for rapid stand establishment Open husks promote rapid grain drydown Maintains leading performance under lower- to moderate-yield environments 	 Above-average response to increased population Favourable response to intensive management Excels in variable-yield environments 	MZ 2344DBR MZ 2699DBR	7	UR	N	34-36	9	M-T	18-20	8	8	9	8	6	7	UR	6*
CONV	MZ 269	2600	86	1515	85	 Early flowering promotes movement north of zone Excels in variable-yield environments Impressive vigour for rapid stand establishment 	 Excels in variable-yield environments Above-average responses to population and management 	MZ 248X MZ 314	UR	UR	N	32-34	9	M-T	18-20	9	8	8	8	7	7	UR	6*
VTDoublePRO* RIB		2600	86	1515	85	Leading yield potentialExceptional stress toleranceImpressive vigour for rapid stand establishment	 Excels in variable-yield environments Above-average responses to population and management 	MZ 2784SMX MZ 2982DBR	6	UR	N	32-34	9	M-T	18-20	9	8	8	8	7	7	UR	7*
SmartStax: RIB	MZ 2784SMX	2650	87	1545	87	 Attractive fall appearance with very open husk Ear girth combined with open husk Excellent stress tolerance and plant intactness 	 Response to increased population Predicted favourable response to fungicides Excellent in corn-on-corn management 	MZ 2699DBR MZ 2982DBR	UR	UR	N/M	34-36	8	M	16-18	9	8	9	9	8	9	UR	UR
VTDoublePRO* RIB	MZ 2982DBR	2700	89	1552	89	 Powerful seedling vigour for tough conditions Leading top-end yields Rapid grain drydown 	 Excels in high-yield environments Average yield response to fungicide but improves late- season intactness 	MZ 3117DBR MZ 2699DBR	7	8	N/M	30-34	9	S-M	18-20	8	8	9	8	7	6	UR	7*
X-Series CONV	MZ 305X	2700	90	1534	89	Impressive girthy ear with deep kernelsExcellent stay-greenOutstanding seedling vigour	Favourable response to fungicideLess response to increased population	MZ 269 MZ 314	UR	8	N	30-32	9	M	18-20	7	8	8	8	8	UR	UR	UR
VTDoublePRO* RIB	MZ 3006DBR	2700	90	1572	91	 Industry-leading yield performance Strong plant stay-green supports yield potential Excellent agronomics promote efficient harvest 	 Predicted above-average response to intensive management Predicted favourable response to fungicide Ideal for delayed harvest 	MZ 2982DBR MZ 3117DBR	UR	UR	M	32-34	8	T	16-18	9	8	8	7	7	8	UR	5*

Management

Disease Ratings

	GR	A		N		orn			Manage	ment					Agror	omic R	atings				Dise Rat	ease tings	
		СНИ	ı		Silking RM	Characteristics	Positioning	Companions	Response to Intensive Management	Response to Fungicide	Kernel Mass vs. Kernel Number	Final Seeding Population	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
SmartStax RIB	MZ 3120SMX	2750	91	1610	93	 Powerful seedling vigour for tough conditions Top corn-on-corn performance Rapid grain drydown 	 Excels in high-yield environments Average yield response to fungicide but improves late-season intactness 	MZ 3117DBR MZ 3314SMX	6	8	N/M	30-32	9	M	18-20	8	8	9	8	7	6	UR	UR
VIDOUBLEPRO RIB	MZ 3117DBR	2750	91	1575	92	 Hybrid with proven top-end yield Strong stalks for flexible harvest Uniform ear size down the row 	 Average response to fungicide alone Above-average response to intensive management Excels in moderate- to high-yield environments 	MZ 2982DBR MZ 3006DBR	6	6	N	32-34	9	M	18-20	9	9	9	8	8	7	UR	UR
CONV	MZ 314	2750	91	1575	92	Top-end yield potentialAllows flexible harvest timingConsistent ear size across plants	 Allows for a flexible harvest Excellent dual-purpose hybrid Ideal for variable-yield environments 	MZ 269 MZ 369	UR	UR	N	32-34	9	Т	16-18	9	9	8	7	7	UR	UR	8*
SmartStax NO COMPLETE RIB	MZ 3314SMX	2775	93	1622	94	 Impressive leaf-disease tolerance Compact plants with strong stalks Broadly adapted for flexible positioning 	 Excels in variable-yield environments Favourable response to fungicides Less likely to respond to population 	MZ 3117DBR MZ 3505DBR	4	7	M	32-34	9	M	16-18	9	9	8	8	8	8	UR	5*
Trecepta of the constitution of the constituti	MZ 3432TRE	2800	94	1605	93	 Industry-leading above-ground insect control including western bean cutworm Broadly adapted for flexible positioning Industry-leading yield potential 	 Excels in variable-yield environments Excels under intensive management package Dual-purpose option 	MZ 3117DBR MZ 3505DBR	8	6	N	32-34	8	Т	18-20	9	9	8	7	7	8	6*	7*
VIDoublepro RIB	MZ 3505DBR	2850	95	1632	96	 Excellent late-season plant health Open husks aid grain drydown Next-level yield potential 	 Above-average response to fungicide Match population to yield environment Ideal for delayed harvest 	MZ 3314SMX MZ 3006DBR	6	8	M	30-34	9	T	16-18	9	9	9	8	8	8	7	6
SmartStax PRO	MZ 3717SSP	2900	97	1590	93	 Industry-leading corn rootworm protection Impressive fall intactness promotes ease of harvest Exceptional stay-green promotes full yield potential 	 Above-average response to increased population Above-average response to intensive management 	MZ 3505DBR MZ 4026SSP	8	7	N	32-36	9	Т	16	9	9	8	7	8	8	7	5
																							7/



$I \rightarrow I \rightarrow I \rightarrow I$	\mathbf{C}
	CULL

								1	l a t	,	ر د	б		ا يا	s N	tt	ے ا			1	1		
	Hybrid	СНИ	RM	CHU to 50% Silk	Silking RM	Characteristics	Positioning	Companions	Response to Intensive Management	Response to Fungicide	Kernel Mass vs. Kernel Number	Final Seeding Population	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
VT4PRO BERNIETE RIB	MZ 3704VT4	2900	97	1705	99	 Industry-leading above-ground insect control, including western bean cutworm, combined with rootworm control Open husks promote rapid grain drydown Strong performance in variable-yield environments 	 Average response to fungicide Favourable response to increased population Excels in variable-yield environments 	MZ 3528DBR MZ 4049SMX	7	7	N	32-36	8	M-T	18-20	8	8	8	8	7	8	5	7
VTDoublepRO* RIB	MZ 3818DBR	2925	98	1698	99	 Dependable yield across diverse environments Durable disease tolerance Excellent fall intactness 	 Average response to fungicide Raise populations to match yield potential Ideal for delayed harvest 	MZ 3505DBR MZ 3930DBR	6	8	N	32-36	8	M-T	16-18	9	8	8	8	8	8	6	UR
VTDoublePRO* RIB	MZ 3930DBR	2950	99	1698	99	 Open husks promote rapid drydown Strong late-season intactness Next-level yield potential	 Raise populations accompanied with fungicide and nitrogen Ideal for variable-yield environments Excellent stalk strength 	MZ 3818DBR MZ 4026SSP	7	6	N/M	30-34	8	T	18-20	9	8	9	8	8	8	5	8
SmartStax* RIB	MZ 3877SMX	2925	98	1723	100	Excellent grain-filling performanceOpen husks allow fast grain drydownMoves north and south of zone well	 Average response to fungicide Target moderate populations Excellent in corn-on-corn management 	MZ 3505DBR MZ 4049SMX	5	6	М	32-34	9	M	16-18	9	9	9	9	7	7	7	UR
CONV	MZ 397	2950	99	1660	100	 Closely related to hybrids with proven performance Solid stress tolerance Open husk for rapid drydown 	 Above-average response to fungicide Use lower populations to maintain yield in stressful environments 	MZ 314 MZ 369	UR	8	N	28-36	9	M-T	18-20	8	8	9	8	7	7	7	6
SmartStax: PRO	MZ 4026SSP	2950	100	1700	101	 Industry-best corn rootworm protection Strong seedling vigour establishes stands quickly Solid stalks allow flexible harvest 	 Average response to intensive management Responds favourably to fungicide under moderate populations Above-average response to increased population 	MZ 3818DBR MZ 4158DBR	7	7	М	34-36	8	M	16-18	9	8	8	9	7	8	7	6
SmartStax RIB COMPLETE	MZ 4049SMX	2975	100	1685	102	Maturity-leading yield potentialSolid stress toleranceOpen husk for rapid drydown	 Above-average response to fungicide Predicted favourable response to 2x VT fungicide south of zone Excellent in corn-on-corn management Use lower populations to maintain yield in stressful environments 	MZ 3930DBR MZ 4158DBR	7	8	Ñ	28-36	9	M-T	18-20	9	8	9	8	7	8	7	6

Management

Disease Ratings

	GR			N		Örn			Managei	ment					Agron	omic R	atings				Dise Rat	ease ings	
	Hybrid	СНИ	RM		Silking RM	Characteristics	Positioning	Companions	Response to Intensive Management	Response to Fungicide	Kernel Mass vs. Kernel Number	Final Seeding Population	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	NCLB	ANTH	DON	Tar Spot
Trecepta* RIB	MZ 4151TRE	3000	101	1707	103	 Control of western bean cutworm Durable disease package Exceptional stalk strength for flexible harvest 	 Above-average response to intensive management Responds favourably to fungicide Excels in variable-yield environments 	MZ 4158DBR MZ 4577SMX	7	7	M	32-34	9	Т	16-18	9	8	8	8	8	7	5	6
VTDoublePRO* RIB	MZ 4158DBR	3100	101	1698	103	 High yield with strong stalks and stay-green for flexible harvest Responds to intensive management Open husks allow for fast grain drydown 	 Average response to fungicide Above-average responses to nitrogen and plant population Ideal for delayed harvest 	MZ 4049SMX MZ 4608SMX	8	9	M	34-36	9	T	16-18	8	8	8	8	7	8	7	5
SmartStax:	MZ 4577SMX	3150	103	1690	102	 Proven genetics for stress tolerance Compact plant for ease of harvest Solid stalks allow flexible harvest 	 Excels in variable-yield environments Favourable response to fungicide Average response to intensive management 	MZ 4158DBR MZ 4608SMX	7	8	N	34-36	8	S-M	16-18	8	8	8	8	7	8	7	6
CONV	MZ 460	3200	106	1720	106	 Strong leaf-disease tolerance Impressive stay-green Photocopied ear size with consistent ear placement 	 Target moderate plant populations Excellent dual-purpose option 	MZ 397	UR	7	N/M	32-34	9	T	18-20	8	9	8	7	7	8	8	8
SmartStax:	MZ 4608SMX	3200	106	1680	107	 High yield with market-leading DON tolerance Open husks promote rapid drydown Photocopied ear size with consistent ear placement 	 Improved response to fungicides under high population Excels under high-management scenarios Target plant populations to match yield environment 	MZ 4577SMX MZ 4703DBR	8	9	N	30-34	9	M	18-20	8	8	9	7	8	7	9	5
SmartStax:	WZ 47995WX	3250	107	1690	109	 Market-leading DON tolerance Open husks promote rapid drydown Leading stress tolerance in moderate- to lower-yield environments 	Responds to fungicideFavourable response to increased population	MZ 4577SMX MZ 4703DBR	7	7	M	34-36	8	T	16-18	9	8	9	8	8	9	9	5
VTDoublepro MIB	MZ 4703DBR	3250	107	1650	107	 High yield potential with excellent grain quality and test weight Impressive fall intactness promotes ease of harvest Market-leading DON tolerance 	 Above-average response to fungicide at moderate population Favourable response to increased population Ideal for delayed harvest 	MZ 4608SMX MZ 4799SMX	8	9	M	34-36	8	M	16-18	9	9	8	8	8	8	8	8

Also Available: MZ 4280DBR 2975 CHU





SOYBEAN SEED TECHNOLOGY

Maizex soybeans combine outstanding yield potential with a range of in-seed or seed-applied technologies to provide true performance field by field on your farm. Driven by a vigorous research and testing program, Maizex soybeans meet the needs of farmers in regions across the country, based not only on yield potential but also disease tolerance ranging from white mould and *phytophthora* to sudden death syndrome and iron chlorosis.

Trait Technologies

Traits	Features	Positioning	Glyphosate (RR)	Dicamba	Glufosinate (Liberty)	2,4-D	Identity Preserved Conventional
**************************************	Outstanding genetics for high-end yield potential. Three modes of herbicide tolerance for outstanding weed control, including glyphosate-tolerant weeds.	Premier early-season weed control with option to use early dicamba or later Roundup® or Liberty® in-crop.	✓	✓	/		
ROUNDUP READY 2 TEND. SOYBEANS	Benefits of glyphosate and new lower-volatility formulations of dicamba, such as Xtendimax® herbicide. Outstanding weed control including glyphosate-tolerant weeds such as Canada fleabane.	Position dicamba applications for pre-plant or early post to maximize weed control.	✓	✓			
Enlist B SOYBEANS	Genetics featuring excellent yield potential. Three-way herbicide tolerance to glyphosate, 2,4-D, and glufosinate in a three-gene molecular stack.	Wide window of weed-control flexibility with excellent control of glyphosate-tolerant weeds. Using Enlist Duo™ herbicide, which contains glyphosate and 2,4-D with Colex-D™ technology, provides near-zero volatility.	✓		✓	✓	
CONV	Combines yield potential and export-quality grain characteristics.	Developed for non-GMO or identity-preserved contract opportunities. Consult your Maizex dealer for contract opportunities near you.					✓





Seed Treatment Options

Seed Treatment	Benefits	Insecticide, Fungicide & Pre-inoculant	Fungicide & Pre-inoculant	Fungicide Only
UNTREATED	Option for organic or conventional production.			
LAL TE PROYIELD	Fosters higher rhizobia survival and nutrient uptake, increases root growth, and boosts nutrient and water uptake, leading to enhanced nodulation and nitrogen fixation.	✓	✓	
(i) Fortenza	Delivers control of European chafer, June beetle, bean leaf beetle, black cutworm, wireworm, and seed corn maggot. Helps build a strong soybean stand, even under heavy insect pressure. The result is faster more uniform growth.	✓		
headsup PLANE PROTECTANTS INC.	Biological plant activator that stimulates the plant's natural genetic resistance earlier in plant growth to fight off disease pathogens including white mould, rhizoctonia, and SDS.	✓	/	✓
心 Vayantis° ™	Provides broad-spectrum protection against key seed- and soil-borne diseases for stronger roots that can take full advantage of soil nutrients, even during unfavourable spring conditions.	✓	/	✓

	Additional protection options
Trunemco	Trunemco™ is a new soybean cyst nematode seed treatment solution that helps soybean crops thrive. This patented technology primes plant physiology, activating the defense system for superior broad-spectrum protection against nematode invasion.
Lumisena" FUNGICIDE SEED TREATMENT	Offers additional protection in late-maturity areas against Phytophthora root rot in high-risk conditions to enhance emergence and vigour in order to improve plant stands and preserve yield potential.



	S	OY	eties		P	lant Health					Agr	onomic Ra	atings							
							SCN Gene	ytophthora sistance ne	Phytophthora Field Tolerance	White Mould	S	Seedling Vigour	Standability	lant Height 	anopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	Average Seed Size (Beans/Lb of Seed)	
		Variety	CHU	RM	Characteristics		SS	Ph. G. R.	Ph. Tol	₹	SDS	Se Vic	ξξ	Pla	౮	W.	P. 8	윤 8	& & & & & & & & & & & & & & & & & & &	
	ROUNDUP READY 2 TEND SOYBEANS	Wolf R2X	2200	000.7	• Impressive <i>phytophthora</i> tolerance • Consistent performance across soil types	High first pod for ease of harvest	PI88788	Rps3a	AA	AA	UR	8	8	M-T	SB	AA	G/B	P/BLi	2650	
	ROUNDUP READY 2 TEND SOYBEANS	Moose R2X	2375	00.4	Excellent white mould tolerance Great pod height helps capture every pod	Clean phenotype with solid harvest standability	-	None	AA	E	UR	7	9	M-T	SB	AA	B/B	P/BL	2500	
	ROUNDUP READY 2 TEND SOYBEANS	Badger R2X	2425	00.6	Strong yield performanceTall plant with good standability	Works well across all soil types	-	Rps1k	А	А	UR	8	7	T	В	E	B/B	P/BL	2450	
9	ROUNDUP READY 2 TEND SOYBEANS	Hulk R2X	2475	00.8	 Tall, bushy plant with great white mould tolerance Great phytophthora field tolerance 	Excellent first-pod height for ease of harvest	-	Rps3a	AA	AA	UR	8	7	T	В	E	B/B	P/BL	2450	
	ROUNDUP READY 2 TEND SOYBEANS	Hydro R2X	2550	0.1	Strong yield performance under white mould pressure Tall plant height with good standability	Maintains yield under stress	-	None	ВА	AA	UR	8	7	T	SB	AA	B/B	P/BL	2400	
	ROUNDUP READY 2 TEND SOYBEANS	Cobra R2X	2575	0.2	High yield potential even in stressed environmentsStrong agronomic package	Great white mould tolerance	PI88788	Rps1c	AA	AA	UR	8	7	M-T	SB	E	LB/B	P/BR	2650	
	ROUNDUP READY 2 TEND SOYBEANS	Grizzly R2X	2600	0.3	 Leading yield potential Stacked <i>phytophthora</i> genes and leading field tolerance 	Complete agronomic package	PI88788	Rps1k/3a	E	AA	UR	8	9	M	SB	AA	LB/B	P/BL	2600	
	ROUNDUP READY 2 TEND SOYBEANS	Viper R2X	2750	0.9	Industry-leading yield performanceStrong disease package	Excellent white mould tolerance	PI88788	Rps1c	AA	E	AA	8	9	M	SB	AA	LB/B	P/BL	2500	

Legend

Numerical ratings (1-9):

1 = very poor; **9** = excellent; **UR** = unrated

SCN (Soybean Cyst Nematode) gene: **P188788** & **Peking** = genes that provide genetic resistance

Phytophthora field tolerance, white mould and **SDS** (Sudden Death Syndrom) ratings: **UR** = unrated; **BA** = below average; **A** = average; **A** = above average; **E** = excellent

Plant height: S = short; **M** = medium; **T** = tall; **VT** = very tall

Canopy: N = narrow; **SB** = semi-bush; **B** = bushy

Wide-row adaptability (denotes yield and agronomic factors if planted in wider rows, i.e. 30"): **BA** = below average; **A** = average; **AA** = above average; **E** = excellent

Pubescence/pod/flower/hilum colours: P = purple; W = white; BL = black; B = brown; LB = light brown; Y = yellow; G = grey; an "i" indicates imperfect hilum colour while a "p" indicates a pale variant of hilum colour



Strategies for smart soybean selection to help you pick the best variety for your farm.



S	OY	B	E	AN Varie	eties		F	lant Health					Agr	onomic R	atings			
	Variety	сни	RM	Characteristics		SCN Gene	Phytophthora Resistance Gene	Phytophthora Field Tolerance	White Mould	SDS	Seedling Vigour	Standability	Plant Height	Canopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	Average Seed Size (Beans/Lb of Seed)
Enlist E3	Kites E3	2775	1.0	Bushy bean that closes rows easily High first pod for easy harvest	Impressive plant health	-	Rps1a	AA	AA	Е	7	8	M-T	SB	AA	G/B	P/LB	2900
Enlist E3 SOYBEANS	Harrier E3	2850	1.3	Bushy bean fills in rows quicklyGreat <i>phytophthora</i> field tolerance	Strong performance under stress	PI88788	None	E	Α	AA	7	7	M-T	В	E	G/B	P/BLi	2400
**************************************	Avalanche XF	2875	1.4	 Best-in-class disease and agronomic package Strong yield performance across soil types 	• Excellent standability	PI88788	Rps1k/3a	АА	E	А	8	9	M-T	N	ВА	B/B	P/BR	2200
ROUNDUP READY 2 TEND SOYBEANS	Cyclone R2X	2900	1.5	 Stacked <i>phytophthora</i> genes and leading field tolerance Consistent performance across soil types 	 Agressive performance and yield in tough conditions 	PI88788	Rps1k/3a	AA	AA	А	9	8	M-T	В	AA	LB/LB	P/BL	2600
Enlist E3	Typhoon E3	2925	1.6	 Excellent yield performance across soil types Unique Peking SCN resistance	 Strong disease package with stacked phytophthora 	Peking	Rps1c/3a	AA	AA	AA	8	8	M-T	В	AA	G/B	P/BLi	2300
TENDFLEX SOYBEANS	Condor XF	3000	1.9	 Best-in-class <i>phytophthora</i> field tolerance Excellent white mould tolerance 	Performs well across all soil types	PI88788	None	E	E	AA	8	8	M-T	SB	AA	LB/LB	P/BL	3300
Enlist E3 SOYBEANS	Lynx E3	3000	1.9	 Peking SCN resistane gene Performs across soil types and excels on lighter soils 	• Excellent <i>phytophthora</i> field tolerance	Peking	Rps1k	E	AA	AA	8	8	M-T	SB	AA	G/LB	P/LB	2900
Enlist E3 SOYBEANS	Ocelot E3	3050	2.1	Consistent high-end yield performanceExcellent SDS tolerance	Unique Peking SCN resistance	Peking	Rps1c	E	Α	E	8	8	M-T	SB	AA	G/B	P/BLi	2400
Enlist E3	Maverick E3	3150	2.5	 Stacked <i>phytophthora</i> genes and leading field tolerance Unique sulfonylurea tolerance 	Strong performance on heavy soils	PI88788	Rps1c/3a	AA	А	А	8	7	M-T	SB	AA	G/B	P/LB	2700
**************************************	Prosper XF	3200	2.7	 Top-end yield performance Excellent <i>phytophthora</i> field tolerance 	• Excellent tolerance to SDS	PI88788	Rps1c	E	AA	E	8	8	M-T	В	AA	B/G	P/BLi	2400


	S	OY	B	E	AN Varie	eties		ı	Plant Health					Agr	onomic Ra	atings				
		Variety	сни	RM	Characteristics		SCN Gene	Phytophthora Resistance Gene	Phytophthora Field Tolerance	White Mould	SDS	Seedling Vigour	Standability	Plant Height	Canopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	Average Seed Size (Beans/Lb of Seed)	
<u>.</u>	Enlist E3	Emerald E3	3300	3.2	 Big, bushy plant with excellent standability Strong disease package with excellent frogeye tolerance 	Excellent performance across soil types	Peking	Rps1k	AA	AA	AA	8	8	Т	В	E	G/B	P/BR	2950	
)	TENDFLEX.	Mammouth VII XF	-	5.0	Gigantic soybean plant for silage use onlyHigh-quality silage	Strong emergence for tougher soils	PI88788	Rps1a	AA	UR	AA	8	7	T	В	E	LB/B	W/BL	3500	

Conventional Varieties (Contract Only)

CONV	Jari	2500	00.9	 Excellent white mould tolerance Very high-protein bean with good yield potential 	Rapid spring vigour	-	None	AA	AA	UR	8	8	M	SB	А	B/B	P/Yi	2400
91 CONV	Kuma	2600	0.3	Strong yield performance with high proteinHigh first-pod height for harvest ease	Strong white mould tolerance	-	None	E	AA	AA	8	8	M-T	SB	AA	B/B	P/Yi	2300
91 CONV	Saru	2775	1.0	 Great yield performance and agronomic package High first-pod height for harvest ease 	Taller bean with excellent standability	-	Rps1c	AA	AA	AA	7	9	M-T	SB	AA	LB/LB	P/Yi	2350
91 CONV	Suga	2950	1.7	 Great yield potential across soil types Excellent tolerance to white mould	 Great standability and keeps height on tougher soils 	-	Rps3a	AA	Е	AA	8	9	M-T	SB	AA	G/B	P/Y	2250







	MAIZE	X FORAGES	
Target legume level	Dry hay 2-cut system 55–75% alfalfa	Multi-use 3-cut system 75–90% alfalfa	Wet hay 4-cut system 90–100% alfalfa
Features	Whether it's dry hay for horses or beef cattle, these higher percentage timothy blends will help deliver quality green dry hay.	These flexible blends allow producers to make high-quality haylage, balage, or dry hay from the same blend, allowing for more flexibility in their operation.	For producers that are looking for four cuts of haylage or balage: improve your yield and feed quality with fast regrowing, high-percentage alfalfa blends.
Recommended forage blends	Ultra High YieldUltra All TerrianClassic 75PRO Alfalfa	 Ultra High Yield PRO Hi-Gest Ultra Export	 Ultra Intensive PRO Hi-Gest Ultra Export Altoria alfalfa
Add premium, coarse grass-seed blends to your field	Triple	-G • Brome Blend • Brome/Fe	escue

SILAGE Corn Management **Agronomic Ratings** Corn on Corn Silage Grain Grain CHU Hybrid Type Hybrid CHU RM CHU RM 50% Silk Characteristics Characteristics · Early flowering allows movement VTDoublePRO* 72 1277 32-34 Dual **MZ 1200DBR** 1900 69 2050 Rapid starch accumulation M-T Excellent seedling vigour for RIB early stand establishment · Enhanced stav-green allows VTDoublePRO* flexible harvest Early flowering allows 32-34 6 Dual **MZ 1255DBR** 1900 69 2050 72 1265 8 movement north Rapid seedling vigour maximizes RIB yield potential Silage Specific · Rapid grain setup for maturity • Early grain set reduces risk MS 6960R 1950 69 2100 72 1325 28-32 8 8 M S 8 8 north of zone · Solid agronomics promote yield Increased starch quantity VTDoublePRO Dual **MZ 1340DBR** 1975 71 2150 73 1250 · Dependable tonnage 34-36 M-T 8 6 Early flowering allows RIB movement north Increased starch quantity **VTDoublePRO** · Strong agronomics promote

harvest ease

Legend

RIB

Silage hybrid type:

Dual = dual-purpose hybrids that can be used for grain or silage; **Silage Specific** = designed for silage production and not recommended for grain corn production:

Dual

Leafy Silage = leafy hybrids that combine effective fibre with highly available starch and are not recommended for grain production.

MZ 1397DBR

1975

71

2150

Silage CHU and **Silage RM** are based on the appropriate maturity zones for growing the hybrid to silage maturity.

Final seeding population: population in 000s of plants per acre that is the ideal target for this hybrid. Where conditions are less favourable, move to the lower range of the population recommendations.

Corn on corn: if "\(\sqrt{}\)," denotes that this hybrid contains enhanced insect protection, which protects performance on corn-after-corn fields.

Response to fungicide ratings (0 – 10), where $\mathbf{0}$ = no response, 10 = a very large response, and UR = unrated

Rapid grain-set for early

geography

Agronomic category ratings (1 - 9): 1 = very poor; 9 = excellent; **UR** = unrated.

Plant height: S = short; **M** = medium; **T** = tall; **VT** = very tall.

Kernel texture: VS = very soft; S = soft; M = medium; H = hard.

Starch amount ratings (1 - 9): 1 = low; 9 = high.

1270

73

Early starch availability at harvest: 1 = least readily available; 9 = most readily available.

Disease ratings: NCLB = Northern Corn Leaf Blight; the numerical ratings for the disease categories range from 0 - 9, where $\mathbf{0} = \text{highly}$ susceptible, 9 = highly tolerant, and UR = unrated. A* indicates a predicted response.

Maizex is an industry leader in silage corn, offering diverse hybrid technologies to meet the specific needs of your ration. This includes a full portfolio of dual-purpose hybrids to drive energy and feed efficiency and silage-specific hybrids for enhanced feed palatability, digestibility, and hightonnage yield.

34-36

8

Please see page 6 for information on seed corn technologies available in our silage corn portfolio.



M-T

8

Tips on how to select the right hybrid for your ration.

8

Herbicide Sensitivity Caution: avoid post-emergent application of Group 27 & 28 herbicides (e.g., Converge®, Callisto®, or Impact[™]) on Leafy silage hybrids. Leafy hybrids have shown increased injury after post-emergent application of Group 27 & 28 herbicides in comparison to other hybrids.

M

9



	Silage Hybrid Type	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Characteristics	Final Seeding Population	Corn on Corn	Response to Fungicide	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	NCLB Disease Rating
VIDoublepro RIB	Dual	MZ 1544DBR	2100	72	2250	75	1301	 Soft kernel density Strong disease package protects feed quality 	• Ideal for high-starch rations	32-34		8	7	9	M-T	7	S	9	8	8
VTDoublePRO UB COMPLETE RIB	Dual	MZ 1688DBR	2150	73	2300	76	1323	 Consistent performance across environments Starch quantity stability from uniform ear size 	 Enhanced stay-green allows flexible harvest 	34-36		8	8	9	M-T	7	S	9	8	8
Roundup Ready CONN 2	Silage Specific	MS 7711R	2175	74	2300	77	1287	Early flowering allows movement northSolid agronomics promote yield	 Industry-leading tonnage for maturity 	32-34		7	9	8	Т	8	M	8	8	7
CONV	Silage Specific	MS 782	2250	75	2450	78	1298	 Early flowering allows northern adaptation Impressive stay-green optimizes feed quality 	High-tonnage conventional hybrid option	32-34		8	9	9	VT	8	M	8	8	7
VTDoublePRO*	Silage Specific	MS 7822DBR	2250	75	2400	78	1298	 Above-ground insect protection Rapid grain-set for early geography 	• Large harvest window	32-34		8	9	9	VT	8	M	8	8	7
Roundup Ready CORN 2	Silage Specific	MS 8022R	2250	75	2400	78	1298	 Industry-leading early-season vigour Rapid grain-set for early geography 	• Large harvest window	32-34		8	9	9	VT	8	M	8	8	7
VTDoublepRO	Dual	E49K32 R	2250	76	2300	79	1335	Strong agronomicsImpressive late-season health	• Ideal for high-starch rations	32-34		8	8	8	Т	7	M	9	8	8
VIDoublepro RIB	Dual	MZ 2266DBR	2300	78	2450	82	1353	 Early flowering promotes longer starch-fill period Strong agronomics with high tonnage 	• Ideal for high-starch rations	34-36		7	8	9	M	7	M	9	8	8
Roundup Ready CORM 2	Silage Specific	LF 728R	2300	74	2500	83	1319	 Standard of silage and grazing corn White cobs for more palatable silage 	• Rapid grain setup for maturity	28-30		8	8	9	M-T	8	M	8	8	7

Management

	Silage Hybrid Type	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Characteristics	Final Seeding Population	Corn on Corn	Response to Fungicide	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	NCLB Disease Rating
VIDoublepro my content	Dual	MZ 2344DBR	2350	81	2500	83	1330	Strong agronomics promote harvest easeVery good Goss's wilt tolerance	• Ideal for high-starch rations	34-36		7	8	8	M	7	M	9	8	7
Roundup Ready CORN 2	Silage Specific	MS 8270R	2450	82	2600	85	1370	Tall, robust plant typeExtended stay-green preserves silage quality	Strong agronomics	30-32		8	8	9	VT	8	M	8	8	7
VTDoublepro* RIB	Dual	MZ 2575DBR	2325	82	2575	85	1430	Leading starch quantityStrong agronomics promote harvest ease	Above-ground insect protection preserves feed quality	34-36		8	8	9	M-T	7	M	9	8	6
Duracad∈ E-Z Refuge	Silage Specific	MS 8411DUR	2450	82	2600	86	1589	 Proven performance Large ears with soft kernel texture	Robust plant type	30-32	✓	8	8	8	T	8	S	8	8	7
VTDoublepRO	Dual	MZ 2699DBR	2450	83	2600	86	1515	Early grain-set reduces risk north of zoneRapid canopy establishment	Large ears promote higher starch values	32-34		6	9	9	M-T	8	M	9	8	7
SmartStax NB COMPLETE RIB	Dual	MZ 2784SMX	2500	84	2650	87	1545	 Above and below insect protection Strong leaf-disease tolerance promotes silage quality 	 Very good stress tolerance for tough acres 	34-36	✓	6	8	8	M	7	M	8	8	8
Roundup Ready CORN 2	Silage Specific	MS 8632R	2550	86	2700	90	1530	Adapted for northern movementImpressive tonnage	Attractive plant type	30-32		8	9	9	T	8	M	8	8	8
SmartStax* RIB	Leafy Silage	LF 9066SMX	2600	87	2750	91	1610	Large, robust stature for maturityAdapted for movement north	Enhanced trait package	28-32	✓	8	8	8	T	8	M	8	8	6
SmartStax RIB	Dual	MZ 3314SMX	2625	89	2775	93	1622	Enhanced stay-green allows flexible harvestExcellent agronomics for harvest ease	• Position on corn-after-corn fields	32-34	✓	7	8	9	M	7	M	9	8	8

Management

	Silage Hybrid Type	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Characteristics	Final Seeding Population	Corn on Corn	Response to Fungicide	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	NCLB Disease Rating
Trecepta® MEGONETIC CORN	Dual	MZ 3432TRE	2700	91	2800	94	1610	 Industry-leading western bean cutworm control to maintain feed quality Robust plant type increases yield 	• Ideal for high-starch rations	32-34		8	9	8	T	7	S	9	8	7
VTDoublePRO RIB	Dual	MZ 3505DBR	2750	92	2850	95	1632	• Enhanced stay-green allows flexible harvest	• Large, robust plant type	30-34		8	9	9	Т	7	M	9	8	8
SmartStay PRO	Dual	MZ 3717SSP	2775	94	2900	97	1590	 Industry-leading corn rootworm protection Strong stay-green widens harvest window 	Position on corn-after-corn fields	32-36	✓	UR	8	8	Т	8	Н	9	8	8
VT4PRO NIS COMPLETE	Dual	MZ 3704VT4	2775	94	2900	97	1705	Industry-leading tonnageStrong leaf-disease tolerance promotes silage quality	Position on first year corn-after-corn fields	32-36	/	UR	9	8	M-T	8	M	9	8	7
CONV LEAFY FLOURY	Leafy Silage	LFG 999	2800	96	2950	99	1638	Floury gene for early starch availability at harvestLarge ears enhance starch quantity	Strong leaf-disease tolerance	27-30		9	9	8	VT	9	VS	8	9	7
Roundup Ready CORN 2	Leafy Silage	LFG 9999R	2800	96	2950	99	1638	Floury gene for early starch availability at harvestLarge ears enhance starch quantity	Strong leaf-disease tolerance	27-30		9	9	8	VT	9	VS	8	9	7
VTDoublepro*	Dual	MZ 3818DBR	2800	94	2925	98	1698	 Leading plant health protects sample quality Large ears enhance starch quantity 	Solid stress tolerance	32-36		7	8	8	M-T	8	M	9	8	8
SmartStax My COMPLETE RIB	Dual	MZ 3877SMX	2800	94	2925	98	1723	Adapted north of zoneConsistent yield leader	Position on corn-after-corn fields	32-34	✓	7	9	9	M	7	Н	9	8	7
SmartStax Nu COMPLETE RIB	Leafy Silage	LF 8890SMX	2800	94	2950	99	1637	Proven genetics for yield stabilityExtended harvest window	• Large, robust plant type	28-32	/	8	8	8	T	8	M	8	8	7
VTDoublePRO RIB	Dual	MZ 3930DBR	2800	96	2950	99	1698	 Massive plant stature Consistent ear line	• Flexible harvest window	30-34		7	9	8	Т	8	M	9	9	8

Management

	Silage Hybrid Type	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Characteristics	Final Seeding Population	Corn on Corn	Response to Fungicide	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	NCLB Disease Rating
CONV	Dual	MZ 397	2900	96	2950	99	1685	Maturity-leading yield potentialAllows flexible field positioning	• Leading milk-per-acre values	28-36		9	9	9	T	8	M	9	8	7
SmartStax:	Leafy Silage	LF 0037SMX	2900	97	3000	100	1650	 Industry-leading tonnage Strong leaf-disease tolerance maintains feed quality 	• Large, robust plant type	28-32	✓	8	9	8	VT	8	M	8	8	8
SmartStay PRO	Dual	MZ 4026SSP	2950	100	3000	101	1700	 Industry-leading corn rootworm protection Strong leaf-disease tolerance maintains feed quality 	Early flowering allows movement north	34-36	✓	UR	8	8	M	8	M	9	8	7
Smart Stax	Dual	MZ 4049SMX	2850	97	2975	100	1685	Maturity-leading yield potentialAllows flexible field positioning	• Leading milk-per-acre values	28-36	✓	9	9	9	T	8	M	9	8	7
VTDoublepro* RIB	Dual	MZ 4158DBR	2950	99	3100	101	1698	 Strong yield combined with high starch quantity Strong agronomics promote harvest ease 	• Impressive plant stature	34-36		9	9	9	Т	7	Н	9	8	7
SmartStax:	Dual	MZ 4577SMX	3000	101	3150	103	1690	Ideal for variable-yield environmentsExcels in low-input scenarios	Impressive agronomics promote harvest ease	34-36	✓	8	8	8	M	7	M	8	8	7
SmartStax: RIB	Dual	MZ 4608SMX	3050	101	3200	106	1680	Large ears enhance starch quantityElevated starch content	• Adapted north of zone	30-34	✓	6	9	9	M	8	Н	9	8	8
CONV	Dual	MZ 460	3050	103	3200	106	1700	Massive plant statureStrong agronomics	Soft kernels for increased starch availability	32-34		7	9	9	VT	8	S	8	8	7
SmartStax: RIB	Dual	MZ 4799SMX	3100	103	3250	107	1690	 Large, robust plant type Strong leaf- and ear-disease tolerance protects quality 	Allows flexible field positioning	34-36	✓	6	9	8	T	8	M	9	8	8
VTDoublepRO*	Dual	MZ 4703DBR	3125	104	3250	107	1650	 Elevated starch content Strong ear-rot tolerance	Impressive plant stature	34-36		UR	9	8	Т	7	Н	9	8	8

Management

Ration 365

FORAGES

Maizex understands that having the right products for your ration and farm is critical to profitability and that every farm is different in its approach to feed use, cutting intervals, and soil conditions. Our product development and agronomy teams are focused on the testing, selection, and in-field support of forage seed varieties to meet the specific nutrition and agronomic needs of farmers like you.

needs of farmers like you. every field, no matter

FORAGE MIX SELECTOR

The blends listed below have been positioned by our expert agronomists to address the specific needs of Canadian dairy, beef, and export operations. Contact your Maizex dealer for assistance in planning your forage needs field by field.

PREMIUM PERFORMANCE MIXES

Ultra High Yield Maximize dry hay yield		Ultra Export Premium export hay with delayed harvest	h possible	PRO Hi-Gest Optimize feed quality in three-cut systems		Ultra Intensive Maximize regrowth and to in four-cut systems	nnage
Alfalfa Timothy Rustung alfalfa Samba II alfalfa Sahara DT timothy	75% 25%	Alfalfa Timothy Rustung alfalfa Samba II alfalfa Sahara DT timothy	90%	Alfalfa Fescues Hi-Gest alfalfa Rustung alfalfa Senu meadow fescue Greendale soft-leaf tall fe	90% 10% escue	Alfalfa Fast-regrowing grasses Altoria alfalfa Senu meadow fescue Echelon late orchardgras Mahulena festulolium	90% 10%

PROVEN UTILITY MIXES

Ultra All Terrain For fields with variable soil types and drainage		Classic 75 An economical solution to establishing hay)	PRO Alfalfa For high percentage alfalfa dry hay	timothy/	PRO Pasture Reno Low-set alfalfa crown with aggressive grasses for gra	
Alfalfa Timothy Samba II alfalfa Source H2O alfalfa Sahara DT timothy	75% 25%	Alfalfa Timothy • Certified #1 alfalfa and timothy blend	75% 25%	Alfalfa Timothy Shift alfalfa Arlaka timothy	55% 45%	Shift alfalfa Klondike ladino clover Senu meadow fescue Echelon late orchardgrass Mahulena festulolium	35% 25% 15% 15% 10%

COARSE SEED – PREMIUM GRASS MIXES

Brome/ Fescue Add resilience to hay fields	Brome Blend A proven performer	Equine Pasture Mix A diverse 7-way blend to add to pastures or long-term grass fields with no legumes	Triple-G Improve the life and performance of stands with a dependable blend
Succession hybrid bromegrass 80% Greendale soft-leaf tall fescue 20%	Succession hybrid bromegrass 70% Verlica Alaska bromegrass 30%	Timothy 14% Orchard 18% Brome 18% Perennial ryegrass 18% Meadow fescue 18% Red fescue 9% Kentucky blue grass 5%	Succession hybrid bromegrass 34% Greendale soft-leaf tall fescue 33% Echelon late orchardgrass 33%



FORAGES



FEATUREDPRODUCTS

The following are key varieties selected to be Maizex forage products, tested not only for season-long yield performance but also to provide agronomic characteristics that make a difference year over year while in production.

ALFALFA

Altoria For truly fast recovery	 Standfast variety for fast recovery and regrowth Ideal for short cutting intervals Higher total yield through more cuts Excellent winter survival High-quality feed source 	
Hi-Gest For longer- lasting quality	 Produces more leaves Better digestibility Extended harvest period to maintain quality 	
Rustung For resistance	 Outstanding yield and quality potential Ideal for longer cutting intervals and dry hay production Excellent winter survival Industry benchmark for disease tolerance 	
Samba II A versatile alfalfa	Yield stabilityDisease resistanceBranched root system	
Source H20 Branched roots	Ideal for imperfectly drained fieldsBranched roots to overcome wet soilsHigh leaf-to-stem ratio	
Shift For grazing tolerance	Deep-set crown for high trafficTolerates grazingOutstanding winter survival	

CLOVER

Aramis Superior quality red clover	 Very good yield under three-cut management systems Multi-year persistence for longevity Add to wet hay systems with poor drainage Excellent quality
Klondike Ladino white clover	Faster regrowthLarge leaves with taller growth habitVery good winter survival

TIMOTHY

Arlaka For yield	 Very leafy Intermediate maturity Superior stand persistence
Sahara DT For drought tolerance	Regrowth for multiple cutsVigorous in the springExcellent forage quality

GRASSES

Senu Meadow fescue	 Highly digestible Very good annual yield Excellent winter survival
Greendale Soft-leaf tall fescue	 Fine soft leaves Late maturity Stress and disease tolerance
Mahulena Fescue-type festulolium	 Tolerates drought and flooding High yield Good persistence
Echelon Late-maturing orchardgrass	 Tolerates dry periods well Good fall growth Very good yield potential
Verlica Alaska bromegrass	 Very fast establishment Tolerates drought well Good palatability
Succession Hybrid bromegrass	 Quick spring start Great quality Tolerates dry spells



PRECISION on YOUR FARM

Technology today allows farmers to collect, track, and manage data from field operations throughout the year. When pulled together, data from planting, from input applications of fertilizer and crop protection products, and especially from harvest yields provide a powerful tool to help make management decisions for future years. Collection and analysis tools such as AgConnexion and Climate FieldView are used heavily in decisions on an increasing number of farm operations.

Talk to your Maizex representative about using these tools to make decisions on your farm or plan a sit-down to review data to help in your seed selection and agronomy decisions for 2026. Our team can help interpret your results to fine-tune the right genetics for your farm.



Farmers today are producing the most nutritious, safest, and lowest cost food supply in the history of mankind.

In Canada, this success has resulted in a longer average lifespan and one of the highest standards of living on the planet. But modern agriculture is not easy to explain, and with the advent of social media and the internet, it is sometimes difficult for the average person to understand the truth about the safety and security of our food supply and how farmers have already adopted practices to produce food in a more sustainable way.

This is where you come in. It is important for us to communicate why we do what we do on the farm. Be Rooted, Be Involved was launched to provide support to farmers in these efforts. This initiative provides information on the technologies we use in agriculture today, the role they play in the security of our food supply, and how important they are in preserving the environment for future generations. Remember that farmers have a high level of credibility with the public. More information and assistance for your communication efforts can be found at maizex.com.



Success - a purchase of Certified Seed opens the door to opportunities for success:

- Quality assurance
- Access to new and improved varieties
- Efficient use of inputs
- New marketing opportunities
- It supports the development of new varieties for the future



Before opening a bag of seed, be sure to read and understand the stewardship requirements, including applicable refuge requirements for insect resistance management, for the

biotechnology traits expressed in the seed set forth in the technology agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation to comply with those stewardship requirements.

Protecting Pollinators:

If you use a seed flow lubricant when planting treated seed, PMRA requires the use of a Fluency Agent to reduce dust on insecticide treated seed. Carefully follow use directions for

* Not all planter types require seed flow lubricants; check with your Maizex Seeds representative for more information.

Best Management Practices

- Control flowering weeds in the field prior to planting so that bees are not attracted to the field for foraging.
- Provide pollinator-friendly habitats away from active fields.
- Be aware of hive locations and monitor environmental conditions.
- Avoid generating dust when handling or loading treated seed.
- Ensure proper cleanup and disposal.
- Speak to your equipment dealer or manufacturer about the appropriateness of deflector kits for North American vacuum planters.

For more information on pollinator health and best management practices for seed-applied insecticides, please visit www.croplife.ca



Maizex Seeds is a participant in the CleanFARMS seed

bag collection program. This program provides an environmentally friendly way to deliver empty seed bags to certified collection sites to divert this waste from landfills or open fires. To take advantage of the program be sure your seed bags are empty and then placed in the plastic collection bag available from certified collection points. Collection bags are accepted free of charge and sent for safe disposal.

Varieties with this logo are protected by the Plant Breeders' Rights (PBR) Act in accordance with UPOV 91. PBR is in place to increase investment in Canadian plant breeding, which results in new, higher-yielding varieties for Canadian farmers. It is important to understand your obligations when you purchase PBR-protected varieties. For more information visit pbrfacts.ca.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with products with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs.

Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. RIB Complete and Design®, RIB Complete® Roundup Ready 2 Technology and Design®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready®, Roundup®, SmartStax®, SmartStax® PRO RIB Complete®, Trecepta®, VT Double PRO®, VT4PRO®, and XtendFlex® are registered trademarks of Bayer Group. Used under license. Liberty®, LibertyLink® and LibertyLink logo® are registered trademarks of BASF. Used under license. Agrisure Viptera® is a registered trademark of a Syngenta group company. Used under license. LibertyLink® and the LibertyLink® logo are registered trademarks of BASF. Used under license. Herculex® is a registered trademark of Dow AgroSciences LLC. Used under license. SmartStax® multi-event technology developed by Bayer and Dow AgroSciences. Bayer CropScience Inc. is a member









Respect the Refuge® and Design are registered trademarks of the Canadian Seed Trade Association. Used under license

Seed containing a patented trait can only be used to plant a single commercial crop from which seed cannot be saved and replanted. Examples of seed containing a patented trait include but are not limited to Roundup Ready 2 Yield® soybeans, Roundup Ready 2 Xtend® soybeans, and XtendFlex® soybeans. Patents for Bayer technologies specifically can be found at the following webpage: cs.bayerpatents.bayer.com

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with alufosinate ammonium based herbicides.

Always read and follow label directions.

Fortenza® Vibrance® Cinco is an on-seed application of Vibrance Cinco fungicide seed treatment and Fortenza insecticide seed treatment. Fortenza Vayantis® IV is an on-seed application of Fortenza insecticide seed treatment and Vayantis IV RFC2 fungicide seed treatment. Agrisure®, Duracade®, Agrisure Viptera®, E-Z Refuge®, Fortenza®, Vayantis®, and Vibrance® are trademarks of a Syngenta Group Company.

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF.

Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC. HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience LLC.



Enlist E3™ Soybeans - PRODUCT USE STATEMENT: Enlist E3™ soybeans contain the Enlist E3 trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2.4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist™ crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist E3 soybeans. WARNING: Enlist E3 soybeans are tolerant of over-the top applications of glyphosate, glufosinate, and 2,4-D. Accidental

YOU MUST SIGN A TECHNOLOGY AGREEMENT, READ THE PRODUCT USE GUIDE PRIOR TO PLANTING. THIS SEED IS ACQUIRED UNDER AN AGREEMENT THAT INCLUDES THE FOLLOWING TERMS: A license must first be obtained from Corteva Agriscience by signing a Technology Use Agreement and abiding by the terms and conditions of the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use Requirements detailed therein which can be found at www.corteva.ca/en/trait-stewardship.html.

application of incompatible herbicides to this variety could result in total crop loss. When using 2,4-D herbicides, grower agrees to only use 2,4-D products

that contain Colex-D technology authorized for use in conjunction with Enlist E3 soybeans. Always read and follow herbicide label directions prior to use.

CROP AND GRAIN MARKETING STEWARDSHIP: Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS product launch stewardship guidance and Corteva Agriscience's Product Launch Stewardship Policy. No crop or material produced from this product can be exported to, used, processed or sold across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. For further information about your crop or grain marketing options, contact Corteva Agriscience at 1-800-667-3852. Information regarding the regulatory and market status of agricultural biotechnology products can be found at: www.biotradestatus.com

These seeds are covered under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: www.corteva.us/Resources/ trait-stewardship.html. The purchase of these seeds conveys no license under said patents to use these seeds.

PATENT INFORMATION: The transgenic soybean event in the Enlist E3™ soybean is protected under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: www.corteva.ca/en/trait-stewardship.html. The purchase of these seeds conveys no license under said patents to use

For more information, contact your authorized retailer or Corteva Agriscience at 1-800-667-3852 or visit www.corteva.ca/en/trait-stewardship.html.

The transgenic soybean event in the Enlist E3™ soybean was jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. ®™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience. Excellence Through Stewardship is a registered trademark of Excellence

Lumiante[™] and Lumisena[™] are trademarks of Corteva Agrisciences.

Heads Up® is a registered product of Heads Up Plant Protectants Inc. PMRA Reg. No. 29827.

Trunemco™ is a trademark of Nufarm Agriculture Inc.

Maizex® and Maizex Design® are registered trademarks of Maizex Seeds Inc.



Maizex Seeds Inc.

4488 Mint Line | Tilbury, Ontario | NOP 2L0 | (877) 682-1720 | maizex.com