



WESTERN CANADA

2026 SEED GUIDE 

CONTENTS

Introducing Maizex Canola.....	6
Grain Corn	14
Ration 365	20
✧ Silage Corn	22
✧ Grazing Corn	30
Soybeans	34

Focused FIELD by FIELD on PRAIRIE Farms 🍁

As we start planning for the 2026 growing season, one thing is for sure—change is a constant. Farmers are used to dealing with the trials and tribulations of commodity prices and Mother Nature, but when that is layered with market volatility, it makes decision-making on all fronts more complex regardless of the crop or region. The best way to succeed in this environment is to continue to strive for crop performance and yield.

This is the main driver in our thought process and remains core to our vision. That is to provide the best genetics together with agronomy and product positioning information to help our customers succeed. This strategy starts by talking to farmers in different regions to truly understand their specific needs. By doing this, we have been able to focus our product development program. We also invest in agronomy research with the goal of being able to make better recommendations on positioning our products and give ideas on how to increase yield beyond the genetics. This investment in product and agronomy helps to ensure we are commercializing and producing seed that provides a high yield potential and has an agronomic fit for the environment where it is grown.

Yield potential is the surest way to succeed on the farm and overcome the obstacles that are out of our control. That starts with choosing the right genetics, the most important decision a farmer makes on yield and performance potential every year.

Our focus and vision came naturally. Maizex has the benefit of being 100% Canadian-farmer owned and 100% Canada focused. Our success is based on meeting the needs of farmers across this country in a range of maturities and with a range of genetic and trait needs. Our ownership and investment are here. Every year, we plant thousands of plots in pre-commercial and commercial trials across the country. We use the information gleaned from these trials, as well as input from our customers, as part of a rigorous product selection process to determine the genetics we will produce and sell. The result seems simple enough as the summary of everything we have done is represented in this product guide.

An exciting new development for 2026 is the introduction of Maizex canola. We identified a need and fit for an independent-thinking Canadian seed company to provide a new option to support canola producers in the Prairies. The result is a focused product line, bringing to market hybrids with exceptional performance and traits tested for success. We look forward to working with you to position Maizex canola on your farm.

Talk to your local Maizex representative today to learn more about Maizex seed options for your farm in grain, silage, and grazing corn, soybeans, and new for 2026 canola. One brand focused on performance, field by field on your farm.

OUR TEAM

Maizex Seeds Inc.

4488 Mint Line Tilbury, Ontario NOP 2L0
(877) 682-1720 | info@maizex.com | maizex.com

Maizex Management



Dave Baute
President



Blake Ashton
General Manager
(519) 359-4858
Blake.Ashton@maizex.com



Stephen Denys
Director of Market & Product Development
(519) 358-3370
Stephen.Denys@maizex.com



Shane Jantzi, CCA-ON
National Sales Manager
(519) 778-7715
Shane.Jantzi@maizex.com



Sharmeen Kukkadi
Accounting Manager
(519) 682-1720
Sharmeen.Kukkadi@maizex.com



Karen Dunlop
Marketing Manager
(519) 358-6408
Karen.Dunlop@maizex.com

Product & Agronomy Support



Shawn Winter, CCA-ON
Product Development Manager – Corn
(519) 809-0078
Shawn.Winter@maizex.com



Jeremy Visser, CCA-ON
Product Development Manager –
Soybeans & Canola
(519) 359-8428 Jeremy.Visser@maizex.com



Henry Prinzen, CCA-ON
Agronomy Lead
(226) 747-6213
Henry.Prinzen@maizex.com



Pascal Larose, Agr.
Product and Agronomy Lead –
Corn and Soybeans, Quebec & Maritimes
(450) 779-5383 Pascal.Larose@sollio.ag



Lyne Beaumont, Agr.
Product and Agronomy Lead –
Forages and Cereals, Quebec
(418) 572-8972
Lyne.Beaumont@sollio.ag



Find your local Maizex
representative.

Territory Managers

Western Canada



Stephan Chabbert
Regional Manager
(204) 693-1034
Stephan.Chabbert@maizex.com



Danielle MacCallum
South Alberta/SW Saskatchewan
(403) 715-2628
Danielle.MacCallum@maizex.com



Kim Leitch
North Alberta/
NW Saskatchewan
(780) 603-8006
kim.leitch@maizex.com



Darrel Thérroux
North Manitoba/
East Saskatchewan
(204) 898-9859
Darrel.Theroux@maizex.com



Brett Graham
South Manitoba
(431) 294-6549
Brett.Graham@maizex.com

Ontario



Adam Parker, CCA-ON
Regional Manager
(226) 820-6280
Adam.Parker@maizex.com



Laura Johnston, CCA-ON
Southcentral Ontario South
(519) 476-2482
Laura.Johnston@maizex.com



Justin Brennan, CCA-ON
Central-East Ontario
(519) 401-9017
Justin.Brennan@maizex.com



Chuck Belanger
Southwestern Ontario
(519) 401-0715
Chuck.Belanger@maizex.com



Bryce Ruppert
Western Ontario Southeast
(519) 403-4462
Bryce.Ruppert@maizex.com



Leigh Hudson-Templeton, CCA-ON
East Ontario
Kingston to Cornwall
(613) 408-7212
Leigh.Hudson@maizex.com



Kirk Van Will, CCA-ON
Southcentral Ontario North
(519) 899-3255
Kirk.VanWill@maizex.com



Mike Eckert, CCA-ON
Western Ontario North
(226) 820-2203
Mike.Eckert@maizex.com

Quebec & the Maritimes



Philippe Defoy, Agr.
Regional Manager
(819) 531-8737
Philippe.Defoy@maizex.com



Steve Letendre
North and East Quebec
(819) 313-9106
Steve.Letendre@maizex.com



Stéphane Larose
Western Quebec
(514) 606-1720
Stephane.Larose@maizex.com





Klay Ansems
Maritimes
(902) 680-6995
Klay.Ansems@maizex.com

INTRODUCING **Maizex** *canola*

Developed on the Prairies, for the Prairies. Our introductory canola portfolio contains an outstanding combination of high-yielding genetics, tested through our pre-commercial trials and driven by strong agronomic traits that you can count on for performance in the field. Our approach will emulate our strategy that has been effective in seed corn—testing for performance, launching for your success on the farm.



Canola Hybrids

Trait	Hybrid	Characteristics
	MC 5230TF	<p>A high-performance, mid-maturity TruFlex® canola hybrid that offers top-end yield potential as well as key agronomy traits to drive yield:</p> <ul style="list-style-type: none">• Blackleg resistance• Clubroot Source A resistance• Excellent pod-shatter rating (7.6 on CCC scale) that allows for later-season straight-cut harvest• Plant height: +5 cm L340
	MC 5126LL	<p>A high-performance, mid-maturity LibertyLink® canola hybrid that offers both excellent yield potential as well as key agronomy traits to support overall yield gain:</p> <ul style="list-style-type: none">• Strong Blackleg resistance• Excellent Clubroot rating with source resistance to 13 Clubroot pathotypes<ul style="list-style-type: none">• 2F, 3H, 5I, 6M, 8N, 3A, 3D, 2B, 5X, 11A, 8E, 9C, 9E• Pod shatter rating (6.0 on CCC scale) that allows for early-season straight-cut harvest opportunity• Plant height: +1 cm L340

Seed Treatments and Stand Establishment

Maizex offers the following seed treatment packages to protect your seed investment.


Options	Products	Benefits
Base package	 	<p>Helix® Saltro® delivers comprehensive protection, including flea beetles and seed- and airborne blackleg. This base treatment provides:</p> <ul style="list-style-type: none">• Five fungicides + one powerful insecticide• Contains a breakthrough fungicide for airborne blackleg protection• Complements genetic disease resistance packages• Protection against striped and crucifer flea beetles, Rhizoctonia, Fusarium, Pythium, and seedling disease complex <p>The addition of BUTEO® start adds greater protection against crucifer and striped flea beetles, with rapid uptake and systemic translocation from cotyledon to leaf margins for a strong plant right off the start, even in dry conditions.</p>
Additional protection		<ul style="list-style-type: none">• For enhanced control of cutworm for uniform stand establishment even under heavy insect pressure• Early-season control from emergence to stand establishment helps to reduce the need of in-season foliar insecticide applications for cutworm

Talk to your local Maizex dealer today about the benefits of Maizex canola.



Scan here to learn more about new Maizex canola.

CRUSH IT
with  maizex
canola











SEED CORN TECHNOLOGY

Maizex is a leader in the commercialization of high-performance corn hybrids, created from world-class germplasm and matched with the latest advancements in trait and seed treatment technologies. Through discussions with farmers and our team, our goal is to select and position hybrids designed to meet the needs of Canadian farmers looking to increase their yield and performance potential. Maizex has been an innovator in delivering excellent seed-corn quality since its inception. We are continually innovating our production and processing efforts to produce the highest quality seed, whether for grain, silage, or grazing end uses.

Trait Technologies and Hybrid Performance

Many farmers today rely on trait technology to help in their insect, disease, and weed control programs. Maizex sources and matches the best-available traits from global providers to meet our customers’ needs based on the specific insect, disease, and weed spectrums experienced.



			ABOVE GROUND PROTECTION AGAINST					BELOW GROUND PROTECTION AGAINST		
Traits	Features	Positioning	Corn Borer	Corn Earworm	Black Cutworm	Armyworm	Western Bean Cutworm	Corn Rootworm	Herbicide Tolerances	Refuge
	The trusted benefits of SmartStax® technology intertwined with a new RNAi-based mode of action offers exceptional crop protection. This product is the first with three modes of action, offering the strongest biotech defense against corn rootworm.	First choice for yield performance, especially on corn-on-corn acres.*	✓	✓	✓	✓		✓	Roundup Ready® LibertyLink®	5% RIB
	The standard on the market today with above- and below-ground insect protection.	First choice for yield performance, especially on corn-on-corn acres.*	✓	✓	✓	✓		✓	Roundup Ready® LibertyLink®	5% RIB
	Broad-spectrum above-ground insect control, including Western Bean Cutworm.	Rotated ground with high risk of Western Bean Cutworm activity.	✓	✓	✓	✓	✓		Roundup Ready®	5% RIB
	Combines three modes of action, including Trecepta®, for the next generation of protection against above-ground insects, including Western Bean Cutworm.	Ideal for initial year of corn-on-corn situations with high risk of Western Bean Cutworm.	✓	✓	✓	✓	✓	✓	Roundup Ready®	5% RIB
	Dual modes of action for above-ground insects.	Rotated ground and second-year corn as part of an integrated rootworm strategy.	✓	✓	✓	✓			Roundup Ready®	5% RIB
	Features a unique mode of action that controls corn rootworm differently than other traits on the market and acts as an excellent foundation for an effective corn rootworm control strategy.	Excellent choice for yield performance and corn rootworm control, including corn-on-corn situations.*	✓	✓	✓	✓		✓	Glyphosate Liberty®	5% E-Z Refuge®
	Combines yield with Roundup Ready® weed control flexibility.	Rotated ground with no insect pressure.							Roundup Ready®	
	Selected for yield potential and natural plant health.	Ideal for non-GMO opportunities.								

*Talk to your Maizex Seeds dealer about resistance-management strategies for corn rootworm traits.


The SeedRight Advantage

Seed corn originates from an ear of corn the same as grain or silage corn grown in a field. And like commercial production, Mother Nature rarely produces the exact same seed size from one year to the next in a seed corn crop. With the investment made today in precision planting systems, Maizex understands the need to fine-tune planters to deliver the best singulation and uniformity possible. Maizex tests different seed sizes for all key hybrids to recommend air pressure or brush settings to achieve the best singulation for the seed grade being planted. Ask your local Maizex dealer for our updated SeedRight recommendations.

Seed Treatments and Stand Establishment

The right seed treatment package plays a critical role in emergence and early-season stand establishment. These products provide insurance against soil-borne insects and diseases that can reduce your yield even before plants emerge in the spring. Maizex offers a variety of seed treatment options to match your field situation, from untreated seed to fully treated seed with an insecticide and a full range of fungicides to control tough soil-borne diseases.

Options

Untreated	Option for organic production.
Fungicide Only	<div></div> <div> FUNGICIDE SEED TREATMENT</div> <div> Fungicide Seed Treatment</div>
Fungicide + Insecticide	<div> or</div> <div></div> <div> FUNGICIDE SEED TREATMENT</div> <div> Fungicide Seed Treatment</div>

Acceleron® Corn

Maximize your corn’s potential with superior protection and choose the Acceleron® package that’s right for your field. The fungicide-only option offers control or suppression of Pythium, Rhizoctonia, Fusarium, Phomopsis, Aspergillus, and Penicillium, while the insecticide option provides added protection against wireworm, white grubs, and seed corn maggots.

Lumiante™

Lumiante™ fungicide seed treatment provides enhanced protection against Pythium, is effective at low application rates, and offers balanced translocation to protect plants.

Fortenza® Vibrance® Cinco

The diamide insecticide Fortenza® provides critical early-season protection with control of European chafer, wireworm, and cutworm. When mixed with the fungicide Vibrance® Cinco, the result is a comprehensive solution with added control of seed- and soil-borne pathogens, such as Pythium, Rhizoctonia, and Fusarium, as well as weakly pathogenic fungi such as Aspergillus and Penicillium.

Stamina™

Stamina™ fungicide seed treatment delivers effective protection against seed rot caused by *Rhizoctonia solani*, resulting in more consistent and uniform emergence for maximum yield potential. Seedling vigour is increased both above and below ground, including under colder than normal soil conditions, with an enhanced ability to withstand minor environmental stress.

Maizex Corn Hybrid Nomenclature

MATURITY* TRAIT
AA 1234AAA

MZ = Grain hybrid
MS = Silage hybrid
LF = Leafy silage hybrid
LFG = Leafy/floury silage hybrid

*Maturity: add 60 to the first two numbers for days to maturity.

TRAIT SUFFIXES

(see trait technology info on page 6)








No suffix = conventional
X = X-series conventional
DUR = Duracade®
R = Roundup Ready® Corn 2
DBR = VT Double PRO®
VT4 = VT4 PRO®
TRE = Trecepta®
SMX = SmartStax®
SSP = SmartStax® PRO

GRAIN CORN

Maizex offers a full portfolio of hybrids that feature outstanding yield potential and agronomic performance for maturities across the Prairies.

This includes a full range of options from conventional to multiple-trait modes of action to protect and enhance your yield potential. Maizex has one of the largest pre-commercial testing and product development programs in Canada, which allows our team to incorporate field variability and intensive management studies that provide additional insight into how best to position Maizex hybrids field by field on your farm.

GRAIN Corn

	Hybrid	CHU	RM	CHU to 50% Silk	Silking RM	Characteristics	Positioning	Management				Agronomic Ratings						Disease Ratings	
								Companions	Response to Intensive Management	Kernel Mass vs. Kernel Number	Final Seeding Population	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	Goss's Wilt
	MZ 1200DBR	2050	72	1277	73	<ul style="list-style-type: none">• Early flowering promotes movement north of zone• Excellent seedling vigour for early stand establishment• Strong test weight and grain quality	<ul style="list-style-type: none">• Responds to increased population• Ideal for dual-purpose option	MZ 1255DBR MZ 1397DBR	4	M	32-34	9	M	12-14	8	8	9	9	5
	 MZ 1255DBR	2050	72	1265	72	<ul style="list-style-type: none">• Industry-leading yield performance• Rapid seedling vigour maximizes yield potential• Excellent test weight and late-season appearance	<ul style="list-style-type: none">• Predicted above-average response to increased population• Predicted favourable response to fungicide	MZ 1200DBR MZ 1397DBR	UR	UR	34-36	9	M	16-18	8	8	9	9	5
	MZ 1340DBR	2150	73	1250	73	<ul style="list-style-type: none">• Ultra-early flowering• Excellent grain quality and test weight• Open husk aids grain drydown	<ul style="list-style-type: none">• Above-average response to increased population• Above-average response to intensive management• Position for timely harvest	MZ 1397DBR MZ 1544DBR	7	M	34-36	9	S-M	12-14	7	8	8	9	5
	 MZ 1397DBR	2150	73	1270	74	<ul style="list-style-type: none">• Sets grain early for risk management• Excellent fall intactness promotes efficient harvest• Strong green-snap and root-lodging tolerance	<ul style="list-style-type: none">• Above-average response to increased population• Predicted average response to intensive management package	MZ 1544DBR MZ 1688DBR	6	M	34-36	8	M	16-18	8	8	9	9	5
	MZ 154	2250	75	1301	75	<ul style="list-style-type: none">• Rapid grain drydown• Strong stalks facilitate harvest ease• Strong disease package	<ul style="list-style-type: none">• Below-average response to intensive management• Excellent stability across environments		UR	M	32-34	8	S-M	14-16	9	9	8	8	7

Legend

RIB or E-Z Refuge = hybrids that contain 5% non-traited seed corn in the bag.

Response to intensive management: “intensive management” denotes additional plant population (i.e. +5,000 ppa), nitrogen (i.e. +50 lbs N/acre), and fungicide application at VT (tassel stage). In trials this was generally compared to a standard management package that had inputs in the range of 30,000 – 32,000 ppa, 170 lbs N/acre, and no foliar fungicide applications.

Management category ratings: the numerical ratings in the Response to Intensive Management category range from 0 – 10, where **0** = no response, **10** = a very large response, and **UR** = unrated.

Kernel number vs. kernel mass: **N** = a kernel number hybrid, where yield is driven more by the number of kernels; **M** = a kernel mass hybrid, where yield is driven more by the mass of each kernel; **N/M** = a hybrid that is slightly above-average in terms of yield being driven by both kernel number and kernel mass.

Final seeding population: population in 000s of plants per acre that is the ideal target for this hybrid. Where conditions are less favourable, move to the lower range of the population recommendations.

Agronomic category ratings (1 – 9): **1** = very poor; **9** = excellent; **UR** = unrated.

Plant height: **S** = short; **M** = medium; **T** = tall.









Disease ratings (0 – 9): **0** = highly susceptible, **9** = highly tolerant, and **UR** = unrated. A * indicates a predicted response.



Learn more about our innovative characterization of hybrids by kernel mass and kernel number.



GRAIN Corn

GRAIN Corn										Management				Agronomic Ratings							Disease Ratings
	Hybrid	CHU	RM	CHU to 50% Silk	Silking RM	Characteristics	Positioning	Companions	Response to Intensive Management	Kernel Mass vs. Kernel Number	Final Seeding Population	Seedling Vigour	Plant Height	# Kernel Rows	Stalk Strength	Plant Health	Grain Drydown	Test Weight	Goss's Wilt		
<div><div></div></div>	MZ 1544DBR	2250	75	1301	75	<ul style="list-style-type: none">• Excellent disease package promotes yield• Strong agronomics and standability for harvest ease• Versatile placement north and south of zone	<ul style="list-style-type: none">• Below-average response to intensive management• Excellent stability across environments	MZ 1397DBR MZ 1688DBR	2	M	32-34	8	S-M	14-16	9	9	8	8	7		
<div><div></div></div>	MZ 1688DBR	2300	76	1323	77	<ul style="list-style-type: none">• Rapid grain drydown• Industry-leading plant health• Extended stay-green for added yield	<ul style="list-style-type: none">• Average response to fungicide• Above-average response to population• Excellent dual-purpose option	MZ 1544DBR E49K32 R	5	N	34-36	9	T	16-18	9	9	8	8	8		
<div><div></div></div>	E49K32 R	2300	79	1335	78	<ul style="list-style-type: none">• Impressive late-season plant health• Industry-leading yield• Strong agronomics	<ul style="list-style-type: none">• Moderate response to population• Favourable response to fungicide and additional nitrogen• Excels in high-yield environments	MZ 1688DBR MZ 2266DBR	8	UR	32-34	8	M	16-18	9	8	8	8	8		
<div><div></div></div>	E52V92 R	2450	82	1374	80	<ul style="list-style-type: none">• Excellent grain quality and test weight• Outstanding agronomics• Early flowering	<ul style="list-style-type: none">• Above-average response to population• Excels in variable soils• Excellent dual-purpose option	MZ 1544DBR MZ 2344DBR	7	UR	34-36	8	T	14-16	9	8	8	9	7		
<div><div></div></div>	MZ 2266DBR	2450	82	1353	79	<ul style="list-style-type: none">• Strong agronomics with top-end yield• Early-flowering hybrid with open husks to aid drydown• Excellent grain quality with high test weight	<ul style="list-style-type: none">• Responds to increased population• Reserve highest populations for high-yielding fields	E49K32 R MZ 2344DBR	6	M	34-36	9	M	14-16	8	8	8	9	6		
<div><div></div></div>	<div>NEW</div> MZ 2344DBR	2500	83	1330	78	<ul style="list-style-type: none">• Yield-leading performance across environments• Superior grain quality and test weight• Strong green-snap tolerance combined with very good tolerance to Goss's wilt	<ul style="list-style-type: none">• Above-average response to increased population• Ideal for delayed harvest	MZ 1544DBR MZ 2266DBR	5	N	34-36	8	T	18-20	9	8	9	9	8		
<div><div></div></div>	MZ 2452DUR	2550	84	1470	84	<ul style="list-style-type: none">• Blocky ears with great grain quality• Position on corn-after-corn fields• Impressive seedling vigour for stand establishment	<ul style="list-style-type: none">• Above-average response to intensive management• Position for early harvest• Excels in variable-yield environments	MZ 2575DBR MZ 2699DBR	7	N	32-34	9	M-T	18-20	8	8	9	8	8		
<div><div></div></div>	<div>NEW</div> MZ 2575DBR	2575	85	1430	83	<ul style="list-style-type: none">• Strong early-season vigour for rapid stand establishment• Open husks promote rapid grain drydown• Maintains leading performance under lower- to moderate-yield environments	<ul style="list-style-type: none">• Above-average response to increased population• Favourable response to intensive management• Excels in variable-yield environments	MZ 2344DBR MZ 2699DBR	7	N	34-36	9	M-T	18-20	8	8	9	8	7		



Ration 365

The health of your herd is your number one priority 365 days a year, and each farmer has their own approach to feeding success. With ruminant animals, success starts with a goal. It could be to efficiently optimize weight gain for those with beef cattle or to maximize milk production while ensuring animal health through the life-cycle in a dairy operation.

Silage and grazing corn are the core part of the ration for many with ruminants, which is why Maizex launched Ration 365, an initiative to support your feeding goals through product research and positioning of our silage and grazing corn product portfolio. Like all our product areas, the Maizex team listens to farmers to identify specific needs that in turn drives our product testing and commercialization efforts. The result is a hybrid corn portfolio that is second to none and proven for success.

Talk to your Maizex representative about Ration 365 and how Maizex silage corn can be the core to your ration year round.

SILAGE Corn

	Silage Hybrid Type	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Characteristics	Management		Agronomic Ratings							Disease Ratings
										Final Seeding Population	Corn on Corn	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	
	Dual	MZ 1200DBR	1900	69	2050	72	1277	• Early flowering allows movement north • Excellent seedling vigour for early stand establishment	• Rapid starch accumulation	32-34		7	8	M-T	7	M	9	8	5
	Dual	<div>NEW</div> MZ 1255DBR	1900	69	2050	72	1265	• Enhanced stay-green allows flexible harvest • Rapid seedling vigour maximizes yield potential	• Early flowering allows movement north	32-34		7	8	T	7	M	9	8	5
	Silage Specific	MS 6960R	1950	69	2100	72	1325	• Rapid grain setup for maturity • Solid agronomics promote yield	• Early grain set reduces risk north of zone	28-32		7	8	M	7	S	8	8	5
	Dual	MZ 1340DBR	1975	71	2150	73	1250	• Increased starch quantity • Early flowering allows movement north	• Dependable tonnage	34-36		7	9	M-T	7	M	9	8	5
	Dual	<div>NEW</div> MZ 1397DBR	1975	71	2150	73	1270	• Increased starch quantity • Rapid grain-set for early geography	• Strong agronomics promote harvest ease	34-36		7	8	M-T	7	M	9	8	5
	Dual	MZ 1544DBR	2100	72	2250	75	1301	• Soft kernel density • Strong disease package protects feed quality	• Ideal for high-starch rations	32-34		7	9	M-T	7	S	9	8	7

Legend

Silage hybrid type: **Dual** = dual-purpose hybrids that can be used for grain or silage; **Silage Specific** = designed for silage production and not recommended for grain corn production; **Leafy Silage** = leafy hybrids that combine effective fibre with highly available starch and are not recommended for grain production.

Silage CHU and Silage RM are based on the appropriate maturity zones for growing the hybrid to silage maturity.

Final seeding population: population in 000s of plants per acre that is the ideal target for this hybrid. Where conditions are less favourable, move to the lower range of the population recommendations.

Corn on corn: if “✓,” denotes that this hybrid contains enhanced insect protection, which protects performance on corn-after-corn fields.

Agronomic category ratings (1 – 9): **1** = very poor; **9** = excellent; **UR** = unrated.

Plant height: **S** = short; **M** = medium; **T** = tall; **VT** = very tall.

Kernel texture: **VS** = very soft; **S** = soft; **M** = medium; **H** = hard.

Starch amount ratings (1 – 9): **1** = low; **9** = high.

Early starch availability at harvest: **1** = least readily available; **9** = most readily available.











Disease ratings (0 – 9): **0** = highly susceptible, **9** = highly tolerant, and **UR** = unrated. A * indicates a predicted response.

Herbicide Sensitivity Caution: avoid post-emergent application of Group 27 & 28 herbicides (e.g., Converge®, Callisto®, or Impact™) on Leafy silage hybrids. Leafy hybrids have shown increased injury after post-emergent application of Group 27 & 28 herbicides in comparison to other hybrids.












Tips on how to select the right hybrid for your ration.

SILAGE Corn









	Silage Hybrid Type	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Characteristics	Management		Agronomic Ratings								Disease Ratings	
										Final Seeding Population	Corn on Corn	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	Goss's Wilt		
	Dual	MZ 1688DBR	2150	73	2300	76	1323	<ul style="list-style-type: none">• Consistent performance across environments• Starch quantity stability from uniform ear size	<ul style="list-style-type: none">• Enhanced stay-green allows flexible harvest	34-36		8	9	M-T	7	S	9	8	8		
	Silage Specific	<div>NEW</div> MS 7711R	2175	74	2300	77	1287	<ul style="list-style-type: none">• Early flowering allows movement north• Solid agronomics promote yield	<ul style="list-style-type: none">• Industry-leading tonnage for maturity	32-34		9	8	T	8	M	8	8	5*		
	Silage Specific	<div>NEW</div> MS 782	2250	75	2450	78	1298	<ul style="list-style-type: none">• Early flowering allows northern adaptation• Impressive stay-green optimizes feed quality	<ul style="list-style-type: none">• High-tonnage conventional hybrid option	32-34		9	9	VT	8	M	8	8	5*		
	Silage Specific	MS 7822DBR	2250	75	2400	78	1298	<ul style="list-style-type: none">• Above-ground insect protection• Rapid grain-set for early geography	<ul style="list-style-type: none">• Large harvest window	32-34		9	9	VT	8	M	8	8	5*		
	Silage Specific	MS 8022R	2250	75	2400	78	1298	<ul style="list-style-type: none">• Industry-leading early-season vigour• Rapid grain-set for early geography	<ul style="list-style-type: none">• Large harvest window	32-34		9	9	VT	8	M	8	8	5*		
	Dual	E49K32 R	2250	76	2300	79	1335	<ul style="list-style-type: none">• Strong agronomics• Impressive late-season health	<ul style="list-style-type: none">• Ideal for high-starch rations	32-34		8	8	T	7	M	9	8	8		
	Dual	MZ 2266DBR	2300	78	2450	82	1353	<ul style="list-style-type: none">• Early flowering promotes longer starch-fill period• Strong agronomics with high tonnage	<ul style="list-style-type: none">• Ideal for high-starch rations	34-36		8	9	M	7	M	9	8	6		
	Silage Specific	LF 728R	2300	74	2500	83	1319	<ul style="list-style-type: none">• Standard of silage and grazing corn• White cobs for more palatable silage	<ul style="list-style-type: none">• Rapid grain setup for maturity	28-30		8	9	M-T	8	M	8	8	5*		
	Dual	<div>NEW</div> MZ 2344DBR	2350	81	2500	83	1330	<ul style="list-style-type: none">• Strong agronomics promote harvest ease• Very good Goss's wilt tolerance	<ul style="list-style-type: none">• Ideal for high-starch rations	34-36		8	8	M	7	M	9	8	8		
	Dual	MZ 2452DUR	2400	80	2550	84	1470	<ul style="list-style-type: none">• Wider window for optimum harvest• Impressive plant stature	<ul style="list-style-type: none">• Large ears enhance starch quantity• Above- and below-ground insect protection	32-34	✓	8	9	T	8	M	8	8	8		

SILAGE Corn

	Silage Hybrid Type	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Characteristics	Management		Agronomic Ratings							Disease Ratings
										Final Seeding Population	Corn on Corn	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	
	Silage Specific	MS 8270R	2450	82	2600	85	1370	• Tall, robust plant type • Extended stay-green preserves silage quality	• Strong agronomics	30-32		8	9	VT	8	M	8	8	5*
	Dual	<div>NEW</div> MZ 2575DBR	2325	82	2575	85	1430	• Leading starch quantity • Strong agronomics promote harvest ease	• Above-ground insect protection preserves feed quality	34-36		8	9	M-T	7	M	9	8	7
	Silage Specific	MS 8411DUR	2450	82	2600	86	1589	• Proven performance • Large ears with soft kernel texture	• Robust plant type	30-32	✓	8	8	T	8	S	8	8	6*
	Dual	MZ 2699DBR	2450	83	2600	86	1515	• Early grain-set reduces risk north of zone • Rapid canopy establishment	• Large ears promote higher starch values	32-34		9	9	M-T	8	M	9	8	6
	Dual	<div>NEW</div> MZ 2784SMX	2500	84	2650	87	1545	• Above and below insect protection • Strong leaf-disease tolerance promotes silage quality	• Very good stress tolerance for tough acres	34-36	✓	8	8	M	7	M	8	8	6
	Silage Specific	MS 8632R	2550	86	2700	90	1530	• Adapted for northern movement • Impressive tonnage	• Attractive plant type	30-32		9	9	T	8	M	8	8	6*
	Leafy Silage	LF 9066SMX	2600	87	2750	91	1610	• Large, robust stature for maturity • Adapted for movement north	• Enhanced trait package	28-32	✓	8	8	T	8	M	8	8	5*
	Leafy Silage	LFG 8755R	2750	91	2900	97	1614	• Floury gene for early starch availability at harvest • Industry-leading tonnage	• Very good seedling vigour	27-30		9	8	VT	9	VS	8	9	5*
	Dual	MZ 3314SMX	2625	89	2775	93	1622	• Enhanced stay-green allows flexible harvest • Excellent agronomics for harvest ease	• Position on corn-after-corn fields	32-34	✓	8	9	M	7	M	9	8	UR



SILAGE Corn

										Management		Agronomic Ratings							Disease Ratings
	Silage Hybrid Type	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics		Final Seeding Population	Corn on Corn	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	Goss's Wilt
	Dual	<div>NEW</div> MZ 3432TRE	2700	91	2800	94	1610	• Industry-leading western bean cutworm control to maintain feed quality • Robust plant type increases yield		32-34		9	8	T	7	S	9	8	UR
	Dual	<div>NEW</div> MZ 3717SSP	2775	94	2900	97	1590	• Industry-leading corn rootworm protection • Strong stay-green widens harvest window		32-36	✓	8	8	T	8	H	9	8	UR
	Dual	<div>NEW</div> MZ 3704VT4	2775	94	2900	97	1705	• Industry-leading tonnage • Strong leaf-disease tolerance promotes silage quality		32-36	✓	9	8	M-T	8	M	9	8	4
	Leafy Silage	<div>NEW</div> LFG 999	2800	96	2950	99	1638	• Floury gene for early starch availability at harvest • Large ears enhance starch quantity		27-30		9	8	VT	9	VS	8	9	UR
	Leafy Silage	<div>NEW</div> LFG 9999R	2800	96	2950	99	1638	• Floury gene for early starch availability at harvest • Large ears enhance starch quantity		27-30		9	8	VT	9	VS	8	9	UR
	Leafy Silage	LF 8890SMX	2800	94	2950	99	1637	• Proven genetics for yield stability • Extended harvest window		28-32	✓	8	8	T	8	M	8	8	8
	Leafy Silage	LF 0037SMX	2900	97	3000	100	1650	• Industry-leading tonnage • Strong leaf-disease tolerance maintains feed quality		28-32	✓	9	8	VT	8	M	8	8	UR
	Dual	<div>NEW</div> MZ 4026SSP	2950	100	3000	101	1700	• Industry-leading corn rootworm protection • Strong leaf-disease tolerance maintains feed quality		34-36	✓	8	8	M	8	M	9	8	UR
	Dual	MZ 4049SMX	2850	97	2975	100	1685	• Maturity-leading yield potential • Allows flexible field positioning		28-36	✓	9	9	T	8	M	9	8	6

Ration MZ GRAZING Corn

Ration MZ GRAZING Corn										Management		Agronomic Ratings							Disease Ratings
	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Characteristics	Final Seeding Population	Corn on Corn	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	Goss's Wilt	
	MZ 1200DBR	1900	69	2050	72	1277	<ul style="list-style-type: none">• Early flowering allows movement north• Aggressive seedling vigour for canopy establishment	<ul style="list-style-type: none">• Excellent stalk strength to maximize grazing days	32-34		7	8	M-T	7	M	9	8	5	
	<div>NEW</div> MZ 1255DBR	1900	69	2050	72	1265	<ul style="list-style-type: none">• Enhanced stay-green allows flexible harvest• Rapid seedling vigour maximizes yield potential	<ul style="list-style-type: none">• Early flowering allows movement north	32-34		7	8	T	7	M	9	8	5	
	MS 6960R	1950	69	2100	72	1325	<ul style="list-style-type: none">• Rapid grain setup for maturity• Solid agronomics promote yield	<ul style="list-style-type: none">• Early grain set reduces risk north of zone	28-32		7	8	M	7	S	8	8	5	
	<div>NEW</div> MS 7711R	2175	74	2300	77	1287	<ul style="list-style-type: none">• Improved grazing days in northern environments• Solid agronomics promote yield	<ul style="list-style-type: none">• Industry-leading tonnage for maturity	32-34		9	8	M-T	8	M	8	8	5*	

Power up your winter pasture and pack on the pounds with Maizex grazing corn. Our portfolio of grazing corn hybrids is carefully selected to offer farmers the best options for this cost-effective feed, often providing higher yields than other forage crops like barley silage as well as providing a sound source of winter forage material. Maizex grazing corn provides a high-quality, palatable forage source that is rich in energy and protein. Once the grazing period is over, any remaining corn can be harvested for silage or left in the field to decompose and provide organic matter.



Revisit the fundamentals of grazing corn best management practices.

Legend

Silage hybrid type: Dual = dual-purpose hybrids that can be used for grain or silage;
Silage Specific = designed for silage production and not recommended for grain corn production;
Leafy Silage = leafy hybrids that combine effective fibre with highly available starch and are not recommended for grain production.

Silage CHU and Silage RM are based on the appropriate maturity zones for growing the hybrid to silage maturity.

Final seeding population: population in 000s of plants per acre that is the ideal target for this hybrid. Where conditions are less favourable, move to the lower range of the population recommendations.

Corn on corn: if “✓,” denotes that this hybrid contains enhanced insect protection, which protects performance on corn-after-corn fields.

Agronomic category ratings (1 – 9): 1 = very poor; 9 = excellent; **UR** = unrated.

Plant height: **S** = short; **M** = medium; **T** = tall; **VT** = very tall.

Kernel texture: **VS** = very soft; **S** = soft; **M** = medium; **H** = hard.

Starch amount ratings (1 – 9): 1 = low; 9 = high.

Early starch availability at harvest: 1 = least readily available; 9 = most readily available.

Disease ratings (0 – 9): 0 = highly susceptible, 9 = highly tolerant, and **UR** = unrated. A * indicates a predicted response.

Ration MZ

GRAZING Corn

								Management		Agronomic Ratings								Disease Ratings
	Hybrid	Silage CHU	Silage RM	Grain CHU	Grain RM	CHU 50% Silk	Characteristics	Characteristics	Final Seeding Population	Corn on Corn	Tonnage	Seedling Vigour	Plant Height	Digestibility	Kernel Texture	Starch Amount	Early Starch Availability at Harvest	
	MS 8022R	2250	75	2450	78	1298	<ul style="list-style-type: none">• Strong stalks allow additional grazing days• Early flowering allows northern adaptation	<ul style="list-style-type: none">• Impressive stay-green optimizes feed quality	32-34		9	9	T	8	M	8	8	5*
	LF 728R	2300	76	2500	83	1319	<ul style="list-style-type: none">• Industry standard for grazing• Rapid grain set for early geography	<ul style="list-style-type: none">• Aggressive seedling vigour	28-30		8	9	M-T	8	M	8	8	5*
	MS 7733DBR	2350	77	2500	81	1337	<ul style="list-style-type: none">• Above-ground insect protection• Early flower allows northern movement	<ul style="list-style-type: none">• Increased starch availability	28-30		8	9	M-T	8	M	8	8	5*
	MS 8270R	2450	82	2600	85	1370	<ul style="list-style-type: none">• Tall, robust plant type• Extended stay-green preserves silage quality	<ul style="list-style-type: none">• Strong agronomics	30-32		8	9	VT	8	M	8	8	5*
	MS 8411DUR	2450	82	2600	86	1589	<ul style="list-style-type: none">• Proven performance• Large ears with soft kernel texture	<ul style="list-style-type: none">• Robust plant type	30-32	✓	8	8	T	8	S	8	8	6*
	MS 8632R	2550	86	2700	90	1530	<ul style="list-style-type: none">• Adapted for northern movement• Impressive tonnage	<ul style="list-style-type: none">• Attractive plant type	30-32		9	9	T	8	M	8	8	6*
	LF 9066SMX	2600	87	2750	91	1610	<ul style="list-style-type: none">• Large, robust stature for maturity• Adapted for movement north	<ul style="list-style-type: none">• Enhanced trait package	28-32	✓	8	8	T	8	M	8	8	5*







SOYBEAN SEED TECHNOLOGY

Maizex soybeans combine outstanding yield potential and in-seed or seed-applied technologies to provide true performance, field by field on farms across the early production areas in the Prairies. Driven by a vigorous research and testing program, Maizex soybeans meet the needs of farmers based not only on yield potential but also management tools for diseases ranging from iron chlorosis to white mould.

<div><div>ROUNDUP READY 2</div><div><div>X</div><div>TEND</div></div><div>SOYBEANS</div></div> <div>Trait Technology</div>
Features
Benefits of glyphosate and new lower-volatility formulations of dicamba, such as Xtendimax® herbicide. Outstanding weed control including glyphosate-tolerant weeds such as kochia.
Positioning
Position dicamba applications for pre-plant or early post to maximize weed control.
Herbicide Tolerance
<div><div>✓</div><div>Glyphosate (RR)</div></div> <div><div>✓</div><div>Dicamba</div></div>



SOYBEAN Varieties

SOYBEAN Varieties						Plant Health					Agronomic Ratings							
	Variety	CHU	RM	Characteristics		SCN Gene	Phytophthora Resistance Gene	Phytophthora Field Tolerance	White Mould	IDC	Seedling Vigour	Standability	Plant Height	Canopy	Wide Row Adaptability	Pubescence/ Pod Colour	Flower/Hilum Colour	Average Seed Size (Beans/Lb of Seed)
	Wolf R2X	2200	000.7	<ul style="list-style-type: none">Impressive <i>phytophthora</i> toleranceGreat IDC tolerance	<ul style="list-style-type: none">High first pod for ease of harvest	PI88788	Rps3a	AA	AA	ST	8	8	M-T	SB	AA	G/B	P/BLi	2650
	<div>NEW</div> Moose R2X	2375	00.4	<ul style="list-style-type: none">Excellent white mould toleranceGreat pod height helps capture every pod	<ul style="list-style-type: none">Clean phenotype with solid harvest standability	-	None	AA	E	ST	7	9	M-T	SB	AA	B/B	P/BL	2500
	Badger R2X	2425	00.6	<ul style="list-style-type: none">Strong yield performanceExcellent IDC tolerance	<ul style="list-style-type: none">Taller bean with good standability	-	Rps1k	A	A	T	8	7	T	B	E	B/B	P/BL	2450
	<div>NEW</div> Hulk R2X	2475	00.8	<ul style="list-style-type: none">Tall, bushy plant with great white mould toleranceGreat <i>phytophthora</i> field tolerance	<ul style="list-style-type: none">Excellent first-pod height for ease of harvest	-	Rps3a	AA	AA	ST	8	7	T	B	E	B/B	P/BL	2450

Legend

Numerical ratings (1 – 9):
1 = very poor; **9** = excellent; **UR** = unrated

SCN (Soybean Cyst Nematode) gene:
PI88788 & Peking = genes that provide genetic resistance

Phytophthora field tolerance and white mould ratings:
UR = unrated; **BA** = below average; **A** = average;
AA = above average; **E** = excellent

Iron Deficiency Chlorosis (IDC): **ST** = semi-tolerant; **T** = tolerant

Plant height: **S** = short; **M** = medium; **T** = tall; **VT** = very tall

Canopy: **N** = narrow; **SB** = semi-bush; **B** = bushy

Wide-row adaptability (denotes yield and agronomic factors if planted in wider rows, i.e. 30"):
BA = below average; **A** = average;
AA = above average; **E** = excellent

Pubescence/pod/flower/hilum colours: **P** = purple; **W** = white;
BL = black; **B** = brown; **LB** = light brown; **Y** = yellow; **G** = grey;
an “**i**” indicates imperfect hilum colour while a “**p**” indicates a pale variant of hilum colour



Strategies for smart soybean selection to help you pick the best variety for your farm.



PRECISION on YOUR FARM

Technology today allows farmers to collect, track, and manage data from field operations throughout the year. When pulled together, data from planting, from input applications of fertilizer and crop protection products, and especially from harvest yields provide a powerful tool to help make management decisions for future years. Collection and analysis tools such as AgConnexion and Climate FieldView are used heavily in decisions on an increasing number of farm operations.

Talk to your Maizex representative about using these tools to make decisions on your farm or plan a sit-down to review data to help in your seed selection and agronomy decisions for 2026. Our team can help interpret your results to fine-tune the right genetics for your farm.

Farmers today are producing the most nutritious, safest, and lowest cost food supply in the history of mankind.

In Canada, this success has resulted in a longer average lifespan and one of the highest standards of living on the planet. But modern agriculture is not easy to explain, and with the advent of social media and the internet, it is sometimes difficult for the average person to understand the truth about the safety and security of our food supply and how farmers have already adopted practices to produce food in a more sustainable way.

This is where you come in. It is important for us to communicate why we do what we do on the farm. Be Rooted, Be Involved was launched to provide support to farmers in these efforts. This initiative provides information on the technologies we use in agriculture today, the role they play in the security of our food supply, and how important they are in preserving the environment for future generations. Remember that farmers have a high level of credibility with the public. More information and assistance for your communication efforts can be found at maizex.com.



Success – a purchase of Certified Seed opens the door to opportunities for success:

- Quality assurance
- Access to new and improved varieties
- Efficient use of inputs
- New marketing opportunities
- It supports the development of new varieties for the future



Before opening a bag of seed, be sure to read and understand the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed set forth in the technology agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation to comply with those stewardship requirements.

Protecting Pollinators:

If you use a seed flow lubricant when planting treated seed, PMRA requires the use of a Fluency Agent to reduce dust on insecticide treated seed. Carefully follow use directions for this product.*

* Not all planter types require seed flow lubricants; check with your Maizex Seeds representative for more information.

Best Management Practices

- Control flowering weeds in the field prior to planting so that bees are not attracted to the field for foraging.
- Provide pollinator-friendly habitats away from active fields.
- Be aware of hive locations and monitor environmental conditions.
- Avoid generating dust when handling or loading treated seed.
- Ensure proper cleanup and disposal.
- Speak to your equipment dealer or manufacturer about the appropriateness of deflector kits for North American vacuum planters.

For more information on pollinator health and best management practices for seed-applied insecticides, please visit www.croplif0e.ca



Maizex Seeds is a participant in the CleanFARMS seed bag collection program. This program provides an environmentally friendly way to deliver empty seed bags to certified collection sites to divert this waste from landfills or open fires. To take advantage of the program be sure your seed bags are empty and then placed in the plastic collection bag available from certified collection points. Collection bags are accepted free of charge and sent for safe disposal.



Varieties with this logo are protected by the Plant Breeders' Rights (PBR) Act in accordance with UPOV 91. PBR is in place to increase investment in Canadian plant breeding, which results in new, higher-yielding varieties for Canadian farmers. It is important to understand your obligations when you purchase PBR-protected varieties. For more information visit pbrfacts.ca.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with products with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. **Dicamba** will kill crops that are not tolerant to dicamba. **Glufosinate** will kill crops that are not tolerant to glufosinate. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs.

Insect control technology provided by **Vip3A** is utilized under license from Syngenta Crop Protection AG. RIB Complete and Design®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready®, Roundup®, SmartStax®, SmartStax® PRO RIB Complete®, Trecepta®, VT Double PRO®, VT4PRO®, and XtendFlex® are registered trademarks of Bayer Group. Used under license. Liberty®, LibertyLink® and LibertyLink logo® are registered trademarks of BASF. Used under license. Agrisure Viptera® is a registered trademark of a Syngenta group company. Used under license. LibertyLink® and the LibertyLink® logo are registered trademarks of BASF. Used under license. Herculex® is a registered trademark of Dow AgroSciences LLC. Used under license. SmartStax® multi-event technology developed by Bayer and Dow AgroSciences. Bayer CropScience Inc. is a member of CropLife Canada.



Respect the Refuge® and Design are registered trademarks of the Canadian Seed Trade Association. Used under license.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. TruFlex® canola contains Roundup Ready® Technology. Roundup Ready® Technology contains genes that confer tolerance to glyphosate. Glyphosate will kill crops that are not tolerant to glyphosate. Roundup Ready® BUTEO®, and TruFlex® are registered trademarks of Bayer Group. Used under license.

Seed containing a patented trait can only be used to plant a single commercial crop from which seed cannot be saved and replanted. Examples of seed containing a patented trait include but are not limited to Roundup Ready 2 Yield® soybeans, Roundup Ready 2 Xtend® soybeans, and XtendFlex® soybeans. Patents for Bayer technologies specifically can be found at the following webpage: cs.bayerpatents.bayer.com.

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides.

Always read and follow label directions.

Fortenza® Vibrance® Cinco is an on-seed application of Vibrance Cinco fungicide seed treatment and Fortenza insecticide seed treatment. Fortenza® Vayantis® IV is an on-seed application of Fortenza insecticide seed treatment and Vayantis IV RFC2 fungicide seed treatment. Helix® Saltro® is an on-seed application of Helix Vibrance® seed treatment insecticide/fungicide and Saltro® seed treatment fungicide. Agrisure®, Duracade®, Agrisure Viptera®, E-Z Refuge®, Fortenza®, Helix®, Saltro®, Vayantis®, and Vibrance® are trademarks of a Syngenta Group Company.

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF.

Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC.

HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience LLC.

Lumiant™ is a trademark of Corteva Agrisciences.

Maizex® and Maizex Design® are registered trademarks of Maizex Seeds Inc.



CRUSH IT

with



maizex

canola

Maizex Seeds Inc.

4488 Mint Line | Tilbury, Ontario | N0P 2L0 | (877) 682-1720 | maizex.com